

1. Minimum Facility Standards

Category A (All Test Matches)

- 35,000 + seats (ideally with one venue of over 50,000)
- 10,000 covered seats
- Appropriate facilities for teams, coaches, match officials, TMO, Citing Commissioner, judicial officials, medical and drug testing
- Appropriate pitch quality and drainage
- 3 TV broadcaster positions
- 3 radio broadcaster positions
- 30 print media position indoors and up to 100 outdoors
- Permanent clean big screen and second temporary screen
- Clean below 1.2 m
- Onsite lounge available for NZRU VIP hosting (150 capacity)
- Hospitality able to be managed by NZRU
- 2,000 prime seats available for NZRU use
- Ability to comply with NZRU pourage requirements

Category B (All except Lions, Australia)

- 25,000 + seats
- 7,500 covered seats
- Appropriate facilities for teams, coaches, match officials, TMO, Citing Commissioner, judicial officials, medical and drug testing
- Appropriate pitch quality and drainage
- 3 TV broadcaster positions
- 3 radio broadcaster positions
- 30 print media positions indoors and up to 50 outdoors
- Permanent clean big screen
- Clean below 1.2 m
- Onsite lounge available for NZRU VIP hosting (150 capacity)
- Hospitality able to be managed by NZRU
- 2,000 prime seats available for NZRU use
- Ability to comply with NZRU pourage requirements

Category C (All except Lions, Australia, South Africa, England, Ireland, Italy, Scotland, Wales, Argentina, PIRA)

- 18,000 + seats
- 3,000 covered seats
- Appropriate facilities for teams, coaches, match officials, TMO, Citing Commissioner, judicial officials, medical and drug testing
- Appropriate pitch quality and drainage
- 3 TV broadcaster positions
- 3 radio broadcaster positions
- 10 print media positions indoors and 20 outdoors
- Temporary big screen
- Clean below 1.2 m
- Onsite lounge available for NZRU VIP hosting (100 capacity)
- Hospitality able to be managed by NZRU
- 1,000 prime seats available for NZRU use
- Ability to comply with NZRU pourage requirements