

Roxanne Davies

From: Paul Freeland
Sent: Friday, 5 March 2021 04:22 p.m.
To: Roxanne Davies
Subject: FW: Variation 2 submission

Hi Roxanne,

As discussed can you please add this email to Mr Morrison's submission, and then replace the document in Spoken.

Thanks

Paul

From: Bill Morrison <Bill.Morrison@op.ac.nz>
Sent: 04 March 2021 09:49
To: Paul Freeland <Paul.Freeland@dcc.govt.nz>
Subject: RE: Variation 2 submission

Hi Bill, [Gidday Paul](#),

Thank you for your submission on Variation 2 to the 2GP.

Just seeking some clarification.

Is your submission to:

1. accept the change to rezone your site at 307 Wakari Road from Rural Residential 2 zoning to General Residential 1 zoning; or [YES](#)
2. generally accept all changes proposed through Variation 2 [YES](#)

Please bear in mind that there may be multiple hearings and it may be more time effective for you to focus your submission. [You guys have put the Version 2 Proposal out for Wakari Rd which I endorse overall. I think keeping the strip along Wakari Road at Rural Res 2 is a good idea / compromise. I don't plan on attending multiple hearings but at the one that affects me I will just reiterate what I have stated here.](#)

[As a footnote to these comments – If the whole Wakari Road does proceed then I believe the Council needs to widen the Road on the East side and provide a footpath also.](#)

[Cheers Bill](#)

Happy to discuss.

Kind regards

[Paul Freeland](#)
SENIOR PLANNER
CITY DEVELOPMENT

P 03 477 4000 | **DD** 03 474 3325 | **M** 021 806 578 | **E** Paul.Freeland@dcc.govt.nz
Dunedin City Council, 50 The Octagon, Dunedin



If this message is not intended for you please delete it and notify us immediately; you are warned that any further use, dissemination, distribution or reproduction of this material by you is prohibited..

From: billyboy@op.ac.nz <billyboy@op.ac.nz>
Sent: 17 February 2021 13:57
To: District Plan Submissions <DistrictPlanSubmissions@oa.dcc.govt.nz>
Subject: Variation 2 submission

Submission Form Submitted

Reference number 806512

Submitter name
bill Morrison

Organisation

Contact person/agent

Postal address
307 Wakari Road Dunedin Dunedin 9010

Email
billyboy@op.ac.nz

Contact phone number
0273072020

I could gain an advantage in trade competition through this submission
No

If you could gain an advantage in trade competition through this submission please select an answer
No

Variation 2 change ID

Provision name and number, or address and map layer name

My submission seeks the following decision from the Council

Accept the change

Details

Reasons for my views

Supporting documents (file name/s)

No file uploaded

Do you wish to speak in support of your submission at a hearing

Yes

If others make a similar submission, would you consider presenting a joint case at a hearing

Yes

CLAUSE 6 OF FIRST SCHEDULE, RESOURCE MANAGEMENT ACT 1991



Page 1 of 3

The specific aspects of Variation 2 that my submission relates to are:

Variation 2 change ID (please see accompanying Variation 2 – Summary of Changes document or find the list on www.dunedin.govt.nz/2GP-variation-2)

GF11 || NOMA

For example: D2

Provision name and number, or address and map layer name (where submitting on a specific proposed amendment):

All provisions relating to NOMA

For example: Rule 15.5.2 Density or zoning of 123 street name.

My submission seeks the following decision from the Council: (Please give precise details, such as what you would like us to retain or remove, or suggest amended wording.)

☒ Accept the change GF11

☒ Accept the change with amendments outlined below] NOMA

☒ Reject the change

☒ If the change is not rejected, amend as outlined below

Please see attached submission notes

Reasons for my views (you may attach supporting documents):

If you wish to make multiple submissions, you can use the submission table on page 3 or attach additional pages.

Please see attached submission notes

Hearings

Do you wish to speak in support of your submission at a hearing: ☒ Yes ☐ No

If others make a similar submission, would you consider presenting a joint case at a hearing: ☒ Yes ☐ No

Signature:



Emma Peters, Consultant, Sweep Consultancy Ltd

Date: 4/3/21

Michaela Groenewegen

From: billyboy@op.ac.nz
Sent: Wednesday, 17 February 2021 01:57 p.m.
To: District Plan Submissions
Subject: Variation 2 submission

Submission Form Submitted

Reference number 806512

Submitter name
bill Morrison

Organisation

Contact person/agent

Postal address
307 Wakari Road Dunedin Dunedin 9010

Email
billyboy@op.ac.nz

Contact phone number
0273072020

I could gain an advantage in trade competition through this submission
No

If you could gain an advantage in trade competition through this submission please select an answer
No

Variation 2 change ID

Provision name and number, or address and map layer name

My submission seeks the following decision from the Council
Accept the change

Details

Reasons for my views

Supporting documents (file name/s)
No file uploaded

Do you wish to speak in support of your submission at a hearing
Yes

If others make a similar submission, would you consider presenting a joint case at a hearing
Yes

Michaela Groenewegen

From: Emily McEwan
Sent: Tuesday, 9 March 2021 09:43 a.m.
To: Michaela Groenewegen
Subject: FW: Variation 2 submission

To attach to Bill Morrison's submission documents. Thanks

From: Bill Morrison <Bill.Morrison@op.ac.nz>
Sent: Thursday, 4 March 2021 9:49 a.m.
To: Paul Freeland <Paul.Freeland@dcc.govt.nz>
Subject: RE: Variation 2 submission

Hi Bill, Gidday Paul,

Thank you for your submission on Variation 2 to the 2GP.

Just seeking some clarification.

Is your submission to:

1. accept the change to rezone your site at 307 Wakari Road from Rural Residential 2 zoning to General Residential 1 zoning; or YES
2. generally accept all changes proposed through Variation 2 YES

Please bear in mind that there may be multiple hearings and it may be more time effective for you to focus your submission. You guys have put the Version 2 Proposal out for Wakari Rd which I endorse overall. I think keeping the strip along Wakari Road at Rural Res 2 is a good idea / compromise. I don't plan on attending multiple hearings but at the one that affects me I will just reiterate what I have stated here.

As a footnote to these comments – If the whole Wakari Road does proceed then I believe the Council needs to widen the Road on the East side and provide a footpath also.

Cheers Bill

Happy to discuss.

Kind regards

Paul Freeland
SENIOR PLANNER
CITY DEVELOPMENT

P 03 477 4000 | **DD** 03 474 3325 | **M** 021 806 578 | **E** Paul.Freeland@dcc.govt.nz
Dunedin City Council, 50 The Octagon, Dunedin
PO Box 5045, Dunedin 9054
New Zealand
www.dunedin.govt.nz



DUNEDIN | kaunihera
CITY COUNCIL | a-rohe o
Ōtepoti

If this message is not intended for you please delete it and notify us immediately; you are warned that any further use, dissemination, distribution or reproduction of this material by you is prohibited..

From: billyboy@op.ac.nz <billyboy@op.ac.nz>

Sent: 17 February 2021 13:57

To: District Plan Submissions <DistrictPlanSubmissions@oa.dcc.govt.nz>

Subject: Variation 2 submission

Submission Form Submitted

Reference number 806512

Submitter name

bill Morrison

Organisation

Contact person/agent

Postal address

307 Wakari Road Dunedin Dunedin 9010

Email

billyboy@op.ac.nz

Contact phone number

0273072020

I could gain an advantage in trade competition through this submission

No

If you could gain an advantage in trade competition through this submission please select an answer

No

Variation 2 change ID

Provision name and number, or address and map layer name

My submission seeks the following decision from the Council

Accept the change

Details

Reasons for my views

Supporting documents (file name/s)

No file uploaded

Do you wish to speak in support of your submission at a hearing

Yes

If others make a similar submission, would you consider presenting a joint case at a hearing

Yes

Variation 2 Submission Notes – Bill Morrison – GF11 & NDMA

Figure 1: Extent of GF11 – General Residential 1 Rezone:



Notes:

- The extent of the New Development Mapped Area in Relation to GF11 is the same as the extent of GF11 itself.
- The submitter owns land at 307 Wakari Road within G11.

Submission:

1. Accept Change GF11 (Rezone from Rural Residential 2 to GR1)

Reasons:

- Experienced severe shortage of residential capacity in Dunedin, including in this locale, means Council cannot satisfy short through to long term demand with sufficient capacity to meet Council's obligations pursuant to *NPS-UD 2020*. Rezoning land within GF11 from Rural Residential to GR1 helps Council meet its obligations pursuant to *NPS-UD 2020*.
- Rezone meets rezoning criteria specified in 2GP (see 2.6.2.1) – in particular, it provides a logical extension of residential zones over a limited area which is close to services and public amenities including public transport.
- Provides for flexibility of development in this locale for which there is experienced high demand for more residential capacity.

2. Reject Change NDMA over Change Area GF11 and Instead use a Structure Plan Mapped Area

Reasons:

- Provision of infrastructure is adequately governed by existing subdivision and land use performance standards in the 2GP.
- The application of the Structure Plan Mapped Area provides the opportunity for Council to insert performance standards necessary to achieve desired outcomes for this specific site (e.g. attenuation onsite of stormwater and / or wastewater if found to be necessary on assessment of infrastructure capacity at time of subdivision). This is a more appropriate methodology than applying the NDMA to change area GF11.
- The NDMA provisions in their current form act as an impediment to development.

In the alternative, the submitter requests changes to the NDMA provisions as set out in Table 1 of these submission notes. Table 1 contains the NDMA related provisions, issues and potential solutions.

On the submission form the submitter states that their submission relates to *“All provisions relating to...the New Development Mapped Area”*. In the event that Table 1 is not a complete list of all such provisions, the submitter reserves the right to make comment in evidence on any other NDMA related provisions which are found to be missing from Table 1.

3. Additional Comments from the Submitter

1. I think the proposal overall for the mapped Wakari Road area is good. I especially like the fact that you've left the Rural residential 2 strip along Wakari road to help retain that "rural feel" and it balances nicely with what is already in place across the other side of the road on the East side.
2. My place specifically at 307 Wakari, I'm happy to be rezoned General residential. A footnote with my property also is that it has existing Native planting along the roadside which will remain under the General Residential proposal and will therefore also enhance the "rural" feel of the area.
3. I would hope if this development goes ahead that the Council widens the road on the East side (there is provision to do this) and also puts in a footpath as there is a lot of pedestrian traffic along the road to the Ross Creek domain etc.
4. It is assumed at the same time of doing this then a Foul Sewer would be placed in the road.
5. To this end I assume that the Council would ask for some contribution from land owners to help cover these costs. If this is done I hope it would be done on a pro rata basis. That is, I am the smallest land owner along the road and therefore couldn't afford this contribution if it was just split equally amongst the land owners. I would hope it would be based on the number of lots that would be provided per landowner, etc.
6. I understand that land for development in the Central Dunedin area is very scarce and it makes sense that Wakari Road is developed to help meet this capacity and I endorse this policy.

Thank you
Bill Morrison

Table 1: NDMA Issues and Potential Mechanisms For Solutions

Notified Policy / Rule	Issue	Potential Solutions
CHANGE D4 Policy 2.3.3.1.X <u>Support community and leisure activity, sport and recreation, and essential community facilities in Dunedin through:</u> ... <u>X... policies and assessment rules for subdivision in a new development mapped area that require consideration of the need for formal and/or informal space for recreation, sporting, social and cultural activities, and community facilities. {Change D4}</u> Delete Policy 2.6.1.6.b Objective 12.2.X <u>Future residential growth areas are developed in a way that achieves the Plan's strategic directions for: {Change D1}</u> a. <u>facilities and spaces that support social and cultural well-being. (Objective 2.3.3); {Change D4}</u> Policy 12.2.X.1 <u>Policy 12.2.X.1</u> <u>Only allow subdivision in a new development mapped area where it will provide or otherwise ensure good access to outdoor recreation opportunities (including playgrounds) and, where possible, opportunities for off-road cycling and walking tracks within and between different residential developments and connecting to community facilities and services. {Change D4}</u> Rule 12.X.2.5.c <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u> Activity Matters of discretion Guidance on the assessment of resource consents ...	How will this operate in NDMA where land is in multiple ownership and development is likely to occur over time and potentially without co-operation between landowners? S32 report talks about 'large greenfield areas' [see para 296], however, many of the 'large greenfield areas' in NDMA are in multiple ownership.	A trigger mechanism for requirement of formal and/or informal space for recreation, sporting, social and cultural activities, and community facilities. That is, over so many lots / developed area a greenspace is required. AND / OR Specify what greenspace etc is required as a minimum for which NDMAs.

5. In a new development mapped area All subdivision activities (Change D1)	c. Provision of recreation spaces (Change D4). Relevant objectives and policies: i. Objective 12.2.X ii. The subdivision provides or otherwise ensures good access to outdoor recreation opportunities (including playgrounds) and, where possible, opportunities for offroad cycling and walking tracks within and between different residential developments and connecting to community facilities and services. (Policy 12.2.X.1). (Change D4). Conditions that may be imposed include: iii. Location, size and shape of recreation reserves, including a minimum length of road frontage. iv. A requirement to vest recreation spaces in DCC as DCC reserve v. Public amenities to be included in a recreation reserve. vi. A requirement for the recreation space to be developed prior to vesting in DCC. (Change D4).
---	---

Notified Policy / Rule	Issue	Potential Solutions
CHANGE D5 Delete Policies 2.2.2.5.b and 2.2.5.3.a and replace with new clause in Policy 2.2.2.X.a Policy 2.2.2.X to be added {Change D5 & Change E4} <u>Encourage improvements to the environmental performance of new housing by. {Change E4}</u> a. <u>use of policies and assessment rules for subdivision, including in new development mapped areas, that encourage subdivisions to be designed to maximise the potential for passive solar design in housing. {Change D5}</u> b. <u>encouraging new medium density housing in parts of the city that have old housing stock that is not protected for its heritage values;</u> c. <u>rules that require outdoor living space to be on the sunny side of buildings, and requiring principal living areas to connect to the outdoor living space, and</u> d. <u>rules that restrict height in relation to boundary to facilitate access to sunlight in outdoor areas. {Change E4}</u> Objective 12.2.X & Policy 12.2.X.3 Objective 12.2.X {Change D4} <u>Future residential growth areas are developed in a way that achieves the Plan's strategic directions for. {Change D1}</u> ... c. <u>environmental performance and energy resilience. {Objective 2.2.2}. {Change D5}</u> .. <u>Policy 12.2.X.3</u> <u>Only allow subdivision in a new development mapped area where the subdivision layout and orientation provides for houses to be designed with good solar access to living areas and outdoor living spaces. {Change D5}</u> Rule 12.X.2.5.a <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u> <u>Activity</u> <u>Matters of discretion</u> <u>Guidance on the assessment of resource consents</u> ...	No issues.	N/A

5. In a new development mapped area: • All subdivision activities {Change D1}	a. Whether subdivision design supports energy/efficient housing {Change D5}	Relevant objectives and policies: i. Objective 12.2.X ii. The subdivision layout and orientation provides for houses to be designed with good solar access to living areas and outdoor living spaces (Policy 12.2.X.3). {Change D5}		
...				
Rule 15.11.5.Y				
15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item				
Activity		Matters of discretion	Guidance on the assessment of resource consents	
...				
Y In a new development mapped area: • All subdivision activities {Change D1 & Change F2-2}	a. Whether subdivision design supports energy-efficient housing {Change D5}	See Rule 12.X {Change D5}		

Notified Policy / Rule	Issue	Potential Solutions						
CHANGE D6 Objective 12.2.X and Policy 12.2.X.2 <u>Objective 12.2.X</u> {Change D1} Future residential growth areas are developed in a way that achieves the Plan's strategic directions for. {Change D1} ... b. <u>indigenous biodiversity</u> (Objective 2.2.3). {Change D6} ... <u>Policy 12.2.X.2</u> Only allow subdivision in a new development mapped area where the subdivision is designed to ensure any future land use and development will protect and where necessary restore any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values. {Change D6} Rule 12.X.2.5.d <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u> <table border="1"> <thead> <tr> <th>Activity</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr> </thead> <tbody> <tr> <td>d. Whether subdivision design maintains or enhances areas with significant natural environment values {Change D6}</td><td> Relevant objectives and policies: i. <u>Objective 12.2.X</u> ii. The subdivision is designed to ensure any future land use and development will protect and where necessary restore any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values (Policy 12.2.X.2). {Change D6} Conditions that may be imposed include: iii. A requirement to protect areas through reserve status or other legal mechanisms. iv. A requirement to undertake conservation activity. {Change D6} </td><td></td></tr> </tbody> </table> ...	Activity	Matters of discretion	Guidance on the assessment of resource consents	d. Whether subdivision design maintains or enhances areas with significant natural environment values {Change D6}	Relevant objectives and policies: i. <u>Objective 12.2.X</u> ii. The subdivision is designed to ensure any future land use and development will protect and where necessary restore any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values (Policy 12.2.X.2). {Change D6} Conditions that may be imposed include: iii. A requirement to protect areas through reserve status or other legal mechanisms. iv. A requirement to undertake conservation activity. {Change D6}		What is the threshold for 'significant natural environment values'?	Provide a definition for this term.
Activity	Matters of discretion	Guidance on the assessment of resource consents						
d. Whether subdivision design maintains or enhances areas with significant natural environment values {Change D6}	Relevant objectives and policies: i. <u>Objective 12.2.X</u> ii. The subdivision is designed to ensure any future land use and development will protect and where necessary restore any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values (Policy 12.2.X.2). {Change D6} Conditions that may be imposed include: iii. A requirement to protect areas through reserve status or other legal mechanisms. iv. A requirement to undertake conservation activity. {Change D6}							

Rule 15.11.5.Y			
15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item			
Activity	Matters of discretion	Guidance on the assessment of resource consents	
...			
Y	In a new development mapped area. All subdivision activities (Change D1 & Change F2-2)	d. Whether subdivision design maintains or enhances areas with significant natural environment values (Change D6)	See Rule 12.A (Change D6)

Notified Policy / Rule	Issue	Potential Solutions												
CHANGE D7 Objective 12.2.X {Change D1} Future residential growth areas are developed in a way that achieves the Plan's strategic directions for. <i>{Change D1}</i> ... d. form and structure of the environment (Objective 2.4.1). <i>{Change D7}</i> Policy 12.2.X.4 Only allow subdivision in a new development mapped area where the subdivision will provide adequate areas of amenity planting, (including but not limited to street trees) and public amenities to ensure an attractive residential environment. <i>{Change D7}</i> Rule 12.X.2.5.b 12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area <table> <tr> <th>Activity</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr> <tr> <td> 5. In a new development mapped area: - All subdivision activities <i>{Change D1}</i>. </td><td> b. Provision for amenity planting and public amenities. <i>{Change D7}</i>. </td><td> Relevant objectives and policies: - Objective 12.2.X - The subdivision provides adequate areas of amenity planting (including but not limited to street trees) and public amenities to ensure an attractive residential environment (Policy 12.2.X.4). Conditions that may be imposed include: - Requirements for street tree and other subdivision amenity planting. <i>{Change D1}</i>. </td></tr> </table> ... Rule 15.11.5.Y <table> <tr> <th colspan="3">15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item</th></tr> <tr> <th>Activity</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr> </table>	Activity	Matters of discretion	Guidance on the assessment of resource consents	5. In a new development mapped area: All subdivision activities <i>{Change D1}</i>.	b. Provision for amenity planting and public amenities. <i>{Change D7}</i>.	Relevant objectives and policies: - Objective 12.2.X - The subdivision provides adequate areas of amenity planting (including but not limited to street trees) and public amenities to ensure an attractive residential environment (Policy 12.2.X.4). Conditions that may be imposed include: - Requirements for street tree and other subdivision amenity planting. <i>{Change D1}</i>.	15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item			Activity	Matters of discretion	Guidance on the assessment of resource consents	What is the threshold for the requirement? What constitutes an 'adequate' area?	Include a trigger (i.e. number of lots / size of development area). AND / OR Provide guidance on what constitutes 'adequate' areas of amenity planting and public amenities.
Activity	Matters of discretion	Guidance on the assessment of resource consents												
5. In a new development mapped area: All subdivision activities <i>{Change D1}</i>.	b. Provision for amenity planting and public amenities. <i>{Change D7}</i>.	Relevant objectives and policies: - Objective 12.2.X - The subdivision provides adequate areas of amenity planting (including but not limited to street trees) and public amenities to ensure an attractive residential environment (Policy 12.2.X.4). Conditions that may be imposed include: - Requirements for street tree and other subdivision amenity planting. <i>{Change D1}</i>.												
15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item														
Activity	Matters of discretion	Guidance on the assessment of resource consents												

Y	In a new development mapped area: All subdivision activities (Change D1 & Change F2-2)	b. Provision for amenity, planting and public amenities (Change D7)	See Rule 12.X (Change D7)	
---	---	--	----------------------------------	--

Notified Policy / Rule	Issue	Potential Solutions
CHANGE D8 Policy 2.7.1.2 Ensure areas of new urban development provide for public infrastructure networks that represent the least possible long term cost to the public through: ... <u>2. policies and assessment rules for new development mapped areas that encourage efficient use of land as a way to maximise the cost effectiveness of public infrastructure delivery. {Change D8}</u> Objective 12.2.X {Change D1} Future residential growth areas are developed in a way that achieves the Plan's strategic directions for: <i>{Change D1}</i> ... e. <u>a compact and accessible city (Objective 2.2.4); and {Change D8}</u> f. <u>efficient public infrastructure (Objective 2.7.1). {Change D8}</u> Policy 12.2.X.5 <u>Only allow subdivision in a new development mapped area where the subdivision design ensures the efficient use of land, while also achieving the other elements of Objective 12.2.X. {Change D8}</u> Rule 12.X.2.5.e <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u>	Rule 12.X.2 – general assessment guidance iv.3 This assessment has already been undertaken in rezoning of the land (including placement of Transition overlay zone or mapped area).	Delete.

5. In a new development mapped area:
• All subdivision activities (Change D1).

g. Whether subdivision design supports efficient use of land (Change D8).

Relevant objectives and policies:
i. Objective 12.2.X
ii. The subdivision design ensures the efficient use of land, while also achieving the other elements of Objective 12.2.X (Policies 12.2.X.5). (Change D8).
General Assessment Guidance:
iii. Council will generally require subdivision in a UDMA to enable the maximum development capacity allowed under the rules and as can be achieved while still achieving the other objectives and policies of the Plan, (e.g. as many sites suitable for residential development as practicable or through other means of maximising development capacity). (Change D8).
iv. Where a subdivision proposes a residential yield less than what is allowed by the zoning and where this is not required to achieve other plan objectives or policies, Council will consider:
1. how this might affect the affordability and efficient delivery of public infrastructure;
2. how this might affect the ability to provide a reasonable amount of affordable housing in the development; and
3. the potential cumulative effects of inefficient development on loss of rural land. (Change D8).

Rule 15.11.5.Y

15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item

Activity	Matters of discretion	Guidance on the assessment of resource consents
----------	-----------------------	---

...

Y. In a new development mapped area:
• All subdivision activities (Change D1 & Change F2-2)

e. Whether subdivision design supports efficient use of land (Change D8)
See Rule 12.X (Change D8)

Notified Policy / Rule	Issue	Potential Solutions
CHANGE F2-2 Policy 2.2.2.Y Policy 2.2.2.Y - to be added {Change F2-2} <u>Enable and encourage on-site low impact design stormwater management through policies and assessment rules that require stormwater management in new development mapped areas. {Change F2-2}</u>	1. Potential difficulties with NDMA being in multiple ownership – for example, if there is a reluctant or recalcitrant	1. Provide a claw-back mechanism whereby when the developer of infrastructure in a NDMA with multiple owners vests that infrastructure in DCC, DCC pays that developer for the infrastructure (less the developer's pro rata share) and DCC claws-back the cost of that infrastructure vis development contributions as the other land within that NDMA comes online.
Delete Policy 2.2.5.2 Policy 2.7.1.2.X <u>Ensure areas of new urban development provide for public infrastructure networks that represent the least possible long term cost to the public through.</u> ...	2. Requirement to install infrastructure prior to obtaining subdivision consent (see Policy 9.2.1.Y and Note 9.3.7.AAA.a). The proper development process is for resource consent to be obtained prior to installation occurring so that all matters can be assessed together. Focus should be on the design of infrastructure at this stage of the consent / development process.	AND Provide a mechanism whereby the DCC can compulsorily acquire easements in NDMA for new infrastructure. AND Delete from Rule 9.9.X.3.C the following: ', and be submitted along with the written approval of all owners of land within the new development mapped area unless they are the applicant/s'.
<u>X policies and assessment rules that require on-site stormwater management in the new development mapped area. {Change F2-2}</u> Policy 9.2.1.Y Objective 9.2.1 Land use, development and subdivision activities maintain or enhance the efficiency and affordability of public water supply, wastewater and stormwater infrastructure. ...	3. Limiting the extent of Rule 9.5.3.Z.	Delete from Rule 9.9.X.3.C the following: ', and be submitted along with the written approval of all owners of land within the new development mapped area unless they are the applicant/s'. 2. Delete requirement for infrastructure to be installed prior to subdivision consent. 3. Add the words 'within the subject new development
<u>Policy 9.2.1.Y</u> Only allow subdivision activities in a new development mapped area where: a. an on-site stormwater management system that is designed for the whole NDMA and is installed in full or in planned stages prior to development will ensure there is no increase in the pre-development peak stormwater discharge rate from the site into the stormwater public infrastructure (at any point), or b. where this is not practicable, any adverse effects from an increase in discharge on the stormwater public infrastructure are no more than minor. {Change F2-2} Policy 9.2.1.X		
<u>Policy 9.2.1.X</u> Require development in a new development mapped area that creates impermeable surfaces to be connected to the integrated communal on-site stormwater management system that meets Policy 9.2.1.Y {Change F2-2}		

Rule 9.3.7.AA

9.3.7.AA Stormwater (Change F2-2)

- a. In a new development mapped area, all development that creates an impermeable surface must be connected to a communal stormwater management system that services the new development mapped area, except:
1. prior to the communal stormwater management system being installed, any development that creates less than 60m² of impermeable surface is exempt from this standard.
- b. Activities that contravene this performance standard are restricted discretionary activities. (Change F2-2)

Note 9.3.7.AAA

Note 9.3.7.AAA - General advice and other requirements outside of the District Plan (Change F2-2)

- a. In a new development mapped area, Policy 9.2.1.Y requires installation of a communal stormwater management system prior to development as part of the assessment of a subdivision consent. The requirements for stormwater management are set out in the Special Information Requirements - Rule 9.9.X. (Change F2-2)
- b. Clause E1 - Surface Water of the New Zealand Building Code (Building Regulations 1992, Schedule 1) contains requirements regarding buildings and sitework in relation to managing surface water and effects on other property.
- c. Development that will divert surface water may require resource consent under the Otago Regional Plan Water.
- d. Discharge of stormwater to any Otago Regional Council scheduled drain or overland flow path is managed by the Otago Regional Council Flood Protection Management Bylaw 2012.
- e. If development affects the flow of surface water, this effect is also subject to the common law principle of natural servitude.
- f. Part 4 of the Dunedin Code of Subdivision and Development 2010 ('Code of Subdivision') requires that design and construction of stormwater systems be undertaken in accordance with NZS 4404:2004 (now replaced by NZS 4404:2010), except as amended by the Code of Subdivision. This includes a requirement that stormwater systems be provided so that any new development results in an insignificant increase of runoff wherever possible (Clause 4.2.8).
- g. For further information on connections to the public stormwater network and for assistance with design requirements for stormwater management systems, please contact DCC 3 Waters on 03 477 4000 at the earliest opportunity. (Change F2-4)

mapped area' to the end of the sentence at Rule 9.5.3.Z.a.

Rule 9.5.3.Z				
9.5.3 Assessment of performance standard contraventions				
Performance standard	Matters of discretion	Guidance on the assessment of resource consents		
...				
Z. In a new development mapped area • Service connections - stormwater (Rule 9.3.7.4A) (Change F2-2)	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	<u>Relevant objectives and policies</u> <u>Objective 9.2.1</u> - Require development in a new development mapped area that creates impermeable surfaces to be connected to the integrated communal on-site stormwater management system that meets Policy 9.2.1.Y (Policy 9.2.1.X) (Change F2-2) <u>General assessment guidance</u> - Council will consider how stormwater will be managed and may require a stormwater management plan to be submitted with the application (see Special Information Requirement - Rule 9.8.X) (Change F2-2) <u>Conditions that may be imposed include:</u> - A requirement for easements, covenants, consent notices, or bonds to ensure future development will be in accordance with a stormwater management plan. - A requirement for on-site stormwater management such as the installation of detention devices, in accordance with the approved stormwater management plan. (Change F2-2)		
Rule 9.6.2.X				
9.6.2 Assessment of restricted discretionary activities				
Activity	Matters of discretion	Guidance for the assessment of resource consents		
...				

2. In a new development mapped area All subdivision activities (Change F2-2)	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	Relevant objectives and policies (in addition to those outlined in 9.6.2.2 above). i. Objective 9.2.1 ii. Only allow subdivision activities in a new development mapped area where - an on-site stormwater management system that is designed for the whole NDMA and is installed in full or in planned stages prior to development will ensure there is no increase in the pre-development peak stormwater discharge rate from the site into the stormwater public infrastructure (at any point); or - where this is not practicable, any adverse effects from an increase in discharge on the stormwater public infrastructure are no more than minor. (Policy 9.2.1.Y), (Change F2-2)
Special Information Requirement Rule 9.9.X		
<u>9.9.X Stormwater management plans</u> 1. Application for subdivision in a new development mapped area must include a proposed stormwater management plan that demonstrates how Policy 9.2.1.Y will be achieved, unless such a plan has already been approved as part of an earlier subdivision. (Change F2-2) ... 3. Stormwater management plans must - be prepared by a chartered engineer or other suitably qualified person; - be of a level of detail commensurate with the scale of the activity, complexity of stormwater management issues, and potential for adverse effects from stormwater. (Change F2-2 & Change F2-3) - for a new development mapped area (NDMA), address the whole NDMA area, and be submitted along with the written approval of all owners of land within the new development mapped area unless they are the applicants. (Change F2-2) - assess pre-development flows and post-development flows, generally based on the following rainfall events: - for primary infrastructure, a 10% annual exceedance probability (AEP) for the critical storm duration for the NDMA and the critical storm duration and the catchment upstream of the point of discharge; and - for secondary flow paths, a 1% AEP for the critical storm duration for the NDMA and the critical storm duration for the catchment upstream of the point of discharge; - for the purposes of this requirement, 'critical storm duration' means the duration of rainfall event likely to cause the highest peak flows or water levels;		

	iv. for the purposes of this requirement, 'primary infrastructure' includes both open and closed conduits designed to contain the flows generated by the 10% AEP rainfall event; v. for the purposes of this requirement, 'secondary flow paths' means the flow path over which surface water will flow. If the primary flow path becomes overloaded or inoperative and consists of overland flow paths with sufficient capacity to transfer the flows generated by rainfall events up to 1% AEP. Secondary flow paths should be aligned with natural flow paths and located on public land where possible. If located in private property, 1% AEP secondary flows should be through primary infrastructure unless protected by an easement; e. assess the difference between pre-development flows and post-development flows, taking into account the maximum impermeable surfaces permitted in the underlying zone and any proposed roading or accessways for the subdivision area (or in a new development mapped area for the entire NDMA); f. specify the design and location of any on-site stormwater management systems to accommodate the calculated difference in flows; g. where relevant, specify the design and location of secondary flow paths; h. specify any upgrades to stormwater public infrastructure, or other infrastructure, that will be used to add capacity where it is required; i. the stormwater management system design should allow for stormwater quality treatment to reduce potential contaminants that the site and development may generate; j. areas requiring stormwater quality treatment include trafficked areas such as roads, driveways and carparks. Roof and building areas should not require stormwater quality treatment providing they are constructed with inert building products which avoid exposed metal surfaces; k. stormwater quality treatment devices shall target the removal of 75% total suspended solids (TSS) on a long-term average basis and consider the avoidance or minimisation of thermal loading effects; l. the stormwater management design should consider the use of low impact design features, for example: i. grassed/landscaped swales and other vegetation areas; ii. infiltration trenches/bioretention systems; iii. storage ponds/wetlands/sediment ponds; iv. rainwater tanks harvesting and reuse; v. rain gardens, green roofs, or vi. porous surface treatments;
--	--

- m. where low impact design features are inadequate to address stormwater discharge in a way that meets Policy 9.2.1.Y consider the use of detention tanks;
- n. for larger subdivisions, the design should incorporate consideration of how stormwater management areas can be integrated into reserves and recreation spaces;
- o. for larger subdivisions, the design proposal should demonstrate how the integrity of the stormwater mitigation and management measures will not be compromised during and after subdivision (for example, avoiding premature contamination of devices during the construction of houses and ensuring that open drains that form part of the system will not be blocked or altered). *(Change F2-2 & Change F2-3)*

Rule 15.3.4.1 Development Activity Status Table

1.	Performance standards that apply to all development activities	a. Natural Hazards Performance Standards b. Maximum building site coverage and impermeable surfaces c. Setback from scheduled tree d. Structure plan mapped area performance standards (where relevant)
		Y. Service connections - stormwater (in a new development mapped area) <i>(Change F2-2)</i>

Rule 15.6.X

15.6.X Service Connections - Stormwater - to be added *(Change F2-2)*

*In a new development mapped area, all development that creates an impermeable surface must comply with Rule 9.3.7 AA. *(Change F2-2)**

Rule 15.10.4.Y

15.10.4 Assessment of development performance standard contraventions

Performance standard	Matters of discretion	Guidance on the assessment of resource consents
----------------------	-----------------------	---

...

		<u>Y</u> In a new development mapped area Service connections - stormwater (Change F2-2) a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development See Rule 9.5. (Change F2-2)									
		Rule 15.11.5.Y 15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item <table> <tr> <th data-bbox="587 824 657 922">Activity</th><th data-bbox="587 922 657 1211">Matters of discretion</th><th data-bbox="587 1211 657 2098">Guidance on the assessment of resource consents</th></tr> <tr> <td data-bbox="657 824 695 922">...</td><td data-bbox="657 922 695 1211"></td><td data-bbox="657 1211 695 2098"></td></tr> <tr> <td data-bbox="695 824 877 922"> <u>Y</u> In a new development mapped area All subdivision activities (Change D1 & Change F2-2) </td><td data-bbox="695 922 877 1211"> f. Effectiveness and efficiency of stormwater management and effects of stormwater from future development (Change F2-2) </td><td data-bbox="695 1211 877 2098"> See Rule 9.6 (Change F2-2) </td></tr> </table>	Activity	Matters of discretion	Guidance on the assessment of resource consents	...			<u>Y</u> In a new development mapped area All subdivision activities (Change D1 & Change F2-2)	f. Effectiveness and efficiency of stormwater management and effects of stormwater from future development (Change F2-2)	See Rule 9.6 (Change F2-2)
Activity	Matters of discretion	Guidance on the assessment of resource consents									
...											
<u>Y</u> In a new development mapped area All subdivision activities (Change D1 & Change F2-2)	f. Effectiveness and efficiency of stormwater management and effects of stormwater from future development (Change F2-2)	See Rule 9.6 (Change F2-2)									

Notified Policy / Rule	Issue	Potential Solutions			
CHANGE F3-2 Policy 2.7.1.2.Y Ensure areas of new urban development provide for public infrastructure networks that represent the least possible long term cost to the public through: ... <u>Y policies and assessment rules that require wastewater detention for specified sites in the new development mapped area to allow urban expansion while ensuring any impacts on the wastewater public infrastructure network are no more than minor. (Change F3-2)</u> Policy 9.2.1.BB Policy 9.2.1.BB <u>Require subdivision, multi-unit development or supported living facilities in specified new development mapped areas to provide or connect to a communal wastewater detention system that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network. (Change F3-2)</u> Note 9.3.7.ZA General Advice ... <u>b. In new development mapped areas specified in Rule 9.6.2.Y, immediate connections to the wastewater public infrastructure network will not be available due to network capacity constraints. In these cases, subdivision consent may be refused even if this standard is met where an on-site communal wastewater detention system that serves 50 or more residential units is yet to be approved as a solution to capacity constraints. (Change F3-2)</u> ... Rule 9.6.2.Y 9.6.2 Assessment of restricted discretionary activities <table border="1"> <tr> <td>Activity</td><td>Matters of discretion</td><td>Guidance for the assessment of resource consents</td></tr> </table> ...	Activity	Matters of discretion	Guidance for the assessment of resource consents	1. Potential difficulties with NDMA being in multiple ownership – for example, if there is / are reluctant or recalcitrant owner(s) within the NDMA.	1. Provide a claw-back mechanism whereby when the developer of infrastructure in a NDMA with multiple owners vests that infrastructure in DCC, DCC pays that developer for the infrastructure (less the developer's pro rata share) and DCC claws-back the cost of that infrastructure vis development contributions as the other land within that NDMA comes online. AND Provide a mechanism whereby the DCC can compulsorily acquire easements in NDMA for new infrastructure.
Activity	Matters of discretion	Guidance for the assessment of resource consents			

Y. In the following new development mapped areas, all subdivision activities, multi-unit development and supported living facilities: <i>(Change F3-2)</i> • Kalkorai Valley Road <i>(Change IN07)</i> • Selwyn Street <i>(Change RT22)</i> • Wattle Fox Lane <i>(Change RT1)</i> a. Effectiveness and efficiency of wastewater management and effects of wastewater from future development	Relevant objectives and policies (in addition to those outlined in 9.6.2.2 and 9.6.2.3 above): i. Objective 9.2.1. ii. Require subdivision, multi-unit development or supported living facilities in specified new development mapped areas to provide or connect to a communal wastewater detention system that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network (Policy 9.2.1 BB). <i>(Change F3-2)</i> <u>General assessment guidance</u> iii. The identified new development mapped areas are serviced for wastewater but new connections to the network will not be allowed (and consequently any multi-unit development, supported living facility or subdivision that will lead to development that will require a connection will likely be declined) until capacity constraints are resolved or a communal on-site wastewater detention system that is designed for and associated with subdivision and/or development of 50 or more residential units is integrated into the public network and vested in the DCC. After installation of the system, all activities that create wastewater will be required to connect to the system until it is no longer required. iv. In assessing the appropriateness of a proposed communal on-site wastewater detention system, Council will consider the proposed wastewater management plan submitted with the application (see Special Information Requirement - Rule 9.9.Y). <i>(Change F3-2)</i> <u>Conditions that may be imposed</u> v. A requirement for the communal on-site wastewater detention system to be installed prior to certification of the survey plan pursuant to section 223 of the RMA vi. A requirement for the communal on-site wastewater detention system to be vested in the DCC, along with a site containing it which is of a minimum 500m² in area and suitable for residential development. vii. A requirement for necessary easements and a fixed maintenance or defect period agreement to be in place prior to vesting the communal on-site wastewater detention system and associated land. <i>(Change F3-2)</i>
--	--

Rule 9.9.Y

9.9.Y Wastewater management plans

1. Any application for subdivision, multi-unit development or supported living facilities in a new development mapped area specified in Rule 9.6.2.Y, must include a proposed wastewater management plan that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network via the use of a communal wastewater detention system, unless such a system has already been approved for the site and will be connected to.
2. The wastewater management plan must be prepared by a chartered engineer and meet the following requirements:
 - a. Specify the design and location of one or more communal wastewater detention systems to detain wastewater from the entire new development mapped area.
 - b. The communal wastewater detention systems must:
 - i. have the capacity to detain wastewater for a 24-hour period, prior to releasing to the wastewater via a connection to the wastewater public infrastructure network. The volume of wastewater to be detained will be calculated with reference to Part 5 of the Dunedin Code of Subdivision and Development 2010 (Code of Subdivision);
 - ii. be compatible with DCC's Supervisory Control and Data Acquisition (SCADA) system;
 - iii. have a minimum 20 year expected life for all electrical / mechanical components and a minimum 50 year expected life for all civil components;
 - iv. where practicable, be located such that all flow goes to one communal wastewater detention system with no pumping;
 - v. have components and materials that comply with the DCC's 3-Waters Approved Product and Manufacturers List and Part 5 of the Dunedin Code of Subdivision and Development 2010 (Code of Subdivision);
3. The wastewater management plan must be submitted along with the written approval of all landowners within the new development mapped area unless they are the applicant/s. (Change F3-2)

Rule 15.10.4.Y				
15.10.4 Assessment of development performance standard contraventions				
Performance standard	Matters of discretion	Guidance on the assessment of resource consents		
...				
10 Maximum building site coverage and impermeable surfaces	c. Effects on efficiency and affordability of infrastructure (stormwater) {Change F2-3} d. Effects of stormwater from future development {Change F2-3}	See Rule 9.5.		
Rule 15.11.5.Z				
15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item				
Activity	Matters of discretion	Guidance on the assessment of resource consents		
...				
Z In the following new development mapped areas, all subdivision activities, multi-unit development, and supported living facilities: {Change F3-2}	- Kaikorai Valley Road {Change IN07} - Selwyn Street {Change RT22} - Wattie Fox Lane {Change RT24}	a. Effectiveness and efficiency of wastewater management and effects of wastewater from future development {Change F3-2} See Rule 9.6 {Change F3-2}		

Notified Policy / Rule			Issue	Potential Solutions
CHANGE F2-6 Policy 9.2.1.AA			Limit the extent of Policy 9.2.1.AA and related lower order provisions to provision of capacity of infrastructure within the specific new development mapped area.	Delete the words 'on adjoining or nearby sites that are zoned for urban development' and insert the words 'within the subject new development mapped area' before 'where necessary'. AND Similarly in Rule 9.5.3.Z.a.iii delete the words 'on adjoining or nearby sites that are zoned for urban development' and insert the words 'within the subject new development mapped area' before 'where necessary'. AND Similarly in Rule 9.6.2.X.a.iii delete the words 'on adjoining or nearby sites that are zoned for urban development' and insert the words 'within the subject new development mapped area' before 'where necessary'.
Policy 9.2.1.AA				
Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary. (Change F2-6)				
Rule 9.5.3.Z				
9.5.3 Assessment of performance standard contraventions				
Performance standard		Matters of discretion	Guidance on the assessment of resource consents	
Z. In a new development mapped area Services connections - stormwater (Rule 9.3.7.AA) (Change F2-2)		a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary. (Policy 9.2.1.AA). (Change F2-6)	
Rule 9.6.2.X				
9.6.2 Assessment of restricted discretionary activities				
Activity		Matters of discretion	Guidance for the assessment of resource consents	
X. In a new development mapped area All subdivision activities (Change F2-2)		a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). (Change F2-6)	