

Appendix B: Summary of Decisions Requested (by Change ID)

Change ID	Submission point	Submitter	Provision	Position	Decision sought
All	S84.013	Mercy Hospital (Richard Whitney)	All	Reject	If the relief sought in Mercy Hospital's other submission points is not implemented, reject the relevant change/s.
All	S231.001	Liz Angelo-Roxborough	All	Accept	Retain all changes in Plan Change 1.
CMU1	S272.004	Heritage New Zealand Pouhere Taonga (Christine Whybrew)	All	Accept	Retain Change CMU1 (Signs attached to buildings in CMU zones).
CP1	S84.008	Mercy Hospital (Richard Whitney)	1.4.1 definition of high trip generators	Accept	Retain the definition of high trip generators.
CP1	S84.009	Mercy Hospital (Richard Whitney)	27.3.3.X	Reject	Reject the addition of 'high trip generators' as a restricted discretionary activity in the Mercy Hospital Zone (Rule 27.3.3.X).
CP1	S84.010	Mercy Hospital (Richard Whitney)	27.10.X.1	Reject	Reject the matters of discretion and assessment guidance for the assessment of high trip generators as a restricted discretionary activity in Mercy Hospital Zone (Rule 27.10.X.1).
CP1	S84.011	Mercy Hospital (Richard Whitney)	6C Appendix	Reject	Reject the appendix of high trip generator thresholds (Appendix 6C), as it relates to the Mercy Hospital Zone.
CP1	S248.002	Port Otago Limited (Joanne Dowd)	1.4.1 definition of high trip generators	If not rejected, amend	Reject the changes to the definition of high trip generators, but if the changes are not rejected, exclude Port Chalmers and Dunedin Port from the definition (see the full submission for suggested wording).
CP1	S248.003	Port Otago Limited (Joanne Dowd)	6.2.2.Y	If not rejected, amend	Reject Policy 6.2.2.Y, but if the change is not rejected amend the policy so that port activities which cannot be located within walking distance of alternative transport modes are not prevented.
CP1	S248.014	Port Otago Limited (Joanne Dowd)	6.11.2.2	Reject	Reject the changes to Rule 6.11.2.2 (Transportation: Assessment of restricted discretionary high trip generators), but if the changes are not rejected, exclude activities not typically accessed by the public, including ports, logistics, and industrial activities.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
CP1	S248.015	Port Otago Limited (Joanne Dowd)	19.10.3.1	Reject	Reject the changes to Rule 19.10.3.1 (Industrial Zones: Assessment of restricted discretionary high trip generators).
CP1	S248.016	Port Otago Limited (Joanne Dowd)	30.3.3.X	Reject	Reject Rule 30.3.3.X (Port: Land use activity status for high trip generators).
CP1	S248.017	Port Otago Limited (Joanne Dowd)	30.9.X.1	Reject	Reject Rule 30.9.X.1 (Port: Assessment of restricted discretionary land use activities: high trip generators).
CP1	S248.018	Port Otago Limited (Joanne Dowd)	30.9.Y.1	Reject	Reject Rule 30.9.Y.1 (Port: Assessment of restricted discretionary development activities: high trip generators: new or additions to parking areas that result in 50 or more new parking spaces).
CP1	S248.019	Port Otago Limited (Joanne Dowd)	6C Appendix	Reject	Reject Appendix 6C (Transportation: High Trip Generators Thresholds).
CP1	S248.026	Port Otago Limited (Joanne Dowd)	16.3.3.X	Reject	Reject Rule 16.3.3.X (Rural Zones: Land use activity status for high trip generators).
CP1	S248.029	Port Otago Limited (Joanne Dowd)	16.10.2.2	Reject	Reject the changes to Rule 16.10.2.2 (Rural Zones: Assessment of restricted discretionary high trip generators).
CP1	S248.030	Port Otago Limited (Joanne Dowd)	18.10.2.1	Reject	Reject the changes to Rule 18.10.2.1 (Commercial and Mixed Use Zones: Assessment of restricted discretionary high trip generators).
CP1	S248.031	Port Otago Limited (Joanne Dowd)	18.3.4.X	Reject	Reject Rule 18.3.4.X (Commercial and Mixed Use Zones: Land use activity status for high trip generators in the CBD Edge and Mixed Use zones).
CP1	S248.032	Port Otago Limited (Joanne Dowd)	19.3.3.X	Reject	Reject Rule 19.3.3.X (Industrial Zones: Land use activity status for high trip generators).
CP1	S251.011	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	All	Reject	Reject Change CP1 (Improvements to the management of high trip generators) as it relates to the Campus Zone (Section 34).
CP1	S252.009	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept	Retain Change CP1 (Improvements to the management of high trip generators).
CP1	S276.005	Oceana Gold (New Zealand) Limited (Jackie St John)	All	Reject	Reject Change CP1 (Improvements to the management of high trip generators).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
CP1	S276.018	Oceana Gold (New Zealand) Limited (Jackie St John)	6.2.2.Y	Reject	Reject Policy 6.2.2.Y on high trip generators.
CP1	S276.020	Oceana Gold (New Zealand) Limited (Jackie St John)	6C Appendix	If not rejected, amend	Reject Appendix 6C (Transportation: High trip generator thresholds), or if the appendix is not rejected amend it to clarify whether the vehicle movement limits per hour are for any hour within the day or on average across the day, or whether the limits are to be calculated only for those movements on the public transport network.
CP1	S276.027	Oceana Gold (New Zealand) Limited (Jackie St John)	16.3.3.X	If not rejected, amend	Reject Rule 16.3.3.X (Rural Zones: Land use activity status for high trip generators).
CP1	S278.004	Fuel Companies (Phil Brown)	1.4.1 definition of high trip generators	Accept	Retain the definition of high trip generators.
CP1	S278.016	Fuel Companies (Phil Brown)	6.2.2.Y	Accept with amendments	Amend Policy 6.2.2.Y to ensure that high trip generators that do not require car parking spaces are not prevented.
CP1	S278.017	Fuel Companies (Phil Brown)	6.14.2.1	Accept with amendments	Amend Rule 6.14.2.1 (Transportation: Special information requirements for integrated transport assessments as it relates to high trip generators) to provide for activities that are similar in character, intensity and scale to the existing activity.
CP1	S278.018	Fuel Companies (Phil Brown)	6C Appendix	Accept	Retain Appendix 6C (Transportation: High trip generators thresholds).
CP1	S278.019	Fuel Companies (Phil Brown)	All	Accept	Retain the activity status rules for high trip generators in all zones.
CP1	S292.007	New Zealand Defence Force (Rebecca Davies)	All	Accept with amendments	Amend Change CP1 (Improvements to the management of high trip generators) so that it does not affect New Zealand Defence Force's ability to undertake military exercises, and to operate from, or at its sites.
CP4	S117.006	Patersons (Kurt Bowen)	All	Reject	Reject Change CP4 (Add links from zone provisions to matters of discretion in Rules 9.5.3.8 and 9.6.2.2).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
CP4	S251.009	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	34.9.4.9	Accept	Retain the changes to Rule 34.9.4.9 (Campus Zone: Assessment of restricted discretionary development performance standard contraventions: Maximum building site coverage and impermeable surfaces).
CP6	S35.001	David McFarlane	All	Reject	Reject Change CP6 (Family flats in rural and rural residential zones) as it relates to the Rural Residential 1 Zone.
CP6	S146.003	Tim Lequeux	All	Reject	Reject Change CP6 (Family Flats in Rural and Rural Residential Zones) to not cap maximum floor area in family flats on rural properties.
CP8	S117.001	Patersons (Kurt Bowen)	All	Accept	Retain Change CP8 (Shape performance standards for subdivision).
CP8	S251.006	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	All	Accept	Retain Change CP8 (Shape performance standards for subdivision) as it relates to the Campus Zone provisions (Section 34).
CP8	S277.017	Transpower New Zealand Limited (Ainsley McLeod)	2.4.1.8	Accept	Retain the changes to Policy 2.4.1.8.
CP8	S295.008	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	2.4.1.8	Accept	Retain the changes to Policy 2.4.1.8.
CP11	S154.001	Dunedin Tunnels Trails Trust (Kate Wilson)	All	Accept with amendments	Amend Change CP11 (Activity definition for walking and biking tracks) so the management of recreation tracks is as enabling as for roads in all parts of the Plan, including in relation to hazard provisions.
CP11	S279.002	Director-General of Conservation (Gabriel Davies)	All	Accept	Retain Change CP11 (Activity definition for walking and biking tracks).
CP15	S117.011	Patersons (Kurt Bowen)	15.10.1.4	Reject	Reject Rule 15.10.1.4 (Permitted baseline rules).
CP15	S117.012	Patersons (Kurt Bowen)	15.11.1.X	Reject	Reject Rule 15.11.1.X (Permitted baseline rules).
CP15	S117.013	Patersons (Kurt Bowen)	15.11.1.6	Accept	Retain the removal of Rule 15.11.1.6 (Permitted baseline rules).
CP15	S117.014	Patersons (Kurt Bowen)	15.12.1.4	Accept	Retain the removal of Rule 15.12.1.4 (Permitted baseline rules).
CP15	S117.015	Patersons (Kurt Bowen)	17.10.1.6	Accept	Retain the removal of Rule 17.10.1.6 (Permitted baseline rules).
CP15	S117.016	Patersons (Kurt Bowen)	17.11.1.4	Accept	Retain the removal of Rule 17.11.1.4 (Permitted baseline rules).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
CP15	S188.011	Terramark Limited (Darryl Sycamore)	All	Reject	Reject Change CP15 (Permitted baseline rules).
CP16	S117.039	Patersons (Kurt Bowen)	All	Accept with amendments	Amend Change CP16 (Integrated transport assessment for subdivisions) to include additional guidance notes that describe when a subdivision activity might be expected to trigger the requirement for an ITA.
CP16	S146.004	Tim Lequeux	All	If not rejected, amend	Reject Change CP16 (Integrated transport assessments for subdivisions), but if the change is not rejected amend rules to not apply to properties zoned General Residential 1 Zone.
CP19	S136.001	Jasmin Taylor	All	Accept with amendments	Amend Change CP19 (Election signs) so that it does not allow election signs to be illuminated.
CP19	S272.001	Heritage New Zealand Pouhere Taonga (Christine Whybrew)	All	Accept with amendments	Amend Change CP19 (Election signs) so that illumination of election signs is not permitted in heritage precincts.
CP23	S295.015	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	6.7.4.2.a	Accept	Retain the changes to Rule 6.7.4.2.a (Transportation: Setback from designated rail corridor performance standard).
CP24	S84.012	Mercy Hospital (Richard Whitney)	27.9.3.3	Accept	Retain the changes to Rule 27.9.3.3 (Mercy Hospital: Assessment of land use performance standard contraventions for minimum mobility car parking).
CP24	S251.008	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	34.9.3.4	Accept	Retain the changes to Rule 34.9.3.4 (Campus Zone: Assessment of restricted discretionary land use performance standard contraventions: Minimum mobility car parking).
CP24	S276.017	Oceana Gold (New Zealand) Limited (Jackie St John)	6.2.2.1	Reject	Reject the changes to Policy 6.2.2.1 on mobility car parking.
CP24	S276.019	Oceana Gold (New Zealand) Limited (Jackie St John)	6.2.3.4	Reject	Reject the changes to Policy 6.2.3.4 on overspill parking effects.
CZ1	S16.001	Blueskin Nurseries (Mark Brown)	All	Accept	Retain Change CZ1 (Rezoning of 9 and 11 Harvey Street, Waitati, from Township and Settlement Zone to Rural Centre Zone).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
CZ1	S266.001	Karen Dean	All	Reject	Reject Change CZ1 (Rezoning of 9 and 11 Harvey Street, Waitati, from Township and Settlement Zone to Rural Centre Zone).
D9	S251.004	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	All	Accept	Retain the removal of references to 'retail ancillary to industry' throughout the Campus Zone provisions (Section 34), and the associated change to the definition of 'industry'.
D10	S37.001	Mandy Tocher	17.6.9.1	Reject	Reject the changes to Rule 17.6.9.1 (Rural Residential Zones: Boundary setbacks performance standard).
D10	S37.002	Mandy Tocher	16.6.10.1	Reject	Reject the changes to Rule 16.6.10.1 (Rural Zones: Boundary setbacks).
D10	S248.025	Port Otago Limited (Joanne Dowd)	16.2.2.3	Reject	Reject the changes to Policy 16.2.2.3 on setbacks from boundaries in rural zones.
D10	S248.027	Port Otago Limited (Joanne Dowd)	16.6.10.1	Reject	Reject the changes to Rule 16.6.10.1 (Rural Zones: Boundary setbacks).
D10	S248.028	Port Otago Limited (Joanne Dowd)	16.9.4.2	Reject	Reject the changes to Rule 16.9.4.2 (Rural Zones: Assessment of restricted discretionary performance standard contraventions of boundary setbacks).
D10	S276.025	Oceana Gold (New Zealand) Limited (Jackie St John)	16.2.2.3	If not rejected, amend	Reject the changes to Policy 16.2.2.3 on setback from boundaries in the rural zones, but if the changes are not rejected amend the policy to minimise uncertainty for future development of the Macraes Gold Project's large structures (inferred not stated).
D10	S276.026	Oceana Gold (New Zealand) Limited (Jackie St John)	16.9.4.2	If not rejected, amend	Reject the changes to Rule 16.9.4.2 (Rural Zones: Assessment of restricted discretionary contraventions of the boundary setbacks performance standard), but if the changes are not rejected amend the rule to minimise uncertainty for future development of the Macraes Gold Project's large structures (inferred not stated).
D16	S84.005	Mercy Hospital (Richard Whitney)	All	Accept with amendments	Retain Change D16 (Providing for healthcare activities), except amend the definition of "healthcare" to delete the reference to in-patient facilities.
D16	S111.001	Louise Croot	All	Accept	Retain Change D16 (Providing for healthcare activities).
D16	S118.001	Ōtākou Health Limited (Chris Pearse-Smith)	All	Accept	Retain Change D16 (Providing for healthcare activities).
D16	S188.002	Terramark Limited (Darryl Sycamore)	All	Accept with amendments	Amend Change D16 (Providing for healthcare activities) so that non-profit social agencies are defined as healthcare activities.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
D16	S188.022	Terramark Limited (Darryl Sycamore)	A6.2.5 (table)	Accept with amendments	Amend Table A6.2.5 Class 5 - Oxidising substances, so that nitrous oxide exceeding the stated limits can be stored in a private dwelling by a patient without the need for resource consent.
D16	S251.005	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	All	Accept	Retain Change D16 (Providing for healthcare activities).
D16	S252.002	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept	Retain Change D16 (Providing for healthcare activities).
D16	S261.004	Kāti Huirapa Rūnaka ki Puketeraki, Te Rūnanga o Ōtākou (Kā Rūnaka) (Michael Bathgate)	All	Accept	Retain Change D16 (Providing for healthcare activities).
D16	S268.010	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	1.4.1 definition of healthcare	Accept with amendments	Amend the definition of healthcare to refer to educational facilities rather than education services.
D16	S277.015	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of national grid sensitive activities	Accept	Retain the changes to the definition of national grid sensitive activities.
D16	S277.016	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of healthcare	Accept	Retain the definition of healthcare.
D16	S278.001	Fuel Companies (Phil Brown)	1.4.1 definition of bulk fuel storage facilities sensitive activities	Accept	Retain the changes to the definition of bulk fuel storage facilities sensitive activities.
D16	S295.004	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	1.4.1 definition of noise sensitive activities	Accept	Retain the changes to the definition of noise sensitive activities.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
D18	S117.002	Patersons (Kurt Bowen)	1.4.1 definition of ground level	Accept	Retain Change D18 (Definition of ground level).
D18	S126.001	Fulton Hogan Limited (Helen Caley)	All	Accept	Retain Change D18 (Definition of ground level).
D18	S276.004	Oceana Gold (New Zealand) Limited (Jackie St John)	All	Reject	Reject Change D18 (Definition of ground level).
Earth1	S84.002	Mercy Hospital (Richard Whitney)	1.4.1 definition of construction	Accept	Retain the changes to the definition of construction and site investigation, but if amended, do not affect Mercy's ability to undertake efficient construction works.
Earth1	S84.004	Mercy Hospital (Richard Whitney)	4.3.2.2	Accept	Retain the changes to Rule 4.3.2.2 (Temporary Activities: Activity status for construction and site investigation), but if amended, do not affect Mercy's ability to undertake efficient construction works.
Earth1	S126.003	Fulton Hogan Limited (Helen Caley)	4.5.4.1	Accept	Retain the addition of site investigation to Rule 4.5.4.1 (Temporary Activities: Construction and site investigation noise performance standard).
Earth1	S248.001	Port Otago Limited (Joanne Dowd)	1.4.1 definition of construction	Accept with amendments	Amend the definition of construction and site investigation to include the additional geotechnical investigation activities of test pits, cone penetrometer tests (CPT), and hand augers.
Earth1	S252.003	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept	Retain Change Earth1 (Geotechnical investigation and driving of piles for building foundations).
Earth1	S269.006	Kāinga Ora - Homes and Communities (Brendon Liggett)	1.4.1 definition of earthworks	Accept with amendments	Amend the definition of earthworks to comply with the National Planning Standards.
Earth1	S276.002	Oceana Gold (New Zealand) Limited (Jackie St John)	1.4.1 definition of construction	Accept with amendments	Amend the definition of construction and site investigation to exclude site investigation related to mining.
Earth1	S276.003	Oceana Gold (New Zealand) Limited (Jackie St John)	All	Accept with amendments	Amend Change Earth1 (Geotechnical investigation and driving of piles for building foundations), by excluding all site investigation related to mining.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Earth1	S276.008	Oceana Gold (New Zealand) Limited (Jackie St John)	4.5.1.1.c	Accept with amendments	Amend Rule 4.5.1.1.c to exempt prospecting, exploration and mining-related site investigation.
Earth1	S276.009	Oceana Gold (New Zealand) Limited (Jackie St John)	4.5.3.4	If not rejected, amend	Amend Rule 4.5.3.4 to ensure that it does not apply to OceanaGold's prospecting, exploration or mining activity.
Earth1	S276.010	Oceana Gold (New Zealand) Limited (Jackie St John)	4.5.4.1	If not rejected, amend	Amend Rule 4.5.4.1 to exclude OceanaGold's prospecting, exploration and mining activity.
Earth1	S277.011	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of construction	Accept	Retain the changes to the definition of construction and site investigation.
Earth1	S277.012	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of earthworks	Accept	Retain the changes to the definition of earthworks.
Earth1	S277.013	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of temporary activities	Accept	Retain the changes to the definition of temporary activities.
Earth1	S277.014	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of earthworks	Accept with amendments	Amend the definition of earthworks to enable geotechnical investigations throughout the city so that compliance with the National Planning Standards is achieved.
Earth1	S278.002	Fuel Companies (Phil Brown)	1.4.1 definition of construction	Accept with amendments	Amend the definition of construction and site investigation to clarify that ground must be reinstated within 48 hours of the completion of site investigation.
Earth1	S278.003	Fuel Companies (Phil Brown)	1.4.1 definition of earthworks	Accept with amendments	Amend the definition of earthworks to clarify that the driving of piles for building foundations is also exempt from the definition of earthworks.
Earth1	S278.006	Fuel Companies (Phil Brown)	4.5.3.4	Accept	Retain Rule 4.5.3.4.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Earth1	S292.004	New Zealand Defence Force (Rebecca Davies)	All	Accept with amendments	Amend Change Earth1 (Geotechnical investigation and driving of piles for building foundations) so that it does not affect New Zealand Defence Force's ability to undertake military exercises.
Earth1	S295.002	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	1.4.1 definition of construction	Accept with amendments	Amend the definition of construction and site investigation by removing the words "provided that the ground is reinstated within 48 hours".
Earth1	S295.003	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	1.4.1 definition of earthworks	Accept	Retain the changes to the definition of earthworks.
Earth1	S295.007	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	1.4.1 definition of temporary activities	Accept	Retain the changes to the definition of temporary activities.
Earth1	S295.009	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	4.3.2.2	Accept	Retain the changes to Rule 4.3.2.2.
Mer1	S84.007	Mercy Hospital (Richard Whitney)	All	Accept	Retain Change Mer1 (Rule 27.6.3 Small scale buildings and structures).
MW1	S261.001	Kāti Huirapa Rūnaka ki Puketeraki, Te Rūnanga o Ōtākou (Kā Rūnaka) (Michael Bathgate)	All	Accept	Retain Change MW1 (Missing native reserves mapped areas).
MW1	S265.001	Pūrākaunui Incorporation (Daniel Whitburn)	All	Accept	Retain Change MW1 (Missing native reserves mapped areas).
MW2	S261.002	Kāti Huirapa Rūnaka ki Puketeraki, Te Rūnanga o Ōtākou (Kā Rūnaka) (Michael Bathgate)	All	Accept	Retain Change MW2 (Wāhi tupuna ID 32 viewshaft origin).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
NE3	S19.004	Fraser McRae	All	Accept	Retain Change NE3 (Exemptions from vegetation clearance rules for erection, maintenance or alteration of fences, and construction or maintenance of tracks) as it relates to the maintenance of recreational walking tracks up to 2m in width.
NE3	S197.007	Dunedin City Council (Anna Johnson)	10.3.2.4.b.ii	Accept with amendments	Amend Rule 10.3.2.4.b.ii to clarify the meaning of the references to "mature indigenous trees" (see the full submission for suggested wording).
NE7	S26.004	Mihiwaka Sheep and Beef Limited (Robert Chapman)	Area of significant biodiversity value C177	Reject	Remove area of significant biodiversity value C177 (Pūrākaunui Road) from the schedule of ASBVs (see also associated out-of-scope submission points).
NE7	S26.005	Mihiwaka Sheep and Beef Limited (Robert Chapman)	Area of significant biodiversity value C178	Reject	Remove area of significant biodiversity value C178 (Hodson Hill) from the schedule of ASBVs (see also associated out-of-scope submission points).
NE7	S26.006	Mihiwaka Sheep and Beef Limited (Robert Chapman)	All	If not rejected, amend	If areas of significant biodiversity value C177 (Pūrākaunui Road) and C178 (Hodson Hill) are not removed from the schedule of ASBVs, amend Rule 16.3.3.6 and Rule 16.3.3.9 so they do not apply to these ASBVs.
NE7	S187.003	Otago Regional Council (Gretchen Robertson)	All	Accept	Retain Change NE7 (Additions to the ASBV schedule on public land).
NE7	S197.008	Dunedin City Council (Anna Johnson)	A1.2 Schedule of ASBV C060	Accept with amendments	Amend the name of the area of significant biodiversity value C060 Burns Park and Burns Park North to Burns Scenic Reserve and Ravensbourne Bush.
NE7	S197.009	Dunedin City Council (Anna Johnson)	A1.2 Schedule of ASBV C188	Accept with amendments	Amend the name of the area of significant biodiversity value C188 Logan Park to Signal Hill.
NE7	S279.001	Director-General of Conservation (Gabriel Davies)	All	Accept	Retain Change NE7 (Additions to the ASBV schedule on public land).
NE13	S85.001	Jackie Jones	All	Accept with amendments	Amend the extent of area of significant biodiversity value C082 (QEII Trust Covenant) at 287 Wairongoa Road, North Taieri, to exclude areas currently in mature pasture, house buildings & curtilage (see the full submission for a map).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
NE13	S253.001	Maxwell Clive and Janice Gay Crawford	All	Accept with amendments	Amend the extent of area of significant biodiversity value C085 (QEII Trust Covenant) at Saddle Hill to exclude areas A and B on DP21466 (see the full submission for a map).
NU2	S117.032	Patersons (Kurt Bowen)	All	Accept with amendments	Amend Rule 5.6.2 (Earthworks setbacks from network utilities) to include an exemption that allows earthworks to be undertaken at, or behind, a boundary line where the boundary line exists within the setback distance.
NU2	S117.033	Patersons (Kurt Bowen)	5.6.2	Accept	Retain the changes to Rule 5.6.2 (Earthworks setbacks from network utilities) that reduce the earthworks setback requirements from 2.5m to 1.5m.
NU2	S117.034	Patersons (Kurt Bowen)	5.6.2	Accept	Retain Rule 5.6.2.Y (Earthworks setbacks from network utilities).
NU2	S117.035	Patersons (Kurt Bowen)	5.6.2	Accept with amendments	Amend Rule 5.6.2 (Earthworks setbacks from network utilities) so that it also captures network utilities that are privately owned by a collection of owners and includes a requirement for a management regime where the infrastructure services more than one property (see the full submission for suggested wording).
NU2	S188.006	Terramark Limited (Darryl Sycamore)	All	Accept with amendments	Amend Change NU2 (Earthworks setbacks from network utilities) to add an exemption for earthworks undertaken by a landowner on their own land.
NU2	S197.010	Dunedin City Council (Anna Johnson)	5.6.2	Accept with amendments	Amend Rule 5.6.2 (Network Utilities: Setback from network utilities performance standard) to add further exemptions where effects are appropriately managed via other legislation. For example, for types of earthworks that are managed under the Building Act 2004 (earthworks that require building consent) or Local Government Act 1974 or 2002 (earthworks close to certain types of infrastructure).
NU2	S248.013	Port Otago Limited (Joanne Dowd)	5.6.2	Accept with amendments	Amend Rule 5.6.2 (Network Utilities: Setback from network utilities performance standard) to provide an exemption for earthworks closer than the 1.5m setback, where the network utility operator has provided their approval for the earthworks (see the full submission for suggested wording).
NU2	S252.006	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept	Retain Change NU2 (Earthworks setbacks from network utilities).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
NU2	S269.007	Kāinga Ora - Homes and Communities (Brendon Liggett)	5.6.2	Reject	Remove Rule 5.6.2 (Network Utilities: Setback from network utilities) from the district plan entirely.
NU3	S117.041	Patersons (Kurt Bowen)	1.4.1 definition of building utilities	Accept	Retain the changes to the definition of building utilities.
NU3	S117.042	Patersons (Kurt Bowen)	1.4.1 definition of network utility structures	Accept	Retain the changes to the definition of network utility structures.
PA1	S261.003	Kāti Huirapa Rūnaka ki Puketeraki, Te Rūnanga o Ōtākou (Kā Rūnaka) (Michael Bathgate)	All	Accept	Retain Change PA1 (Height for pou whenua).
PHS1	S117.004	Patersons (Kurt Bowen)	9.3.3.2	Accept with amendments	Amend Rule 9.3.3.2 (Public Health and Safety: Firefighting performance standard) to allow an alternative fire-fighting solution to be used provided the applicant can supply Council with written approval for the solution from Fire and Emergency New Zealand.
PHS1	S188.003	Terramark Limited (Darryl Sycamore)	9.3.3.2	Accept with amendments	Amend Rule 9.3.3.2 (Public Health and Safety: Firefighting performance standard) to only apply to multi-unit, commercial, or industrial developments, and exempt smaller residential developments
PHS1	S197.011	Dunedin City Council (Anna Johnson)	9.6.2.X	Accept with amendments	Amend Rule 9.6.2.X (Public Health and Safety: Assessment of restricted discretionary subdivision activities that may result in new residential buildings) so that the proposed reference to the Dunedin Code of Subdivision and Development 2010 includes reference to the most recent New Zealand Standard NZS 4404 (similar to existing references in the Plan, e.g. at Rule 6.11.2.7.a.vii).
PHS1	S197.012	Dunedin City Council (Anna Johnson)	9.3.3.2	Accept with amendments	Amend Rule 9.3.3.2.c (Public Health and Safety: Firefighting performance standard) to clarify that a communal firefighting system installed as part of an approved subdivision can only be used for new residential buildings that it was designed for.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS1	S251.007	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	All	Accept	Retain Change PHS1 (Amend Rule 9.3.3 Firefighting) as it relates to the Campus Zone provisions (Section 34).
PHS1	S257.002	Fire and Emergency New Zealand (Jennifer Beardsall)	9.6.2.X	Accept with amendments	Amend Rule 9.6.2.X (Public Health and Safety: Assessment of restricted discretionary subdivision that may result in new residential buildings) so that it applies to all buildings, not just residential buildings (see the full submission for suggested wording).
PHS1	S257.003	Fire and Emergency New Zealand (Jennifer Beardsall)	All	Accept with amendments	Amend Change PHS1 (Amend Rule 9.3.3 Firefighting) to require the provision of adequate firefighting water supply, and associated access, for all new buildings (not just residential buildings) in all zones.
PHS1	S257.004	Fire and Emergency New Zealand (Jennifer Beardsall)	9.2.2.8	Accept with amendments	Amend Policy 9.2.2.8 on access to suitable water supply for firefighting so that it applies to all buildings, not just residential buildings (see the full submission for suggested wording).
PHS2	S21.001	Corrine Jordan	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S58.001	Russell Lund	All	Reject	Reject Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S72.001	Kate Reid	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation, and to require it in the entire dwelling rather than only bedrooms.
PHS2	S73.001	Rob Sharma*	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S76.001	Jeff Harford	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation, and to require it in the entire dwelling rather than only bedrooms.
PHS2	S79.001	Francisca Griffin	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation, and to require it in the entire dwelling rather than only bedrooms.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S83.001	Peter Porteous	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) so that the insulation requirements meet a design standard of $DnT,w + Ctr > 40$ dB, and extend to all internal habitable spaces (not just bedrooms).
PHS2	S86.001	Elenor Rayner	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation, and to require it in the entire dwelling rather than only bedrooms.
PHS2	S87.001	Karl Brinsdon	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S88.001	Ian Henderson	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S89.001	Quinn Hardie	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation, and to require it in the entire dwelling rather than only bedrooms (see also associated out-of-scope submission point).
PHS2	S93.001	Michael Fay	All	Accept with amendments	Amend Change PHS2 (Amend Rule 9.3.1 Acoustic Insulation), to require acoustic insulation for noise-sensitive activities to meet a design standard of $DnT,w + Ctr > 40$ dB in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S94.001	Daniel Bent*	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S96.001	Louis Smith	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S97.001	Craig Arthur	All	Accept	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation, and extend it for the entire dwelling rather than only bedrooms (the latter is inferred not stated).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S99.001	Danny Brady Live Sound (Danny Brady)	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S100.001	Jonathan Beebe	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S101.001	Grant McDougall	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S103.001	Abby Smith	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S104.001	Philip van Zijl	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation.
PHS2	S105.001	David Theobald	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation.
PHS2	S106.001	Alan Gray	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S108.001	Bart Acres	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S109.001	Lhamo Mullin*	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to implement the higher standard of 40dB in all recommended zones, and to entire dwellings not just bedrooms.
PHS2	S110.001	Tony Tarasiewicz	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.
PHS2	S111.003	Louise Croot	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S116.001	Paul Wratten	9A Appendix	Accept	Retain the changes to Appendix 9A. Acoustic Insulation Requirements.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S117.036	Patersons (Kurt Bowen)	All	Accept with amendments	Retain Change PHS2 (Acoustic insulation for music venues noise management) (see also associated out-of-scope submission point).
PHS2	S120.001	Jeffrey Abbott	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation (inferred not stated).
PHS2	S127.001	Craig Monk	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation, and to require it in the entire dwelling rather than only bedrooms.
PHS2	S133.001	Stephen Stedman	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation, and to require additional methods to mitigate noise (e.g. floating floors and mechanically isolated walls and ceilings).
PHS2	S136.002	Jasmin Taylor	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require acoustic insulation for noise sensitive activities to meet a design standard of $DnT,w + Ctr > 40dB$ in all habitable rooms.
PHS2	S137.001	Lars van Beusekom*	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S138.001	Ellen Walters	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require acoustic insulation for noise sensitive activities to meet a design standard of $DnT,w + Ctr > 40dB$ in all habitable rooms.
PHS2	S142.001	Matthew Smith	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S151.001	Jill Bowie	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation ($DnT,w + Ctr > 40 dB$) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S155.001	Lesley Paris	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in the entire dwelling rather than only bedrooms.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S157.001	Carrie Graham	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S158.001	Oscar Mitchell	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S165.001	Lana Arun	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S167.001	James McCaughan	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S169.001	Hugh Harlow	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in all rooms, not only bedrooms.
PHS2	S170.001	Ali Boyne	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S171.001	Mark Baxter	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in all living areas in addition to only bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S174.001	OUSA (Jason Schroeder)	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone (inferred not stated).
PHS2	S174.002	OUSA (Max Came)	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S175.001	Laurence Potter	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S177.001	Michael Holland	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) for the entire building envelope of new developments in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S178.001	Brett Lemmon	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S179.001	Andrew Spittle	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation of DnT,w + Ctr > 40 dB in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S180.001	Alison Spittle	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) so that the insulation requirements meet a design standard of DnT,w + Ctr > 40 dB, and extends beyond just bedrooms.
PHS2	S183.001	James Higgs	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S184.001	Sean Lennon	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation of DnT,w + Ctr > 40 dB in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S191.001	Jamie Powell	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S192.001	Zi Shaw	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require new builds and renovations to have higher soundproofing than 35dB in the whole apartment/house/unit.
PHS2	S193.001	Matai Parai	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to increase the acoustic insulation requirement beyond 35dB.
PHS2	S196.001	Sam Vernon	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require a greater increase in acoustic insulation to meet a design standard of DnT,w + Ctr > 40 dB in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S198.001	Jennifer Woolrich	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S199.001	Megan Elder	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S200.001	Rosanna Hill	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S201.001	Carousel Bar (John Devereux)	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation in living areas (not just bedrooms).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S203.001	Andy Hilder	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S204.001	Taieri College (Brad Martin)	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S205.001	Stephen Kilroy	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require acoustic insulation for noise sensitive activities to meet a design standard of DnT,w + Ctr >40dB in all rooms, including bedrooms.
PHS2	S206.001	Scott Turnbull	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone (inferred not stated).
PHS2	S207.001	Dunedin Fringe Arts Trust (Ruth Harvey)	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S208.001	Michael Morris	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S209.001	Anna Knight	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in the entire dwelling rather than only bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S210.001	Save Dunedin Live Music (Fairleigh Gilmour)	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require acoustic insulation for noise-sensitive activities to meet a design standard of DnT,w + Ctr > 40 dB in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone and cover all habitable rooms.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S212.001	Erica Scally	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to implement a higher standard of 60dB for bedrooms rather than 35dB.
PHS2	S216.001	Toby Roseman	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to add more insulation to decrease noise travelling through walls.
PHS2	S217.001	Brian Graham	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S218.001	Dan Cox*	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S220.001	Janice Turei	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S222.001	David Bennett	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S227.001	Craig Birch-Morunga	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S228.001	Brendan Christie	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) for commercial and residential buildings in the CBD.
PHS2	S229.001	David Muir	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) for all rooms, including bedrooms.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S233.001	Elayna Amezcua	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S234.001	Kirsten Gibson	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S236.001	Hamish Fyfe	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S237.001	Rebecca South	All	Accept	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S238.001	Felicity McKergow	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S239.001	Kinoko Homes (Ayumu Kobayashi)	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S240.001	Paul Fox	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in the entire dwelling rather than only bedrooms in the CBD Zone, Warehouse Precinct Zone and Harbourside Edge Zone.
PHS2	S241.001	TT Geigenschrey Inkraut (TThomas G'schrey)	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS2	S244.001	Caitlin Lester	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in the entire dwelling rather than only bedrooms.
PHS2	S252.008	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S272.002	Heritage New Zealand Pouhere Taonga (Christine Whybrew)	All	Accept	Retain Change PHS2 (Acoustic insulation for music venues noise management).
PHS2	S273.001	Duncan Eddy	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) to require increased acoustic insulation (DnT,w + Ctr > 40 dB) in the entire dwelling rather than only bedrooms and apply this to all residential developments in the centre city.
PHS2	S298.006	Business South (Mike Collins)	All	Accept with amendments	Amend Change PHS2 (Acoustic insulation for music venues noise management) so that live music venues and residential developers share the responsibility for managing noise impacts, so that the requirements are clear and standardised, and to promote noise management plans for new developments near entertainment precincts.
PHS6	S111.004	Louise Croot	All	Accept	Retain Change PHS6 (Construction noise controls for long-term duration construction).
PHS6	S126.002	Fulton Hogan Limited (Helen Caley)	4.5.4.1.a.iii	Accept with amendments	Amend Rule 4.5.4.1.a.iii (Temporary Activities: Construction and site investigation noise performance standard) so that it no longer applies to buildings housing a noise sensitive activity in industrial and Port zones.
PHS6	S248.005	Port Otago Limited (Joanne Dowd)	All	Accept with amendments	Amend Change PHS6 (Construction noise controls for long-term duration construction) to apply NZS6803:1999 Acoustics Construction Noise to all construction and site investigation activities, without it triggering resource consent requirements when levels need to be exceeded, by deleting Rules 4.5.4.1.a.i, 4.5.4.1.a.ii, 4.5.4.1.a.iii, 4.5.4.1.X, 4.5.4.1.c, 4.5.4.1.d, 4.5.4.1.e, and the associated assessment rule.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS6	S248.006	Port Otago Limited (Joanne Dowd)	All	Accept with amendments	If the relief sought in submission point 5 is not accepted, amend Rule 4.5.4.1 (Temporary Activities: Noise performance standard for construction and site investigation) to provide various outcomes (see the full submission for details).
PHS6	S248.009	Port Otago Limited (Joanne Dowd)	4.10.2.1	Reject	Reject the changes to Rule 4.10.2.1 (Temporary Activities: Assessment of non-complying performance standard contraventions of construction and site investigation noise).
PHS6	S248.011	Port Otago Limited (Joanne Dowd)	4.11.2	Reject	Reject Rule 4.11.2 (Temporary Activities: Special information requirements construction noise and vibration management) as it relates to Change PHS6 (Construction noise controls for long-term duration construction).
PHS6	S248.020	Port Otago Limited (Joanne Dowd)	9.7.4.5	Reject	Reject the changes to Rule 9.7.4.5 (Public Health and Safety: Assessment of discretionary performance standard contraventions for construction and site investigation noise).
PHS6	S248.021	Port Otago Limited (Joanne Dowd)	9.8.2.6	Reject	Reject the changes to Rule 9.8.2.6 (Public Health and Safety: Assessment of non-complying performance standard contraventions for construction and site investigation noise).
PHS6	S252.005	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept	Retain Change PHS6 (Construction noise controls for long-term duration construction).
PHS6	S276.012	Oceana Gold (New Zealand) Limited (Jackie St John)	4.9.2.1	If not rejected, amend	Reject the changes to Rule 4.9.2.1 (Temporary Activities: Assessment of discretionary contraventions of the construction and site investigation performance standard), but if the changes are not rejected amend the rule to ensure that 'construction and site investigation' does not include OceanaGold's prospecting, exploration and mining activity.
PHS6	S276.014	Oceana Gold (New Zealand) Limited (Jackie St John)	4.10.2.1	If not rejected, amend	Reject the changes to Rule 4.10.2.1 (Temporary Activities: Assessment of non-complying contraventions of the construction and site investigation noise performance standard), but if the changes are not rejected amend the rule to ensure that 'construction and site investigation' does not include OceanaGold's prospecting, exploration and mining activity.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
PHS6	S278.007	Fuel Companies (Phil Brown)	All	Accept with amendments	Amend Rule 4.5.4.1 (Temporary Activities: Construction and site investigation noise performance standard) to clarify the noise limits for commercial and mixed use zones where there are no noise-sensitive activities.
PHS6	S278.012	Fuel Companies (Phil Brown)	4.11.2	Accept	Retain Rule 4.11.2 (Temporary Activities: Special information requirements for construction noise and vibration management).
PHS6	S278.014	Fuel Companies (Phil Brown)	4.9.2.1	Accept with amendments	Amend Rule 4.9.2.1 (Temporary Activities: Assessment of discretionary contraventions of the construction and site investigation noise performance standard) to remove the assessment matter regarding the safety and efficiency of the transport network.
PHS6	S278.015	Fuel Companies (Phil Brown)	4.10.2.1	Accept with amendments	Amend Rule 4.10.2.1 (Temporary Activities: Assessment of non-complying contraventions of the construction and site investigation noise performance standard) to remove the assessment matter regarding the safety and efficiency of the transport network.
PHS6	S292.005	New Zealand Defence Force (Rebecca Davies)	All	Accept with amendments	Amend Change PHS6 (Construction noise controls for long-term duration construction) so that it does not affect New Zealand Defence Force's ability to undertake military exercises.
PHS6	S295.013	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	4.9.2.1	Accept	Retain the changes to Rule 4.9.2.1 (Temporary Activities: Assessment of discretionary contraventions of the construction and site investigation noise performance standard).
PHS6	S295.014	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	4.10.2.1	Accept	Retain the changes to Rule 4.10.2.1 (Temporary Activities: Assessment of non-complying contraventions of the construction and site investigation noise performance standard).
Port1	S19.005	Fraser McRae	All	Accept	Retain Change Port1 (Rule 30.6.1 Location of outdoor storage).
Rec2	S279.003	Director-General of Conservation (Gabriel Davies)	All	Accept	Retain Change Rec2 (Natural environment overlays in Recreation Zone).
Res1	S117.003	Patersons (Kurt Bowen)	All	Accept	Retain Change Res1 (Height of garages in boundary setbacks).
Res3	S19.006	Fraser McRae	All	Accept	Retain Change Res3 (Amenity and character effects from development performance standard contraventions).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res3	S117.005	Patersons (Kurt Bowen)	15.2.3.1	Accept with amendments	Amend Policy 15.2.3.1 (Amenity and character effects from development performance standard contraventions) to relate to sunlight access specifically, rather than amenity generally (see the full submission for suggested wording).
Res7	S22.001	Matt Williamson	1.4.1 definition of building	Accept with amendments	Amend the definition of building so that a movable building (e.g. a tiny home on wheels or caravan) is only included for the purposes of applying the density performance standard (see the full submission for suggested wording).
Res7	S117.037	Patersons (Kurt Bowen)	1.4.1 definition of building	Accept with amendments	Amend the definition of building so that it excludes movable homes and caravans where these structures/vehicles are not being actively used for residential housing.
Res7	S146.002	Tim Lequeux	All	Reject	Reject Change Res7 (Density for Residential Activity in Movable Buildings).
Res7	S188.016	Terramark Limited (Darryl Sycamore)	1.4.1 definition of building	Accept with amendments	Amend the definition of building to exclude storage of holiday accommodation vehicles.
Res7	S269.005	Kāinga Ora - Homes and Communities (Brendon Liggett)	1.4.1 definition of building	Accept with amendments	Amend the definition of building to exclude any motorised vehicle or other mode of transport that could be moved under its own power.
Res7	S276.001	Oceana Gold (New Zealand) Limited (Jackie St John)	1.4.1 definition of building	Reject	Reject the changes to the definition of building.
Res7	S295.001	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	1.4.1 definition of building	Accept	Retain the changes to the definition of building.
Res9	S272.003	Heritage New Zealand Pouhere Taonga (Christine Whybrew)	All	Accept	Retain Change Res9 (Assessment of fence height and design in residential zones).
Res13	S1.001	Brett Guildford	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area at 204D South Road, Caversham, to show the correct physical location of the watercourse.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S5.001	Karen Knudson	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected, amend Rule 10.3.3 to add exemptions for 'network utility structures - small scale in driveways and consented roads' and for 'the operation, repair, minor upgrading and maintenance of existing drains'.
Res13	S7.001	Andrew Taggart	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 61 Pacific Street.
Res13	S11.001	Te Tarata Trust (Karen Knudson)	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 21 Park Street.
Res13	S12.001	Sidney Bennett	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area at 399 and 403 Pine Hill Road to relocate it to 405 and 407 Pine Hill Road.
Res13	S13.001	Rob Tigeir	Stormwater open watercourse mapped area	Accept with amendments	Remove the stormwater open watercourse mapped area from 500 South Road.
Res13	S15.001	Sarah McAndrew	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse at 137 Blacks Road (Opoho Creek) to show the correct location.
Res13	S18.001	Olivia Hyslop	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 2 Rose Drive, Concord.
Res13	S20.001	Barry Howell	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 53 Manapouri Street, Ravensbourne.
Res13	S23.001	Steve Van Zoomeren	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 297 Tomahawk Road, Ocean Grove.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S25.001	Brent Wilson	10.3.3	Accept with amendments	Amend Rule 10.3.3 (Natural Environment: Setback from coast and water bodies performance standard) so that the required setback from a stormwater open watercourse mapped area in zones other than rural zones is reduced from 5m to 2m.
Res13	S27.001	Rahul Prasad	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 497A Brighton Road.
Res13	S28.001	James Guthrie	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 84 Hall Road, Sawyers Bay, and adjoining road reserve.
Res13	S29.001	Sophie Fern	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area that passes through 52 Greenacres Street, Macandrew Bay, to apply any name it has, in consultation with mana whenua.
Res13	S32.001	Kevin and Deborah van de Water	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 16 Emerson Street and 10 Vandes Way.
Res13	S32.002	Kevin and Deborah van de Water (Patersons)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.
Res13	S32.003	Kevin and Deborah van de Water (Patersons)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.
Res13	S32.004	Kevin and Deborah van de Water (Patersons)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S32.005	Kevin and Deborah van de Water (Patersons)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S32.006	Kevin and Deborah van de Water (Patersons)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented. This includes the properties at 9, 10,11, and 16 Vandes Way, Concord.
Res13	S32.007	Kevin and Deborah van de Water (Patersons)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S36.001	Nigel Pettitt	All	If not rejected, amend	Remove the stormwater open watercourse mapped area from 4 Seddon Street, Ravensbourne, and the immediately surrounding area, but if it is not removed reduce the required setback from stormwater open watercourse mapped areas in zones other than rural zones (Rule 10.3.3.X) from 5m to 3m.
Res13	S39.001	Tony and Rochelle McFarlane	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 11A Matai Street, Ravensbourne.
Res13	S40.001	Rodney Gibbs	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from Somerville Street.
Res13	S41.001	Gavin and Simone Jackson	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 18 Ascog Road, Ravensbourne.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S43.001	Darren Waters	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 55 Spottiswoode Street.
Res13	S46.001	Glen Morgan	10.3.3	Accept with amendments	Amend Rule 10.3.3 (Natural Environment: Setback from coast and water bodies performance standard) for stormwater open watercourse mapped areas in rural residential zones so that the required setback is reduced from 20m to 5m.
Res13	S49.001	Glenn Blanchette	10.3.3	Accept with amendments	Amend Rule 10.3.3 (Natural Environment: Setback from coast and water bodies performance standard) as it relates to stormwater open watercourse mapped areas other than in rural zones, so that the setback requirement is graduated depending on the size of the watercourse, with a setback of 5m for large watercourses and no setback for minor watercourses.
Res13	S49.002	Glenn Blanchette	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area at 55 Every Street to show the correct location.
Res13	S54.001	Steven Watkins	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if this change is not rejected reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 3m.
Res13	S54.002	Steven Watkins	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 18 Lancefield Street, Dunedin.
Res13	S55.001	Steven and Jennifer Crighton	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 16 Friendship Drive, Waldronville.
Res13	S59.001	Jonathan Duncan	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 11A Lynwood Avenue, Dunedin.
Res13	S61.001	Alistair Broad	All	Reject	Reject Change Res13 (Stormwater open watercourse setbacks).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S64.001	The Grange Lifecare Village Limited (Geoff McPhail)	Stormwater open watercourse mapped area	Accept with amendments	Retain the stormwater open watercourse mapped area at The Grange Lifecare Village property, subject to the submitter being made aware if any of the proposed changes could be detrimental to their property.
Res13	S65.001	Michael Thomson	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area at 43 Manapouri Street.
Res13	S66.001	Jody Quedley	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 10 Earls Road, St Clair (inferred not stated).
Res13	S66.002	Jody Quedley	10.3.3	Reject	Reject the 5m required setback from stormwater open watercourse mapped areas in zones other than rural zones (Rule 10.3.3.X).
Res13	S67.001	Brigit Coleman	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area at 982 Brighton Road.
Res13	S68.001	David Barrett	All	Accept with amendments	Retain the stormwater open watercourse mapped area at 29 Finch Street (see also the associated out-of-scope submission point).
Res13	S71.001	Candy Yoo	All	Accept with amendments	Retain the stormwater open watercourse mapped area at 15 and 15A Rimu Street, provided that the required setback is reduced from 20m to 5m (inferred not stated; see also the associated submission point with an out-of-scope rezoning request).
Res13	S74.001	Priscilla Dickinson	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 9 Marion Street, Macandrew Bay.
Res13	S75.001	Jim Takas	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 21 Marine Parade, Macandrew Bay (inferred not stated).
Res13	S77.001	Broad Bay Residents for Sensible Development (Matthew and Kimberly Morgan)	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setbacks) by increasing the required setback from stormwater open watercourse mapped areas in zones other than rural zones (Rule 10.3.3.X) from 5m to 10m for Styles Creek and other waterways that require an esplanade reserve.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S78.001	Thomas Caulfield	All	Reject	Reject Change Res13 (Stormwater open watercourse setbacks) as it relates to the watercourse at 7 Fred Hollows Way, Dunedin.
Res13	S81.001	Yoon Soo and Tae Sook Rah	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 17 Hellyer Street, Macandrew Bay (see also associated out-of-scope submission point).
Res13	S84.006	Mercy Hospital (Richard Whitney)	All	Accept with amendments	Retain Change Res13 (Stormwater open watercourse setbacks), except amend Rule 27.9.4.X (Mercy Hospital: Assessment of restricted discretionary performance standard contraventions for Setback from coast and water bodies) so that it also applies to the setback from stormwater open watercourse mapped areas; and delete Rule 27.9.6.1 (Mercy Hospital: Assessment of restricted discretionary performance standard contraventions for Setback from a stormwater open watercourse mapped area).
Res13	S90.001	David Richards and Lichelle Jadulan	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 16 Emerson Street and 10 Vandes Way.
Res13	S91.001	Lucy Patel	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setbacks) to ensure it doesn't affect current consented building plans for 18 Howard Street, Macandrew Bay, Dunedin.
Res13	S92.001	Jarrold Hodson	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 48 Manapouri Street, Ravensbourne.
Res13	S95.001	Lucy Knott	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 241 Saddle Hill Road, Saddle Hill.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S107.002	Tony Illingworth	10.3.3	Accept with amendments	Amend Rule 10.3.3 (Natural Environment: Setback from Coast and Water Bodies) to require: a. where a watercourse is less than 1m wide a 2m setback, and where a watercourse is more than 1m wide a 5m setback; and b. all existing structures, driveways etc closer than the proposed setback have existing use rights and shall not be required to be removed, upgraded or altered to meet DCC requirements.
Res13	S112.001	Carolyn Carter	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 200A Elgin Road, Dunedin.
Res13	S117.045	Patersons (Kurt Bowen)	10.3.3	Accept with amendments	Amend Rule 10.3.3.W (Natural Environment: Setback from coast and water bodies performance standard) so that the required setback from a stormwater open watercourse mapped area in the rural zones is reduced from 20m to 7m.
Res13	S117.046	Patersons (Kurt Bowen)	10.3.3	Accept with amendments	Amend Rule 10.3.3.X (Natural Environment: Setback from coast and water bodies performance standard) as it relates to stormwater open watercourse mapped areas, so that the required setback in zones other than rural zones is reduced from 5m to 3m.
Res13	S117.047	Patersons (Kurt Bowen)	10.3.3	Accept with amendments	Amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas (see the full submission for suggested wording).
Res13	S117.048	Patersons (Kurt Bowen)	10.3.3	Accept with amendments	Amend Figure 10.3.3A to include stormwater open watercourse mapped areas so it is clear where the setback is to be measured from.
Res13	S117.049	Patersons (Kurt Bowen)	10.3.3	Accept with amendments	Amend Figure 10.3.3.B to include stormwater open watercourse mapped areas so it is clear where the setback is to be measured from.
Res13	S117.050	Patersons (Kurt Bowen)	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setbacks) to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S117.051	Patersons (Kurt Bowen)	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setbacks) to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented.
Res13	S117.052	Patersons (Kurt Bowen)	Stormwater open watercourse mapped area	Accept with amendments	Remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in the residential zones.
Res13	S117.060	Patersons (Kurt Bowen)	All	Accept	Retain all aspects of Change Res13 (Stormwater open watercourse setbacks) that the submitter has not otherwise sought relief on.
Res13	S131.001	Peter Enright	10.3.3	Accept with amendments	Amend Rule 10.3.3.W (Natural Environment: Setback from coast and water bodies performance standard) so that the required setback from a stormwater open watercourse mapped area in the rural zones is reduced from 20m to 5m where the land is also within a residential transition overlay zone.
Res13	S135.001	Trevor Johnson	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 65 Ellesmere Street, Ravensbourne.
Res13	S144.001	Karin Ludwig	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 187 and 191 Norwood Street.
Res13	S144.002	Karin Ludwig	10.3.3	If not rejected, amend	Reject the requirement for a 20 metre setback from a stormwater open watercourse mapped area in the rural zones, or if the change is not rejected apply a 5 metre setback requirement to lifestyle properties under 30 hectares in the rural zones.
Res13	S144.003	Karin Ludwig	10.3.3	Accept	Retain the exception for fences in Rule 10.3.3.Y.a (Natural Environment: Setback from coast and water bodies performance standard as it relates to stormwater open watercourse mapped areas).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S144.004	Karin Ludwig	10.3.3	Accept with amendments	Amend Rule 10.3.3.Y.b (Natural Environment: Setback from coast and water bodies) so that the exemption for structures in the required setback from a stormwater open watercourse mapped area includes structures with a maximum footprint of 20m ² , instead of 2m ² , or otherwise exempts tunnel houses and glasshouses.
Res13	S145.001	Jennifer Hawes	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setback) to make the size of the setback area relative to the size of the watercourse and what it may need to be accessed for.
Res13	S160.001	Michelle Oldman	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 91 Glen Road, Dunedin.
Res13	S187.004	Otago Regional Council (Anita Dawe)	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setbacks) to include cross references to the Otago Regional Flood Protection and Management Bylaw 2022 as required.
Res13	S188.008	Terramark Limited (Darryl Sycamore)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the stormwater open watercourse mapped area to apply in the correct locations, and only to features that meet the definition of watercourse as accepted in case law.
Res13	S188.009	Terramark Limited (Darryl Sycamore)	10.3.3	Accept with amendments	Amend Rule 10.3.3 (Natural Environment: Setback from coast and water bodies performance standard) as it relates to stormwater open watercourse mapped areas, so that the required setback in rural zones is reduced from 20m to 7m, and the required setback in other zones is reduced from 5m to 3m.
Res13	S188.010	Terramark Limited (Darryl Sycamore)	10.3.3	Accept with amendments	Amend Rule 10.3.3 (Natural Environment: Setback from coast and water bodies performance standard) as it relates to stormwater open watercourse mapped areas, so that other activities that have the same effects as the permitted exemptions are also permitted.
Res13	S197.013	Dunedin City Council (Anna Johnson)	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area so that it only includes watercourses that meet the definition of "stormwater open watercourse".

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S197.014	Dunedin City Council (Anna Johnson)	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area where investigation confirms it is mapped in the wrong place.
Res13	S197.015	Dunedin City Council (Anna Johnson)	10.3.3	Accept with amendments	Amend Rule 10.3.3.Y (Natural Environment: Setback from coast and water bodies performance standard - exemptions from Rule 10.3.3.W and Rule 10.3.3.X) so that it only restricts activities as required to manage effects on the efficiency and affordability of infrastructure.
Res13	S215.001	Roger Gibbs	Stormwater open watercourse mapped area	Accept	Remove the stormwater open watercourse mapped area from Somerville Street.
Res13	S219.001	Andrea and Nick Lawson	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area at 6A Trecastell Street, Brighton to show the correct physical location of the watercourse.
Res13	S223.001	Tania Henderson	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 20 Appold Street.
Res13	S224.002	Shelley Linwood and John Aarts	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setback) to replace setback requirements with guiding principles that state if the watercourse will be obstructed or the flow altered by any form of construction a land works consent would be needed.
Res13	S225.001	Keegan Simpson	Stormwater open watercourse mapped area	If not rejected, amend	Amend the stormwater open watercourse mapped area at 11 Shirley Lane, Sawyers Bay, to show the correct physical location of the watercourse and the development constructed on the property.
Res13	S226.001	Emma Young	10.3.3	Accept with amendments	Amend Rule 10.3.3 (Natural Environment: Setback from coast and water bodies) to require: a. where a watercourse is less than 1m wide a 2m setback, and where a watercourse is more than 1m wide a 5m setback; and b. all existing structures, driveways etc closer than the proposed setback have existing use rights and shall not be required to be removed, upgraded or altered to meet DCC requirements.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S230.001	Anne-Louise Heath	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 47 Manapouri Street and 49 Manapouri Street.
Res13	S247.001	Maria Driver	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 160D Beach Street, Waikouaiti.
Res13	S247.002	Maria Driver	10.3.3	Reject	Reject Rule 10.3.3 (Natural Environment: Setback from coast and water bodies) regarding the 5m setback requirement from stormwater open watercourse mapped areas in zones other than rural zones.
Res13	S251.010	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	All	Accept	Retain the changes to Rule 34.9.4.14 (Campus Zone: Assessment of restricted discretionary development performance standard contraventions: Setback from coast and water bodies (rules 10.3.3.1 - 10.3.3.5)) and Rule 34.9.6.1 (Campus Zone: Assessment of restriction discretionary performance standard contraventions in an overlay zone, mapped area, or affecting a scheduled item: Setback from a stormwater open watercourse mapped area (rules 10.3.3.W and 10.3.3.X)).
Res13	S258.001	Payne Developments Limited (Grant and Debbie Payne)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected, amend Rule 10.3.3.W to reduce the setback required from a stormwater open watercourse mapped area in the rural zones from 20m to 7m.
Res13	S258.002	Payne Developments Limited (Grant and Debbie Payne)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected, amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.
Res13	S258.003	Payne Developments Limited (Grant and Debbie Payne)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to also apply to stormwater open watercourse mapped areas to clarify where the required setbacks are to be measured from.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S258.004	Payne Developments Limited (Grant and Debbie Payne)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions so that where a stormwater open watercourse exists close to a property boundary, the setback requirements do not apply to the adjoining property.
Res13	S258.005	Payne Developments Limited (Grant and Debbie Payne)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected, amend the provisions so that there is an exemption for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented. This includes the properties at 16, 18 and 20 Magnolia Lane, Mosgiel.
Res13	S258.006	Payne Developments Limited (Grant and Debbie Payne)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the Planning Maps so that the stormwater open watercourse mapped area is removed where these areas relate to large properties of undeveloped land in residential zones.
Res13	S260.001	Gladstone Family Trust (Emma Peters)	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 121 Chain Hills Road.
Res13	S260.002	Gladstone Family Trust (Emma Peters)	10.3.3	If not rejected, amend	If the stormwater open watercourse mapped area is not removed from 121 Chain Hills Road, amend Rule 10.3.3.W to reduce the required setback for stormwater open watercourse mapped areas in the rural zones from 20m to 7m.
Res13	S260.003	Gladstone Family Trust (Emma Peters)	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setbacks) so that there is an overt link between rules 10.3.3.W and 10.3.3.X and the assessment criteria for performance standard contravention in Rule 9.5.4.4.
Res13	S262.001	Alastair Neaves	All	Accept with amendments	Amend Change Res13 (Stormwater open watercourse setbacks) to reduce the setback required for stormwater open watercourse mapped areas in zones other than rural zones from 5m to 1m.
Res13	S262.002	Alastair Neaves	Stormwater open watercourse mapped area	Accept with amendments	Amend the stormwater open watercourse mapped area at 70 Barr Street to show the correct location.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S268.001	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	All	Accept	Retain Change Res13 (Stormwater open watercourse setbacks).
Res13	S269.002	Kāinga Ora - Homes and Communities (Brendon Liggett)	Stormwater open watercourse mapped area	Reject	Remove all stormwater open watercourse mapped areas.
Res13	S279.006	Director-General of Conservation (Gabriel Davies)	All	Accept	Retain Change Res13 (Stormwater open watercourse setbacks).
Res13	S281.001	Anzide Properties Limited (Doug Hall)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.
Res13	S281.002	Anzide Properties Limited (Doug Hall)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.
Res13	S281.003	Anzide Properties Limited (Doug Hall)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S281.004	Anzide Properties Limited (Doug Hall)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S281.005	Anzide Properties Limited (Doug Hall)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S281.006	Anzide Properties Limited (Doug Hall)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S281.007	Anzide Properties Limited (Doug Hall)	Stormwater open watercourse mapped area	If not rejected, amend	Remove the stormwater open watercourse mapped area from 553 North Road, Normanby; 617 North Road, Upper Junction; 636 Kaikorai Valley Road, Burnside; and 702 Kaikorai Valley Road, Burnside.
Res13	S282.001	HWH Properties Limited (Michael Wallace)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.
Res13	S282.002	HWH Properties Limited (Michael Wallace)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.
Res13	S282.003	HWH Properties Limited (Michael Wallace)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S282.004	HWH Properties Limited (Michael Wallace)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S282.005	HWH Properties Limited (Michael Wallace)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected, amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented. This includes the land at 402-404 Kaikorai Valley Road, Kaikorai Valley.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S282.006	HWH Properties Limited (Michael Wallace)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S283.001	Silverstream Industrial Holdings Limited (Anthony Clear)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.
Res13	S283.002	Silverstream Industrial Holdings Limited (Anthony Clear)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.
Res13	S283.003	Silverstream Industrial Holdings Limited (Anthony Clear)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected, amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S283.004	Silverstream Industrial Holdings Limited (Anthony Clear)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S283.005	Silverstream Industrial Holdings Limited (Anthony Clear)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented. This includes a number of properties at Tarakihana Drive, Mosgiel.
Res13	S283.006	Silverstream Industrial Holdings Limited (Anthony Clear)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S284.001	Otago Business Park Limited (Allan Dippie)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in the rural zones from 20m to 7m.
Res13	S284.002	Otago Business Park Limited (Allan Dippie)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.
Res13	S284.003	Otago Business Park Limited (Allan Dippie)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S284.004	Otago Business Park Limited (Allan Dippie)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S284.005	Otago Business Park Limited (Allan Dippie)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented. This includes a number of properties at Enterprise Place, Mosgiel.
Res13	S284.006	Otago Business Park Limited (Allan Dippie)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S285.001	Balmoral Developments (Outram) Limited (Neville and Cathy Ferguson)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S285.002	Balmoral Developments (Outram) Limited (Neville and Cathy Ferguson)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.
Res13	S285.003	Balmoral Developments (Outram) Limited (Neville and Cathy Ferguson)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S285.004	Balmoral Developments (Outram) Limited (Neville and Cathy Ferguson)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S285.005	Balmoral Developments (Outram) Limited (Neville and Cathy Ferguson)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented. This includes 50 Franks Place, Outram.
Res13	S285.006	Balmoral Developments (Outram) Limited (Neville and Cathy Ferguson)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S286.001	DRDL 2023 Limited (Roger Fewtrell)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.
Res13	S286.002	DRDL 2023 Limited (Roger Fewtrell)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S286.003	DRDL 2023 Limited (Roger Fewtrell)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S286.004	DRDL 2023 Limited (Roger Fewtrell)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S286.005	DRDL 2023 Limited (Roger Fewtrell)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented.
Res13	S286.006	DRDL 2023 Limited (Roger Fewtrell)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S286.007	DRDL 2023 Limited (Roger Fewtrell)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove the stormwater open watercourse mapped area from 19A Belford Street, Waverley; 50 Marne Street, Andersons Bay; 3A Quarry Road, Green Island; 94 Panmure Avenue, Calton Hill; and 211 Pine Hill Road, Dalmore.
Res13	S287.001	Giles and Katharine Wynn-Williams	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.
Res13	S287.002	Giles and Katharine Wynn-Williams	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S287.003	Giles and Katharine Wynn-Williams	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S287.004	Giles and Katharine Wynn-Williams	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S287.005	Giles and Katharine Wynn-Williams	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented.
Res13	S287.006	Giles and Katharine Wynn-Williams	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S287.007	Giles and Katharine Wynn-Williams	Stormwater open watercourse mapped area	If not rejected, amend	Remove the stormwater open watercourse mapped area from 159 Pine Hill Road.
Res13	S288.001	Universal Developments Mosgiel Limited, and Universal Developments Walton Park Limited (Lane Hocking)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.W to reduce the setback required from stormwater open watercourse mapped areas in rural zones from 20m to 7m.
Res13	S288.002	Universal Developments Mosgiel Limited, and Universal Developments Walton Park Limited (Lane Hocking)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.X to reduce the setback required from stormwater open watercourse mapped areas in zones other than rural zones from 5m to 2.5m.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S288.003	Universal Developments Mosgiel Limited, and Universal Developments Walton Park Limited (Lane Hocking)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend Rule 10.3.3.7 to provide a starting point for measuring setbacks from stormwater open watercourse mapped areas.
Res13	S288.004	Universal Developments Mosgiel Limited, and Universal Developments Walton Park Limited (Lane Hocking)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from the setback requirements for adjoining properties where an open watercourse exists close to a property boundary.
Res13	S288.005	Universal Developments Mosgiel Limited, and Universal Developments Walton Park Limited (Lane Hocking)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the provisions to include an exemption from setback requirements for properties that are subject to recently consented and/or approved developments, and where anticipated land use activities have not yet been fully implemented.
Res13	S288.006	Universal Developments Mosgiel Limited, and Universal Developments Walton Park Limited (Lane Hocking)	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected remove all stormwater open watercourse mapped areas from the Planning Map where they are on large properties of undeveloped land in residential zones.
Res13	S288.007	Universal Developments Mosgiel Limited, and Universal Developments Walton Park Limited (Lane Hocking)	Stormwater open watercourse mapped area	If not rejected, amend	Remove the stormwater open watercourse mapped area from 58 Ayr Street, Mosgiel, and 100 Walton Park Avenue, Fairfield.
Res13	S294.001	Rodger Clarkson	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 10 Echovale Avenue.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Res13	S296.001	Craig Horne	Stormwater open watercourse mapped area	Reject	Remove the stormwater open watercourse mapped area from 6 Braeside.
Res13	S300.001	Adam Levine	All	If not rejected, amend	Reject Change Res13 (Stormwater open watercourse setbacks), but if the change is not rejected amend the setback required from stormwater open watercourse mapped areas at urban residential properties from 5m to 1m.
Res18	S197.016	Dunedin City Council (Anna Johnson)	1.4.1 definition of standard residential	Accept with amendments	Amend the definition of standard residential to ensure it is clear that this definition includes living accommodation subject to a tenancy agreement under the Residential Tenancy Act 1986.
Res18	S261.005	Kāti Huirapa Rūnaka ki Puketeraki, Te Rūnanga o Ōtākou (Kā Rūnaka) (Michael Bathgate)	1.4.1 definition of visitor accommodation	Accept with amendments	Amend the definition of visitor accommodation to not include accommodation provided in exchange for a donation (see the full submission for requested wording).
Res20	S117.040	Patersons (Kurt Bowen)	All	Accept	Retain Change Res20 (Allowing 3 Waters agreements for RTZ transition).
Res20	S131.002	Peter Enright	All	Accept with amendments	Amend Change Res20 (Allowing 3 Waters agreements for Residential Transition Overlay Zone (RTZ) transition) so that it is clear any agreements between the DCC and developer can relate to the partial release of an RTZ (see the full submission for suggested wording).
Res20	S263.001	Jason Hewlett	All	Accept	Retain Change Res20 (Allowing 3 Waters agreements for RTZ transition), inferred not stated.
Res20	S290.001	Robert and Margaret Duffy	All	Accept	Retain Change Res20 (Allowing 3 Waters agreements for RTZ transition).
Res22	S117.043	Patersons (Kurt Bowen)	All	Accept	Retain Change Res22 (Rule 15.5.2.4 for more than one residential building per site).
Res22	S146.001	Tim Lequeux	All	If not rejected, amend	Reject Change Res22 (Rule 15.5.2.4 for more than one residential building per site), but if the change is not rejected amend Rule 15.5.2.4 to make it suitable for narrow sites.
Res22	S188.015	Terramark Limited (Darryl Sycamore)	All	Accept	Retain Change Res22 (Rule 15.5.2.4 for more than one residential building per site).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
RU6	S190.001	Mainland Poultry Limited (Simon Peirce)	All	Accept	Retain Change RU6 (Rural industry & intensive farming assessment rules in rural zones).
RU6	S261.006	Kāti Huirapa Rūnaka ki Puketeraki, Te Rūnanga o Ōtākou (Kā Rūnaka) (Michael Bathgate)	16.2.1.13	Reject	Reject Policy 16.2.1.13 on the upgrade and expansion of existing lawfully established rural industry and intensive farming.
RU7	S63.001	Malcolm Burns	All	Accept	Reject Change RU7 (Policy 16.2.1.7 and assessment guidance for residential activity on undersized sites).
RU7	S276.007	Oceana Gold (New Zealand) Limited (Jackie St John)	2.2.3.3	Accept with amendments	Amend Policy 2.2.3.3.b.iii to clarify what constitutes "important indigenous vegetation and/or habitat of indigenous fauna".
RU7	S276.028	Oceana Gold (New Zealand) Limited (Jackie St John)	16.13.2.2	Accept with amendments	Amend Rule 16.13.2.2 (Rural Zones: Special information requirements for Land management or capital investment for productivity or biodiversity gains) so that provisions for an 'ecological protection and enhancement plan' provide for flexibility so plans can be adapted to respond to management challenges (inferred not stated).
SD1	S276.006	Oceana Gold (New Zealand) Limited (Jackie St John)	All	Reject	Reject Change SD1 (Description of Plan methods in Policy 2.2.2.1.a) (see also associated out-of-scope submission point).
SHB3	S2.001	Alisha Moser	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S3.001	Anthony Howse	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S4.001	Katharine Howse	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S6.001	William Howse	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S8.001	Michael Krekeler	A1.1 Scheduled Heritage Buildings BX076 (i)	Reject	Remove building BX076(i) (Paired Dwellings) at 54 Manor Place from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S31.001	Stephen Christensen	All	If not rejected, amend	Remove Change SHB3 (Add specified new scheduled heritage buildings) unless: the building owners have consented, or the Council has indemnified the building owners against any loss in property market value or any other costs as a consequence of the listings, or the rules that apply to the buildings are amended to ensure details of heritage features are properly recorded before they are removed or substantially altered; and the rules that apply to the buildings and restrict private property rights are removed from the Plan.
SHB3	S31.002	Stephen Christensen	A1.1 Scheduled Heritage Buildings BX021	Reject	Remove building BX021 (W & E Scoular House (former)) at 421 Highgate from the schedule of protected heritage items and sites.
SHB3	S33.001	TGC Homes (George Hercus)	All	Reject	Remove Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S38.001	Highgate Presbyterian Parish (John Milnes)	A1.1 Scheduled Heritage Buildings BX023	Reject	Remove building BX023 (Highgate Presbyterian Church) at 580 Highgate from the schedule of protected heritage items and sites.
SHB3	S45.001	Helen McLagan	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S47.001	Maira Styles	All	Accept with amendments	Amend Change SHB3 (Add specified new scheduled heritage buildings) so that demolition by neglect is managed.
SHB3	S48.001	Jane Batchelor	A1.1 Scheduled Heritage Buildings BX013	Accept	Retain building BX013 (Cargill Court Apartments) at 27 Arthur Street on the schedule of protected heritage items and sites.
SHB3	S50.004	John Matheson	A1.1 Scheduled Heritage Buildings BX018	If not rejected, amend	Remove building BX018 (JS & MW Campbell House (former)) at 58 Grendon Street from the schedule of protected heritage items and sites, but if not removed amend the protections to not apply to the garage.
SHB3	S51.001	City Walks (Athol Parks)	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings) while accepting that listing buildings is only part of the solution.
SHB3	S53.001	John Horrocks	A1.1 Scheduled Heritage Buildings BX071 (i)	Reject	Remove building BX071(i) (Cairns' Buildings) at 139 Carroll Street from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S53.002	John Horrocks	A1.1 Scheduled Heritage Buildings BX071 (iv)	Reject	Remove building BX071(iv) (Cairns' Buildings) at 145 Carroll Street from the schedule of protected heritage items and sites.
SHB3	S53.003	John Horrocks	A1.1 Scheduled Heritage Buildings BX071 (v)	Reject	Remove building BX071(v) (Cairns' Buildings) at 147 Carroll Street from the schedule of protected heritage items and sites.
SHB3	S56.001	David Petherbridge	A1.1 Scheduled Heritage Buildings BX112	Accept with amendments	Amend the schedule of protected heritage items and sites as it relates to building BX112 (Hudson/Petherbridge House) at 9 Alton Avenue, so that the interior of the kitchen and the flat off it are only subject to planning consultation if re-modelled/adapted; and so that the 2 external car garages can be adapted/repurposed with planning consultation.
SHB3	S57.001	Ian and Shona Harvey	A1.1 Scheduled Heritage Buildings BX127	If not rejected, amend	Remove building BX127 (Allan Residence (former)) at 46 Gordon Road, Mosgiel, from the schedule of protected heritage items and sites (see also associated out-of-scope submission point).
SHB3	S60.001	Andrew Simms	A1.1 Scheduled Heritage Buildings BX115	Accept	Retain building BX115 (Islington) at 218 Bush Road, Mosgiel, on the schedule of protected heritage items and sites.
SHB3	S60.002	Andrew Simms	A1.1 Scheduled Heritage Buildings BX111	Accept	Retain building BX111 (Mosgiel Woollen Mill Manager's House (former)) at 68 Factory Road, Mosgiel, on the schedule of protected heritage items and sites.
SHB3	S60.003	Andrew Simms	A1.1 Scheduled Heritage Buildings BX116	Accept	Retain building BX116 (Mosgiel Coronation Hall) at 97 Gordon Road, Mosgiel, on the schedule of protected heritage items and sites.
SHB3	S60.004	Andrew Simms	A1.1 Scheduled Heritage Buildings BX118	Accept	Retain building BX118 (Lodge St. John (former)) at 25 Gordon Road, Mosgiel, on the schedule of protected heritage items and sites.
SHB3	S60.005	Andrew Simms	A1.1 Scheduled Heritage Buildings BX119	Accept	Retain building BX119 (Mosgiel Hotel) at 160 Gordon Road, Mosgiel, on the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S60.006	Andrew Simms	A1.1 Scheduled Heritage Buildings BX120	Accept	Retain building BX120 (Holy Cross College (former)) at 93 Church Street, Mosgiel, on the schedule of protected heritage items and sites.
SHB3	S60.007	Andrew Simms	A1.1 Scheduled Heritage Buildings BX127	Accept	Retain building BX127 (Allan Residence (former)) at 46 Gordon Road, Mosgiel, on the schedule of protected heritage items and sites.
SHB3	S60.008	Andrew Simms	A1.1 Scheduled Heritage Buildings BX125	Accept	Retain building BX125 (Helensea) at 262 Main South Road, East Taieri, on the schedule of protected heritage items and sites.
SHB3	S62.001	John Aitken	A1.1 Scheduled Heritage Buildings BX102 (iv)	Accept	Retain building BX102(iv) (Stafford Terraces) at 583 Castle Street on the schedule of protected heritage items and sites.
SHB3	S62.002	John Aitken	A1.1 Scheduled Heritage Buildings BX102 (vi)	Accept	Retain building BX102(vi) (Stafford Terraces) at 585 Castle Street, Dunedin on the schedule of protected heritage items and sites.
SHB3	S62.003	John Aitken	A1.1 Scheduled Heritage Buildings BX102 (vii)	Accept	Retain building BX102(vii) (Stafford Terraces) at 587 Castle Street on the schedule of protected heritage items and sites.
SHB3	S62.004	John Aitken	All	Accept with amendments	Amend Change SHB3 (Add specified new scheduled heritage buildings) by taking a balanced approach to ensure the ongoing safety and functionality of the buildings.
SHB3	S69.001	Peter McIntyre	A1.1 Scheduled Heritage Buildings BX046	Reject	Remove building BX046 (Albert House (former)) at 45 Beach Street, Dunedin, from the schedule of protected heritage items and sites.
SHB3	S70.001	Raymond and Eve Beardsmore	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S80.001	Gerard and Barbara Wilkins	A1.1 Scheduled Heritage Buildings BX013	Reject	Remove building BX013 (Cargill Court Apartments) at 27 Arthur Street from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S82.001	Laura O'Brien	A1.1 Scheduled Heritage Buildings BX052	Accept	Retain building BX052 (Pukehiki Library) at 1051 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S82.002	Laura O'Brien	A1.1 Scheduled Heritage Buildings BX053	Accept	Retain building BX053 (Pukehiki District Hall) at 1056 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S98.001	Rosemary McQueen	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S102.001	Barbara Kennedy	A1.1 Scheduled Heritage Buildings BX122 (i)	Reject	Remove building BX122(i) (Terraced Houses) at 14 Clyde Street, Dunedin, from the schedule of protected heritage items and sites.
SHB3	S102.002	Barbara Kennedy	A1.1 Scheduled Heritage Buildings BX122 (ii)	Reject	Remove building BX122(ii) (Terraced Houses) at 16 Clyde Street, Dunedin, from the schedule of protected heritage items and sites.
SHB3	S102.003	Barbara Kennedy	A1.1 Scheduled Heritage Buildings BX122 (iii)	Reject	Remove building BX122(iii) (Terraced Houses) at 18 Clyde Street, Dunedin, from the schedule of protected heritage items and sites.
SHB3	S102.004	Barbara Kennedy	A1.1 Scheduled Heritage Buildings BX122 (iv)	Reject	Remove building BX122(iv) (Terraced Houses) at 20 Clyde Street, Dunedin, from the schedule of protected heritage items and sites.
SHB3	S111.002	Louise Croot	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S113.001	Marcel Choo	A1.1 Scheduled Heritage Buildings BX093	Reject	Remove building BX093 (Brinsley Residence (former)) at 169 Forbury Road from the schedule of protected heritage items and sites.
SHB3	S114.001	Glynn Babington	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S117.061	Patersons (Jared Brensell)	A1.1 Scheduled Heritage Buildings BX046	Reject	Remove building BX046 (Albert House (former)) at 45 Beach Street, Saint Clair, from the schedule of protected heritage items and sites.
SHB3	S119.001	Sharmaine Pang	A1.1 Scheduled Heritage Buildings BX093	Reject	Remove building BX093 (Brinsley Residence (former)) at 169 Forbury Road from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S121.001	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX004	Accept	Retain building BX004 (Truby King Harris Hospital (former)) at 79 Every Street on the schedule of protected heritage items and sites.
SHB3	S121.002	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX013	Accept	Retain building BX013 (Cargill Court Apartments) at 1-13/27 Arthur Street on the schedule of protected heritage items and sites.
SHB3	S121.003	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX015	Accept	Retain building BX015 (Rutherford House) at 38 Michie Street on the schedule of protected heritage items and sites.
SHB3	S121.004	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX025	Accept	Retain building BX025 (Hercus Building) at 50 and 58 Hanover Street on the schedule of protected heritage items and sites.
SHB3	S121.005	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX080	Accept	Retain building BX080 (Archway Lecture Theatres) at 290 Leith Street on the schedule of protected heritage items and sites.
SHB3	S121.006	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX091	Accept	Retain building BX091 (Mosgiel Knitwear House (former)) at 5 Melville Street, Dunedin, on the schedule of protected heritage items and sites.
SHB3	S121.007	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX113	Accept	Retain building BX113 (Church of the Holy Name) at 400 Great King Street on the schedule of protected heritage items and sites.
SHB3	S121.008	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX114	Accept	Retain building BX114 (Green Island Civic Centre (former)) at 222 Main South Road, Green Island, on the schedule of protected heritage items and sites.
SHB3	S121.009	DOCOMOMO New Zealand (Julia Gatley)	A1.1 Scheduled Heritage Buildings BX117	Accept	Retain building BX117 (Lookout Point Fire Station) at 182 and 184 Mornington Road, Kenmure, on the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S122.001	Blake McAlevey-Scurr	All	Reject	Remove Change SHB3 (Add specified new scheduled heritage buildings), except for the scheduling of the following six buildings: BX001 (Anderson's Bay Presbyterian Church (former)), BX002 (Otago Pioneer Women's Association Memorial Hall), BX003 (Scouler House (former)), BX004 (Truby King Harris Hospital (former)), BX005 (Arthur Street School Infant Department (former)), and BX006 (Ralph Hotere's Studio (former)).
SHB3	S123.001	Ted Daniels	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings). Inferred not stated.
SHB3	S124.001	Isabelle Ang	A1.1 Scheduled Heritage Buildings BX093	Reject	Remove building BX093 (Brinsley Residence (former)) at 169 Forbury Road from the schedule of protected heritage items and sites.
SHB3	S125.001	Petrus Yen	A1.1 Scheduled Heritage Buildings BX093	Reject	Remove building BX093 (Brinsley Residence (former)) at 169 Forbury Road from the schedule of protected heritage items and sites.
SHB3	S128.001	John Aldis	A1.1 Scheduled Heritage Buildings BX053	Accept	Retain building BX053 (Pukehiki District Hall) at 1056 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S128.002	John Aldis	A1.1 Scheduled Heritage Buildings BX052	Accept	Retain building BX052 (Pukehiki Library) at 1051 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S129.001	David McBride	A1.1 Scheduled Heritage Buildings BX036	Accept	Retain building BX036 (Kensington Drill Hall) at 24 Bridgman Street on the schedule of protected heritage items and sites.
SHB3	S129.002	David McBride	A1.1 Scheduled Heritage Buildings BX037	Accept	Retain building BX037 (Mobilisation Store and Office) at 211 St Andrew Street on the schedule of protected heritage items and sites.
SHB3	S129.003	David McBride	A1.1 Scheduled Heritage Buildings BX038	Accept	Retain building BX038 (RNZNVR Divisional Headquarters) at 211 St Andrew Street on the schedule of protected heritage items and sites.
SHB3	S134.001	David Murray	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S140.001	Amanda Williams	A1.1 Scheduled Heritage Buildings BX067	Reject	Remove building BX067 (Salmond Residence (former)) at 311 Stuart Street from the schedule of protected heritage items and sites.
SHB3	S141.001	Fran Hammond	A1.1 Scheduled Heritage Buildings BX053	Accept	Retain building BX053 (Pukehiki District Hall) at 1056 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S141.002	Fran Hammond	A1.1 Scheduled Heritage Buildings BX052	Accept	Retain building BX052 (Pukehiki Library) at 1051 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S143.001	Alastair Hepburn	A1.1 Scheduled Heritage Buildings BX030	If not rejected, amend	Remove building BX030 (S & F Bowman House (former)) at 10 Claremont Street from the schedule of protected heritage items and sites, but if the building is not removed, amend the protection required to read "entire the front external building envelope and boundary wall and entrance gates which front onto Claremont Street", or such other relief which addresses the Submitters concerns.
SHB3	S148.001	Jillian Todd-Petersen	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S153.001	Murray and Tania Ross	A1.1 Scheduled Heritage Buildings BX082	Accept	Retain building BX082 (Harptree) at 19 Wallace Street on the schedule of protected heritage items and sites.
SHB3	S161.001	The Pukehiki Hall Society Incorporated (John Aldis)	A1.1 Scheduled Heritage Buildings BX053	Accept	Retain building BX053 (Pukehiki District Hall) at 1056 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S173.001	Marilyn Willis	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S176.001	Vicki Jowsey	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S185.001	David Kiddey	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S186.001	The Synod of Otago and Southland and Southern Presbytery (Conrad Anderson)	A1.1 Scheduled Heritage Buildings BX034	Reject	Remove building BX034 (Kaikorai Presbyterian Church) at 127 Taieri Road from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S188.005	Terramark Limited (Darryl Sycamore)	A1.1 Scheduled Heritage Buildings BX069	Reject	Remove building BX069 (Inglewood) at 62 Queen Street from the schedule of protected heritage items and sites.
SHB3	S189.001	John Wells	A1.1 Scheduled Heritage Buildings BX052	Accept	Retain building BX052 (Pukehiki Library) at 1051 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S189.002	John Wells	A1.1 Scheduled Heritage Buildings BX053	Accept	Retain building BX053 (Pukehiki District Hall) at 1056 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S194.001	South Link Health Services Limited (Chris Pearse-Smith)	A1.1 Scheduled Heritage Buildings BX091	If not rejected, amend	Remove building BX091 (Mosgiel Knitwear House (former)) at 5 Melville Street, Dunedin, from the schedule of protected heritage items and sites, but if the building is not removed amend the rules that apply to permit office activity in this building.
SHB3	S197.001	Dunedin City Council (Anna Johnson)	A1.1 Character-Contributing Buildings CC060	Accept with amendments	Remove character-contributing building CC060 at 18 Princes Street, Dunedin, from the schedule of protected heritage items and sites should its proposed scheduling as a heritage building (BX070) be retained.
SHB3	S197.002	Dunedin City Council (Anna Johnson)	A1.1 Scheduled Heritage Buildings BX071 (viii)	Accept with amendments	Amend the schedule of protected heritage items and sites as it relates to building BX071(viii) (Cairns' Buildings), to change the listed address from 157A Carroll Street to 159 Carroll Street.
SHB3	S197.003	Dunedin City Council (Anna Johnson)	A1.1 Scheduled Heritage Buildings BX071 (ix)	Accept with amendments	Amend the schedule of protected heritage items and sites as it relates to building BX071(ix) (Cairns' Buildings), to change the listed address from 157B Carroll Street to 161 Carroll Street.
SHB3	S197.004	Dunedin City Council (Anna Johnson)	A1.1 Scheduled Heritage Buildings BX099	Reject	Remove building BX099 (P Hayman & Co Warehouse (former)) at 180 Rattray Street from the schedule of protected heritage items and sites.
SHB3	S197.005	Dunedin City Council (Anna Johnson)	A1.1 Scheduled Heritage Buildings BX118	Reject	Remove building BX118 (Lodge St. John (former)) at 25 Gordon Road, Mosgiel, from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S197.006	Dunedin City Council (Anna Johnson)	A1.1 Scheduled Heritage Buildings BX120	Accept with amendments	Amend the schedule of protected heritage items and sites as it relates to building BX120 (Holy Cross College (former)) at 93 Church Street, to include the address for Verdon Chapel (which is already proposed for protection) at 91 Church Street.
SHB3	S202.001	Lynn Samuels	A1.1 Scheduled Heritage Buildings BX052	Accept	Retain building BX052 (Pukehiki Library) at 1051 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S202.002	Lynn Samuels	A1.1 Scheduled Heritage Buildings BX053	Accept	Retain building BX053 (Pukehiki District Hall) at 1056 Highcliff Road on the schedule of protected heritage items and sites.
SHB3	S211.001	Southern Heritage Trust (Ann Barsby)	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S214.001	Vaughn Malkin	A1.1 Scheduled Heritage Buildings BX015	Reject	Remove building BX015 (Rutherford House (former)) at 38 Michie Street from the schedule of protected heritage items and sites.
SHB3	S221.001	Pauline Geddes	A1.1 Scheduled Heritage Buildings BX078	Reject	Remove building BX078 (Cintra) at 217 Musselburgh Rise from the schedule of protected heritage items and sites.
SHB3	S231.002	Liz Angelo-Roxborough	A1.1 Scheduled Heritage Buildings BX013	Accept	Retain building BX013 (Cargill Court Apartments) at 27 Arthur Street on the schedule of protected heritage items and sites.
SHB3	S235.001	Craig Smith	A1.1 Scheduled Heritage Buildings BX028	Reject	Remove building BX028 (Melrose House) at 24 Melrose Street from the schedule of protected heritage items and sites.
SHB3	S242.001	Jessica de Heij	All	Reject	Remove Change SHB3 (Add specified new scheduled heritage buildings). Inferred not stated.
SHB3	S245.001	Morag Brown	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S249.001	Brent Patterson	A1.1 Scheduled Heritage Buildings BX001	Accept	Retain building BX001 (Andersons Bay Presbyterian Church (former)) at 76 Silverton Street on the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S249.002	Brent Patterson	A1.1 Scheduled Heritage Buildings BX036	Accept	Retain building BX036 (Kensington Drill Hall) at 24 Bridgman Street on the schedule of protected heritage items and sites.
SHB3	S249.003	Brent Patterson	A1.1 Scheduled Heritage Buildings BX037	Accept	Retain building BX037 (Mobilisation Store and Office) at 211 St Andrews Street on the schedule of protected heritage items and sites.
SHB3	S249.004	Brent Patterson	A1.1 Scheduled Heritage Buildings BX038	Accept	Retain building BX038 (RNZNZR Divisional Headquarters (former)) at 211 St Andrew Street on the schedule of protected heritage items and sites.
SHB3	S250.001	Roman Catholic Bishop of the Diocese of Dunedin (Conrad Anderson)	A1.1 Scheduled Heritage Buildings BX120	Reject	Remove building BX120 (Holy Cross College (former)) at 93 Church Street, Mosgiel, from the schedule of protected heritage items and sites.
SHB3	S251.001	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	A1.1 Scheduled Heritage Buildings BX025	Accept	Retain building BX025 (Hercus Building) at 50 and 58 Hanover Street on the schedule of protected heritage items and sites.
SHB3	S251.002	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	A1.1 Scheduled Heritage Buildings BX059	Accept with amendments	Amend the schedule of protected heritage items and sites as it relates to building BX059 (Queen Mary Maternity Hospital (former)) at 310 Castle Street to clarify the protection required regarding specifically which facades are protected (see the full submission for suggested wording).
SHB3	S251.003	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	A1.1 Scheduled Heritage Buildings BX060	Accept with amendments	Amend the schedule of protected heritage items and sites as it relates to building BX060 (Dunedin Hospital Nurses' Home (former)) at 490 Cumberland Street so that the protection required excludes windows on the southwestern elevation of the building (see the full submission for suggested wording).
SHB3	S251.013	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	A1.1 Scheduled Heritage Buildings BX080	Reject	Remove building BX080 (Archway Lecture Theatres) at 290 Leith Street from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S252.001	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	A1.1 Scheduled Heritage Buildings BX055	Reject	Remove building BX055 (Dunedin Hospital Administration Block (former)) at 255 Great King Street from the schedule of protected heritage items and sites.
SHB3	S256.001	Charles Boyes	A1.1 Scheduled Heritage Buildings BX036	Accept	Retain building BX036 (Kensington Army Hall) at 24 Bridgman Street on the schedule of protected heritage items and sites.
SHB3	S256.002	Charles Boyes	A1.1 Scheduled Heritage Buildings BX037	Accept	Retain building BX037 (Mobilisation Store and Office) at 211 St Andrews Street on the schedule of protected heritage items and sites.
SHB3	S256.003	Charles Boyes	A1.1 Scheduled Heritage Buildings BX038	Accept	Retain building BX038 (RNZNVR Divisional Headquarters (former)) at 211 St Andrew Street on the schedule of protected heritage items and sites.
SHB3	S257.001	Fire and Emergency New Zealand (Stephen Hill)	A1.1 Scheduled Heritage Buildings BX117	Reject	Remove building BX117 (Lookout Point Fire Station) at 184 Mornington Road from the schedule of protected heritage items and sites.
SHB3	S264.001	Campbell Paton	A1.1 Scheduled Heritage Buildings BX001	Reject	Remove building BX001 (Anderson's Bay Presbyterian Church (former)) at 76 Silverton Street from the schedule of protected heritage items and sites.
SHB3	S268.003	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	A1.1 Scheduled Heritage Buildings BX005	Reject	Remove building BX005 (Arthur Street School Infant Department (former)) at 26 Arthur Street from the schedule of protected heritage items and sites.
SHB3	S269.001	Kāinga Ora - Homes and Communities (Brendon Liggett)	A1.1 Scheduled Heritage Buildings BX079	Reject	Remove building BX079 (Dunedin's first state house) at 11 Wilkinson Street from the schedule of protected heritage items and sites.
SHB3	S270.001	Weta Family Trust (Petrus Yen)	A1.1 Scheduled Heritage Buildings BX093	Reject	Remove building BX093 (Brinsley Residence (former)) at 169 Forbury Road from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S272.005	Heritage New Zealand Pouhere Taonga (Christine Whybrew)	All	Accept	Retain Change SHB3 (Add specified new scheduled heritage buildings).
SHB3	S274.001	Rose Bergamin	A1.1 Scheduled Heritage Buildings BX036	Accept	Retain building BX036 (Kensington Drill Hall) at 24 Bridgman Street on the schedule of protected heritage items and sites.
SHB3	S274.002	Rose Bergamin	A1.1 Scheduled Heritage Buildings BX037	Accept	Retain building BX037 (Mobilisation Store and Office) at 211 St Andrew Street on the schedule of protected heritage items and sites.
SHB3	S274.003	Rose Bergamin	A1.1 Scheduled Heritage Buildings BX038	Accept	Retain building BX038 (RNZNVR Divisional Headquarters (former)) at 211 St Andrew Street on the schedule of protected heritage items and sites.
SHB3	S274.004	Rose Bergamin	A1.1 Scheduled Heritage Buildings BX001	Accept	Retain building BX001 (Andersons Bay Presbyterian Church (former)) at 76 Silverton Street on the schedule of protected heritage items and sites.
SHB3	S291.001	Mark Thom	A1.1 Scheduled Heritage Buildings BX087	Reject	Remove building BX087 (Hanna Residence (former)) at 56 Carroll Street from the schedule of protected heritage items and sites.
SHB3	S291.002	Mark Thom	A1.1 Scheduled Heritage Buildings BX049 (i)	Reject	Remove building BX049(i) at 60 and 60A Carroll Street from the schedule of protected heritage items and sites.
SHB3	S291.003	Mark Thom	A1.1 Scheduled Heritage Buildings BX049 (ii)	Reject	Remove building BX049(ii) (Chinese Mission Church and Manse (former)) at 58 Carroll Street from the schedule of protected heritage items and sites.
SHB3	S291.004	Mark Thom	A1.1 Scheduled Heritage Buildings BX121 (i)	Reject	Remove building BX121(i) (Terraced Houses) at 22 Clyde Street, Dunedin, from the schedule of protected heritage items and sites.
SHB3	S291.005	Mark Thom	A1.1 Scheduled Heritage Buildings BX121 (ii)	Reject	Remove building BX121(ii) at 24 Clyde Street, Dunedin, from the schedule of protected heritage items and sites.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
SHB3	S292.001	New Zealand Defence Force (Rebecca Davies)	A1.1 Scheduled Heritage Buildings BX036	Reject	Remove building BX036 (Kensington Drill Hall) at 24 Bridgman Street from the schedule of protected heritage items and sites.
SHB3	S292.002	New Zealand Defence Force (Rebecca Davies)	A1.1 Scheduled Heritage Buildings BX037	Reject	Remove building BX037 (Mobilisation Store and Office) at 211 St Andrew Street from the schedule of protected heritage items and sites.
SHB3	S292.003	New Zealand Defence Force (Rebecca Davies)	A1.1 Scheduled Heritage Buildings BX038	Reject	Remove building BX038 (RNZNVR Divisional Headquarters (former)) at 211 St Andrew Street from the schedule of protected heritage items and sites.
SHB3	S293.001	Mason & Wales Architects (Hamish Muir)	A1.1 Scheduled Heritage Buildings BX014	Accept with amendments	Amend Rule 18.3.6.17 as it applies to building BX014 (Mason & Wales Architects' Studio) at 46 York Place so that earthquake strengthening where external features only are protected is a permitted activity instead of a controlled activity when works undertaken are coordinated by a registered architect, and with Mason & Wales Architects.
SHB3	S293.002	Mason & Wales Architects (Hamish Muir)	A1.1 Scheduled Heritage Buildings BX014	Accept with amendments	Amend Rule 18.3.6.18 as it applies to building BX014 (Mason & Wales Architects' Studio) at 46 York Place so that all other additions and alterations (including signs) are a permitted activity instead of a restricted discretionary activity when works undertaken are designed and coordinated by a registered architect, and with Mason & Wales Architects.
SHB3	S293.003	Mason & Wales Architects (Hamish Muir)	A1.1 Scheduled Heritage Buildings BX014	Accept with amendments	Amend the schedule of protected heritage items and sites as it relates to building BX014 (Mason & Wales Architects' Studio) at 46 York Place, so that the protection required excludes the east, west, and south elevations.
SHB3	S297.001	Otago Housing Alliance (Aaron Hawkins)	All	Accept with amendments	Amend Change SHB3 (Add specified new scheduled heritage buildings) as it relates to residential buildings to consider the economic implications of bringing these buildings up to a healthy and habitable standard.
SHB3	S298.001	Business South (Mike Collins)	All	Accept with amendments	Amend Change SHB3 (Add specified new scheduled heritage buildings) to avoid excessive financial and compliance burdens on property owners.
SHB3	S298.002	Business South (Mike Collins)	All	Accept with amendments	Amend Change SHB3 (Add specified new scheduled heritage buildings) so that protections relate to facades only, and not interiors.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
TA3	S248.007	Port Otago Limited (Joanne Dowd)	4.5.4.X	Reject	Reject Rule 4.5.4.X (Temporary Activities: Noise performance standard for construction and site investigation vibration).
TA3	S248.008	Port Otago Limited (Joanne Dowd)	4.9.2.X	Reject	Reject Rule 4.9.2.X (Temporary Activities: Assessment of discretionary construction and site investigation vibration) to align with the relief sought in relation to Rule 4.5.4.X.
TA3	S248.010	Port Otago Limited (Joanne Dowd)	4.10.2.X	Reject	Reject Rule 4.10.2.X (Temporary Activities: Assessment of non-complying performance standard contraventions of construction and site investigation vibration).
TA3	S248.012	Port Otago Limited (Joanne Dowd)	4.11.2	Reject	Reject Rule 4.11.2 (Temporary Activities: Special information requirements construction noise and vibration management) as it relates to Change TA3 (Construction vibration - Rule 4.5.4.1.b).
TA3	S248.022	Port Otago Limited (Joanne Dowd)	13.2.1.10	Reject	Reject Policy 13.2.1.10 on construction and site investigation vibration.
TA3	S248.023	Port Otago Limited (Joanne Dowd)	13.7.3.1	Reject	Reject Rule 13.7.3.1 (Heritage: Assessment of discretionary performance standard contraventions for construction and site investigation vibration).
TA3	S248.024	Port Otago Limited (Joanne Dowd)	13.8.4.3	Reject	Reject Rule 13.8.4.3 (Heritage: Assessment of non-complying performance standard contraventions for construction and site investigation vibration).
TA3	S251.012	University of the Otago / Ōtākou Whakakaihu Waka (Gordon Roy)	All	Reject	Remove Change TA3 (Construction vibration - Rule 4.5.4.1.b).
TA3	S252.004	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept with amendments	Amend Change TA3 (Construction vibration - Rule 4.5.4.1.b) to ensure it enables hospitals and health care facilities to be developed, used, and upgraded in a cost effective and efficient manner.
TA3	S271.001	Totara-Dunedin Properties Limited (Bridget Irving)	All	If not rejected, amend	Reject Change TA3 (Construction vibration - Rule 4.5.4.1.b), or if the change is not rejected make amendments so that up to 10 daily exceedances of the 2mm/s limit are permitted; contraventions are a controlled activity rather than a discretionary or non-complying activity; Council's control is limited to amenity effects; and Policy 13.2.1.10, Rule 13.7.3.1, and Rule 13.9.4.3 are deleted.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
TA3	S276.011	Oceana Gold (New Zealand) Limited (Jackie St John)	4.5.4.X	If not rejected, amend	Reject Rule 4.5.4.X, but if the change is not rejected amend the rule to ensure that 'construction and site investigation' does not include OceanaGold's prospecting, exploration and mining activity.
TA3	S276.013	Oceana Gold (New Zealand) Limited (Jackie St John)	4.9.2.X	If not rejected, amend	Reject Rule 4.9.2.X, but if the change is not rejected amend the rule to ensure that 'construction and site investigation' does not include OceanaGold's prospecting, exploration and mining activity.
TA3	S276.015	Oceana Gold (New Zealand) Limited (Jackie St John)	4.10.2.X	If not rejected, amend	Reject Rule 4.10.2.X, but if the change is not rejected amend the rule to ensure that 'construction and site investigation' does not include OceanaGold's prospecting, exploration and mining activity.
TA3	S276.016	Oceana Gold (New Zealand) Limited (Jackie St John)	4.11.2	If not rejected, amend	Reject Rule 4.11.2, but if the change is not rejected amend the rule to ensure that 'construction and site investigation' does not include OceanaGold's prospecting, exploration and mining activity.
TA3	S276.021	Oceana Gold (New Zealand) Limited (Jackie St John)	13.2.1.10	Accept with amendments	Amend Policy 13.2.1.10 on the effects from construction and site investigation vibration on scheduled heritage buildings and structures by changing "insignificant" to "not appropriate".
TA3	S276.022	Oceana Gold (New Zealand) Limited (Jackie St John)	13.7.3.1	Accept with amendments	Amend Rule 13.7.3.1 (Heritage: Assessment of discretionary contravention of the construction and site investigation vibration performance standard) by changing "insignificant" to "not appropriate".
TA3	S278.011	Fuel Companies (Phil Brown)	4.5.4.X	Accept	Retain Rule 4.5.4.X (Temporary Activities: Construction and site investigation vibration performance standard).
TA3	S278.013	Fuel Companies (Phil Brown)	4.11.2	Accept	Retain Rule 4.11.2 (Temporary Activities: Special information requirements for construction noise and vibration management).
TA3	S292.006	New Zealand Defence Force (Rebecca Davies)	All	Accept with amendments	Amend Change TA3 (Construction vibration - Rule 4.5.4.1.b) so that it does not affect New Zealand Defence Force's ability to undertake military exercises.
TA3	S295.012	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	4.5.4.X	Accept	Retain Rule 4.5.4.X (Temporary Activities: Construction and site investigation vibration performance standard).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
TA3	S302.001	Marshall Day Acoustics (Brendon Shanks)	All	If not rejected, amend	Reject Change TA3 (Construction vibration - Rule 4.5.4.1.b), but if the change is not rejected amend Rule 4.5.4.1.b to adopt the vibration limits of German Standard DIN 4150-3 and make it clear that this rule relates to cosmetic building damage and not to vibration amenity limits.
TA4	S84.001	Mercy Hospital (Richard Whitney)	1.4.1 definition of construction	Accept	Retain the definition of construction and site investigation, but if amended, do not affect Mercy's ability to undertake efficient construction works.
TA4	S84.003	Mercy Hospital (Richard Whitney)	4.3.2.2	Accept with amendments	Amend Rule 4.3.2.2.b (Temporary Activities: Activity status for construction and site investigation) to clarify when the performance standard applies (inferred not stated), and do not affect Mercy's ability to undertake efficient construction works.
TA4	S126.004	Fulton Hogan Limited (Helen Caley)	All	Accept with amendments	Amend Change TA4 (Off-site storage and offices for construction and temporary works) so that off-site use and storage of plant, tools, gear, materials or relocatable offices as part of construction and site investigation can be accessed between 6:30am and 8:00pm on weekdays and between 7:30am and 6:00pm on Saturdays, except public holidays (see full submission for suggested drafting).
TA4	S197.017	Dunedin City Council (Anna Johnson)	4.5.3.4	Accept with amendments	Amend Rule 4.5.3.4 (Temporary Activities: Maximum duration, frequency, and site restoration performance standard: Construction and site investigation) so that it does not apply to activities that would otherwise be permitted as "industrial" or "office" or other activities (for example, long term storage of materials in industrial zones).
TA4	S248.004	Port Otago Limited (Joanne Dowd)	4.5.3.4	Reject	Reject Rule 4.5.3.4 (Temporary Activities: Maximum duration, frequency, and site restoration performance standard for construction and site investigation).
TA4	S252.007	Health New Zealand Te Whatu Ora (Kirsty Sheperd)	All	Accept	Retain Change TA4 (Off-site storage and offices for construction and temporary works).
TA4	S277.001	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of construction	Accept	Retain the changes to the definition of construction and site investigation.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
TA4	S277.002	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of operation, repair, minor upgrading and maintenance of existing network utilities	Accept	Retain the changes to the definition of operation, repair, minor upgrading and maintenance of existing network utilities.
TA4	S277.003	Transpower New Zealand Limited (Ainsley McLeod)	1.4.1 definition of underground or internal network utilities	Accept	Retain the changes to the definition of underground or internal network utilities.
TA4	S277.004	Transpower New Zealand Limited (Ainsley McLeod)	4.3.2.2	Accept	Retain the changes to Rule 4.3.2.2 (Temporary Activities: Activity status table for construction and site investigation).
TA4	S277.005	Transpower New Zealand Limited (Ainsley McLeod)	5.3.2.2	Accept	Retain the changes to Rule 5.3.2.2 (Network Utilities: Activity status table for operation, repair, minor upgrading and maintenance of existing network utilities).
TA4	S277.006	Transpower New Zealand Limited (Ainsley McLeod)	5.3.2.3	Accept	Retain the changes to Rule 5.3.2.3 (Network Utilities: Activity status table for underground or internal network utilities).
TA4	S277.007	Transpower New Zealand Limited (Ainsley McLeod)	4.5.3.4	Accept	Retain Rule 4.5.3.4 (Temporary Activities: Maximum duration, frequency, and site restoration performance standard for construction and site investigation).
TA4	S277.008	Transpower New Zealand Limited (Ainsley McLeod)	5.5.12	Accept	Retain Rule 5.5.12 (Network Utilities: Maximum duration, frequency, and hours of operation performance standard).
TA4	S277.009	Transpower New Zealand Limited (Ainsley McLeod)	5.7.3.Y	Accept	Retain Rule 5.7.3.Y (Network Utilities: Assessment of restricted discretionary contravention of the maximum duration, frequency, and hours of operation performance standard).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
TA4	S277.010	Transpower New Zealand Limited (Ainsley McLeod)	5.2.1.3	Accept	Retain the changes to Policy 5.2.1.3 on network utility activities.
TA4	S278.005	Fuel Companies (Phil Brown)	4.5.3.4	Accept	Retain Rule 4.5.3.4 (Temporary Activities: Maximum duration, frequency, and site restoration performance standard for construction and site investigation).
TA4	S295.005	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	1.4.1 definition of operation, repair and maintenance of the roading network	Accept	Retain the changes to the definition of operation, repair and maintenance of the roading network.
TA4	S295.006	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	All	Accept with amendments	Amend the definition of operation, repair and maintenance of the rail network to include the use and storage of materials, equipment or relocatable site offices either on site or off-site.
TA4	S295.010	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	4.3.2.2	Accept	Retain the changes to Rule 4.3.2.2.
TA4	S295.011	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	4.5.3.4	Accept	Retain Rule 4.5.3.4 (Temporary Activities: Maximum duration, frequency, and site restoration performance standard for construction and site investigation).
Trans1	S117.054	Patersons (Kurt Bowen)	6.6.3.2.c	Accept with amendments	Amend Rule 6.6.3.2.c (Access minimum sight distances from intersections) to retain the exemption for existing properties.
Trans1	S117.055	Patersons (Kurt Bowen)	6.6.3.4.c	Accept with amendments	Amend Rule 6.6.3.4 (Access minimum sight distances from intersections) to retain the exemption for existing properties.
Trans1	S117.056	Patersons (Kurt Bowen)	6.6.3.2.d	Accept	Retain Rule 6.6.3.2.d (Access minimum sight distance and distances from intersections).
Trans1	S117.057	Patersons (Kurt Bowen)	6.6.3.2.e	Accept	Retain Rule 6.6.3.2.e (Access minimum sight distance and distances from intersections).
Trans1	S117.058	Patersons (Kurt Bowen)	6B.13 (figure)	Accept	Retain Figure 6B.13 (Access minimum sight distance and distances from intersections).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Trans1	S117.059	Patersons (Kurt Bowen)	6B.17 (figure)	Accept	Retain Figure 6B.17 (Access minimum sight distance and distances from intersections).
Tree1	S70.002	Raymond and Eve Beardsmore	All	Accept	Retain Change Tree1 (Scheduled tree locations).
Tree1	S197.020	Dunedin City Council (Anna Johnson)	All	Accept with amendments	Amend the location of tree T098 on the Planning Map at 25 Ashton Street, Mosgiel, to show the correct tree location.
Tree1	S269.009	Kāinga Ora - Homes and Communities (Brendon Liggett)	Scheduled tree T396	Accept with amendments	Amend the location of tree T396 on the Planning Map at 13 and 15 Durham Street, Dunedin, should the proposed location be found to be incorrect.
Tree2	S17.001	Wayne Cleaver	Scheduled tree G068	Reject	Reject the changes to tree group G068 at 41 Milburn Street.
Tree2	S24.001	Kylie Robinson	Scheduled tree G014	Accept with amendments	Amend the location of tree group G014 on the Planning Map to reflect the correct location of the trees within the berm outside 89 Bedford Street, rather than on the boundary with 89 Bedford Street.
Tree2	S50.001	John Matheson	Scheduled tree TX013	Accept	Retain the changes to tree G053/TX013 at 58 Grendon Street, Dunedin.
Tree2	S52.001	Carolyn Timms	Scheduled tree G015	Accept	Retain the removal of tree group G015 at 11 Bellevue Place from the schedule of trees.
Tree2	S70.003	Raymond and Eve Beardsmore	All	Accept	Retain Change Tree2 (Correct mapping of existing scheduled tree groups and associated changes).
Tree2	S188.017	Terramark Limited (Darryl Sycamore)	Scheduled tree G014	Reject	Reject the changes to tree group G014 at Bedford Street.
Tree2	S197.021	Dunedin City Council (Anna Johnson)	Scheduled tree G039	Accept with amendments	Amend the location of tree group G039 on the Planning Map to show the correct tree locations on Ferntree Drive.
Tree2	S197.022	Dunedin City Council (Anna Johnson)	Scheduled tree G115	Accept with amendments	Amend the location of tree group G115 on the Planning Map at 12 Polwarth Road to show the correct tree locations at 224 Wakari Road.
Tree2	S197.023	Dunedin City Council (Anna Johnson)	Scheduled tree G116	Accept with amendments	Amend the location of tree group G116 on the Planning Map at 224 Wakari Road to show the correct tree locations.
Tree2	S197.024	Dunedin City Council (Anna Johnson)	Scheduled tree G117	Accept with amendments	Amend the location of tree group G117 on the Planning Map at 224 Wakari Road to show the correct tree locations.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
Tree2	S268.009	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	Scheduled tree G094	Accept	Retain the changes to tree group G094 at 33 Swansea Street, Middlemarch.
Tree2	S275.001	Ian Walsh	Scheduled tree G018	Accept	Retain the removal of tree group G018 at 35 Braeside from the schedule of trees.
Tree2	S279.005	Director-General of Conservation (Gabriel Davies)	Scheduled tree G056	Accept	Retain the changes to tree group G056 at 1 Quarantine Island, Port Chalmers.
TreeX	S9.001	Cardno Properties Ltd (Margaret & Guy Cardno)	All	Accept with amendments	Remove the dawn redwood tree T547 at 39 Gresham Street, Tainui, from the schedule of trees.
TreeX	S10.001	Christina McBratney	All	Accept with amendments	Add the macrocarpa tree on the corner of the reserve at 389 Brighton Road, Waldronville, to the schedule of trees (see full submission for photos).
TreeX	S14.001	Peter Schwartz	All	Accept with amendments	Add the Tawhai (silver beech) tree at 86 Cannington Road, Maori Hill, to the schedule of trees.
TreeX	S17.002	Wayne Cleaver	All	Accept with amendments	Remove tree group G068 (blue gums) at 41 Milburn Street from the schedule of trees.
TreeX	S26.002	Mihiwaka Sheep and Beef Limited (Robert Chapman)	All	Accept with amendments	Remove the pine tree group G079 at 41 Purakaunui Road from the schedule of trees.
TreeX	S26.003	Mihiwaka Sheep and Beef Limited (Robert Chapman)	All	Accept with amendments	Remove the macrocarpa tree group G080 at 41 Purakaunui Road from the schedule of trees.
TreeX	S30.001	Donna Smith	Scheduled tree TX006	Reject	Reject the scheduling of the oak tree TX006 at 44A Elliot Street on the schedule of trees.
TreeX	S34.001	Tessa Kingsbury	Scheduled tree TX006	Reject	Reject the scheduling of the oak tree TX006 at 44A Elliot Street on the schedule of trees.
TreeX	S44.001	Tim and Sue Heath	All	Accept with amendments	Remove the ash tree group G081 at 39 Purakaunui Station Road, Purakaunui, from the schedule of trees.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
TreeX	S50.003	John Matheson	All	Accept with amendments	Add the totara tree at 52 Grendon Street to the schedule of trees.
TreeX	S70.004	Raymond and Eve Beardsmore	All	Accept	Retain Change TreeX (Substantive changes to the schedule of trees).
TreeX	S70.005	Raymond and Eve Beardsmore	All	Accept with amendments	Remove the cabbage tree T111 at 17 Ravensburn Street, Woodside, from the schedule of trees.
TreeX	S70.006	Raymond and Eve Beardsmore	All	Accept with amendments	Add the giant totara at 176 Woodside Road to the schedule of trees.
TreeX	S70.007	Raymond and Eve Beardsmore	All	Accept with amendments	Add the remnant podocarp trees at 176 Woodside Road to the schedule of trees.
TreeX	S70.008	Raymond and Eve Beardsmore	All	Accept with amendments	Add the specimen trees at 176 Woodside Road to the schedule of trees.
TreeX	S70.009	Raymond and Eve Beardsmore	All	Accept with amendments	Add the giant macrocarpa at 176 Woodside Road, opposite 9 Ravensburn Street, to the schedule of trees.
TreeX	S70.010	Raymond and Eve Beardsmore	All	Accept with amendments	Add the large oak tree on the north boundary of 57 Currie Road to the schedule of trees.
TreeX	S115.001	Michael Thornton-Pay	Scheduled tree TX002	Reject	Reject the scheduling of the Wellingtonia tree TX002 at 27A Riccarton Road East, Mosgiel, on the schedule of trees.
TreeX	S152.001	Strathburn Ltd (Kate Wilson)	All	Accept with amendments	Remove the silver birch tree T1051 at 633 Gladbrook Road, Middelmarsh, from the schedule of trees.
TreeX	S187.002	Otago Regional Council (Gretchen Robertson)	All	Accept with amendments	Remove trees from the schedule of trees where they are pest species identified in the Otago Regional Pest Management Plan 2019.
TreeX	S195.001	Larnach Castle (Fiona Eadie)	All	Accept with amendments	Remove the gum tree G027/TX009 at 145 Camp Road, Pukehiki, (Larnach Castle) from the schedule of trees.
TreeX	S197.018	Dunedin City Council (Anna Johnson)	All	Accept with amendments	Add a new tree group of nine (9) eucalyptus trees located along the edge of the Hawksbury Lagoon at 8 Scotia Street to the schedule of trees.
TreeX	S197.019	Dunedin City Council (Anna Johnson)	All	Accept with amendments	Remove the red beech tree T096 at 25 Ashton Street, Mosgiel, from the schedule of trees.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
TreeX	S213.001	Shane Maaka	Scheduled tree TX003	Reject	Reject the scheduling of the blue gum tree TX003 at 27 Helensburgh Road, Wakari, on the schedule of trees.
TreeX	S243.001	Roslyn Bowling Club (Geoff Simons)	Scheduled tree TX005	Accept with amendments	Amend the rules that apply to the southern rata tree TX005 at 6 Gamma Street so that trimming of branches or roots does not incur additional expenses.
TreeX	S295.016	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	All	Accept with amendments	Remove the oak tree group G082 at the railway corridor west of Waikouaiti from the schedule of trees.
TreeX	S295.017	KiwiRail Holdings Limited (Michelle Grinlinton-Hancock)	All	Accept with amendments	Remove the oak tree group G083 at the rail corridor at East Taieri from the schedule of trees.
Z2	S32.008	Kevin and Deborah van de Water (Patersons)	All	Accept	Retain Change Z20 (Rezoning of part 16 Emerson Street and part 10 Vandes Way, Concord from Recreation to General Residential 1).
Z7	S39.002	Tony and Rochelle McFarlane	Significant natural landscape overlay zone	Accept with amendments	Amend Change Z7 (which includes the removal of the Significant Natural Landscape (SNL) Overlay Zone from part of 32 and 34 Manuka St, and 30 Rimu St) to also remove the SNL from part 11A Matai Street Ravensbourne.
Z20	S42.001	Lynley Lysaght	All	Accept	Retain Change Z20 (Rezoning of 30 and 40 Porteous Road, Warrington, from Coastal Rural Zone to Rural Residential 2 Zone) as it relates to 40 Porteous Road, Warrington.
Z21	S289.001	Graeme and Marie Bennett	All	Accept	Retain Change Z21 (Rezoning of the Coastal Rural zoned parts of 7 and 11 Chelivode Street to Township and Settlement Zone and apply the 'no DCC reticulated wastewater mapped area').
Z24	S182.001	JKS Paddock Limited (Marc Bretherton)	All	Accept	Retain Change Z24 (Rezoning of part 243 and 245 Wakari Road from Rural Residential 2 Zone to General Residential 1 Zone and associated changes).

* Submitters marked with an asterisk have not provided contact information for the service of further submissions.

Out-of-scope submission points

Submission points in the following table have been identified as not within the scope of Plan Change 1. Please see the body of the Summary of Decisions Requested Report for further information.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S19.001	Fraser McRae	Not in scope	Accept with amendments	Remove the reserve status from 23 Highgrove.
No ID	S19.002	Fraser McRae	Not in scope	Accept with amendments	Amend the definition of ancillary signs so that signs that advertise off-site activity or information are not permitted in residential zones and reserve areas.
No ID	S19.003	Fraser McRae	Not in scope	Accept with amendments	Amend provisions so that off-site parking is not permitted in residential zones and reserve areas.
No ID	S21.002	Corrine Jordan	Not in scope	Accept with amendments	Amend provisions to not allow medium density development across the flat part of South Dunedin.
No ID	S26.001	Mihiwaka Sheep and Beef Limited (Robert Chapman)	Not in scope	Accept with amendments	Amend the rules that apply to scheduled tree groups G079 and G080 at 41 Purakaunui Road, Purakaunui, so that no resource consent is required to remove individual trees if they are a safety concern, or to remove fallen trees, or to undertake minor earthworks for fencing purposes.
No ID	S26.007	Mihiwaka Sheep and Beef Limited (Robert Chapman)	Not in scope	Accept with amendments	Reconsider my lease with respect to the land affected by C177 (Pūrākaunui Road) and C178 (Hodson Hill).
No ID	S26.008	Mihiwaka Sheep and Beef Limited (Robert Chapman)	Not in scope	If not rejected, amend	If area of significant biodiversity value C177 (Pūrākaunui Road) is not removed from the schedule of ASBVs, erect fences around C177 in consultation with the leaseholder to enable continued farming and grazing of the balance of the land and not be in breach of rules 16.3.3(6) and (9).
No ID	S26.009	Mihiwaka Sheep and Beef Limited (Robert Chapman)	Not in scope	If not rejected, amend	If area of significant biodiversity value C178 (Hodson Hill) is not removed, erect fences around C178 in consultation with the leaseholder to enable continued farming and grazing of the balance of the land and not be in breach of rules 16.3.3(6) and (9).

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S29.002	Sophie Fern	Not in scope	Accept with amendments	Add rules to require development to be set back from closed watercourses.
No ID	S46.002	Glen Morgan	Not in scope	Accept with amendments	Amend the responsibility for maintenance of the open watercourse at 114 Dalziel Road, so that it is shared between Council and the landowner.
No ID	S47.002	Moira Styles	Not in scope	Accept with amendments	Amend provisions that apply to multiunit housing to ensure adequate green space is provided.
No ID	S50.002	John Matheson	Not in scope	Accept with amendments	Ensure that the branches of scheduled tree T540 that encroach onto 52 Grendon Street are not removed so as to endanger the tree.
No ID	S57.002	Ian and Shona Harvey	Not in scope	If not rejected, amend	If building BX127 (Allan Residence (former)) at 46 Gordon Road, Mosgiel, is not removed from the schedule of protected heritage items and sites, provide incentives or other rewards to affected landowners, that are the equivalent of the financial burden imposed by the listing.
No ID	S62.005	John Aitken	Not in scope	Accept with amendments	Provide a 15% rates reduction and simplified access to heritage funds to support owners of scheduled heritage buildings, or provide full or partial insurance cover for scheduled heritage building elements.
No ID	S68.002	David Barrett	Not in scope	If not rejected, amend	If the stormwater open watercourse mapped area at 29 Finch Street is retained, mend any damage caused by the watercourse and clear the area around it.
No ID	S71.002	Candy Yoo	Not in scope	Accept with amendments	If the stormwater open watercourse mapped area at 15 and 15A Rimu Street, Ravensbourne, is retained, rezone 15 and 15A Rimu Street, Ravensbourne, from Hill Slopes Rural Zone to a rural residential zone.
No ID	S81.002	Yoon Soo and Tae Sook Rah	Not in scope	If not rejected, amend	If the stormwater open watercourse mapped area at 17 Hellyer Street, Macandrew Bay, is not removed, convert the watercourse to a piped drainage system.
No ID	S86.002	Elenor Rayner	Not in scope	Accept with amendments	Fund remedial sound treatment either of The Crown Hotel or of the development next to it.
No ID	S89.002	Quinn Hardie	Not in scope	Accept with amendments	Allocate sufficient budget for remedial sound treatment of The Crown Hotel in its LTP, to a 40dB standard.
No ID	S89.003	Quinn Hardie	Not in scope	If not rejected, amend	If the acoustic insulation requirements relating to music venues are not further increased above 35dB, fund remedial sound treatment of venues.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S101.002	Grant McDougall	Not in scope	Accept with amendments	Fund remedial sound treatment either of The Crown Hotel or of the development next to it.
No ID	S102.005	Barbara Kennedy	Not in scope	Accept with amendments	Remove character-contributing building CC327 at 614 George Street from the schedule of protected heritage items and sites.
No ID	S102.006	Barbara Kennedy	Not in scope	Accept with amendments	Remove character-contributing building CC328 at 618 George Street from the schedule of protected heritage items and sites.
No ID	S103.002	Abby Smith	Not in scope	Accept with amendments	Fund remedial sound treatment either of The Crown Hotel or of the development next to it.
No ID	S106.002	Alan Gray	Not in scope	Accept with amendments	Fund remedial sound treatment either of The Crown Hotel or of the development next to it.
No ID	S107.001	Tony Illingworth	Not in scope	Accept with amendments	Ensure that DCC is responsible for upgrading and maintaining the watercourse at 79 Ravenswood Road, St Clair.
No ID	S108.002	Bart Acres	Not in scope	Accept with amendments	Fund remedial sound treatment either of The Crown Hotel or of the development next to it.
No ID	S109.002	Lhamo Mullin*	Not in scope	Accept with amendments	Ensure that Council allocates sufficient budget for remedial sound treatment of The Crown Hotel in its LTP, to the higher standard of 40dB. Alternatively, the budget be offered to the developer for remedial acoustic work to the existing building next to The Crown Hotel.
No ID	S110.002	Tony Tarasiewicz	Not in scope	Accept with amendments	Fund remedial sound treatment either of The Crown Hotel or of the development next to it.
No ID	S117.007	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Amend Rule 9.9.3.7 (Public Health and Safety: Special information requirements for stormwater management) to provide for more efficient and effective outcomes by making the rule less restrictive and making other changes (see the full submission for suggested wording).
No ID	S117.017	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 15.4.4 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.018	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 15.13.1.3 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.019	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 16.4.6 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S117.020	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 16.10.1.6 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.021	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 16.11.1.4 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.022	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 16.12.1.4 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.023	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 17.4.6 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.024	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 17.10.1.6 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.025	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 17.12.1.4 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.026	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 18.4.5 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.027	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 18.11.1.2 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.028	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 18.12.1.2 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.029	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 19.4.4 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.030	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 19.11.1.2 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.031	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 19.12.1.2 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.053	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Remove Rule 15.12.1.6 (Permitted baseline rules) so that the permitted baseline evaluation is no longer overridden.
No ID	S117.062	Patersons (Kurt Bowen)	Not in scope	Accept with amendments	Consider a broader range of methods for addressing the issue of reverse sensitivity between music activities and residential activities in the CBD area.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S123.002	Ted Daniels	Not in scope	Accept with amendments	Develop a more comprehensive approach towards heritage building listing and their protection to enhance the city's heritage.
No ID	S127.002	Craig Monk	Not in scope	Accept with amendments	Allocate sufficient budget for remedial sound treatment of The Crown Hotel in its LTP, to a 40dB standard.
No ID	S139.001	Victoria Volp	Not in scope	Accept with amendments	Amend the scope of Plan Change 1 to allow consideration of rezoning of properties neighbouring areas rezoned as a result of resolving 2GP appeals.
No ID	S146.005	Tim Lequeux	Not in scope	Accept with amendments	Rezone land zoned General Residential 1 Zone that is within 100m of a bus stop that provides at least two services per hour during weekday daytime hours to General Residential 2 Zone or a higher density zone.
No ID	S153.002	Murray and Tania Ross	Not in scope	Accept with amendments	Apply a waiver of resource consent consent fees for applications which are required for the protected parts of scheduled heritage buildings and increase the availability and spread of the Dunedin Heritage Fund.
No ID	S154.002	Dunedin Tunnels Trails Trust (Kate Wilson)	Not in scope	Accept with amendments	Amend rules 6.6.3.2 and 6.6.3.4 and associated figures 6B.13 and 6B.17 to prioritise footpaths at vehicle crossings.
No ID	S154.003	Dunedin Tunnels Trails Trust (Kate Wilson)	Not in scope	Accept with amendments	Amend provisions in Section 6 (Transportation) to incorporate a broader consideration of parking and providing for multi-modal transport and parking.
No ID	S154.004	Dunedin Tunnels Trails Trust (Kate Wilson)	Not in scope	Accept with amendments	Amend Rule 6.6.1 (Transportation: Car parking design performance standards) to provide for all vehicle modes including cycles and be less car-centric.
No ID	S154.005	Dunedin Tunnels Trails Trust (Kate Wilson)	Not in scope	Accept with amendments	Amend Policy 6.2.3.6 on loading areas for early childhood education to provide for people not using a car.
No ID	S154.006	Dunedin Tunnels Trails Trust (Kate Wilson)	Not in scope	Accept with amendments	Amend Objective 6.2.2 and policies 6.2.2.1 - 6.2.2.Y regarding mobility parking to consider other modes of transportation such as walking and cycling.
No ID	S154.007	Dunedin Tunnels Trails Trust (Kate Wilson)	Not in scope	Accept with amendments	Amend Policy 6.2.1.X on the operation, repair and maintenance of the roading network to include walking and cycling tracks.
No ID	S154.008	Dunedin Tunnels Trails Trust (Kate Wilson)	Not in scope	Accept with amendments	Amend Policy 2.2.2.4.d to add cycle or walking infrastructure as additional criteria to public transport.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S172.001	Shane and Jacqui McFad	Not in scope	Accept with amendments	Upgrade and maintain the watercourses and culverts flowing from the top of Corstorphine down Bedford Street to St Clair.
No ID	S187.001	Otago Regional Council (Gretchen Robertson)	Not in scope	Accept with amendments	Amend the approach to scheduling significant trees to ensure that the values associated with indigenous tree species are included in the assessment and weighted appropriately.
No ID	S188.004	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Assess the pressure of the water supply network and commit to upgrading the pressure to comply with the New Zealand Fire Service Firefighting Water Supplies Code of Practice within a reasonable time.
No ID	S188.007	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Recognise that the new stormwater open watercourse mapped area provisions are not a minor error, but a new planning overlay.
No ID	S188.012	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Provide a robust s32 analysis of the direct and indirect effects of new permitted baseline rules.
No ID	S188.013	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Apply the permitted baseline for impermeable surfaces in assessing the stormwater effects of subdivision proposals (inferred, not stated).
No ID	S188.014	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Add a guidance note to the district plan stating that site coverage up to the permitted threshold is permitted without the need to apply mitigation (as part of a subdivision proposal).
No ID	S188.018	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Acknowledge that Plan Change 1 is a rezoning plan change.
No ID	S188.019	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Rezone the Hill Slopes Rural zoned portion of 12 McKinlay Road, Abbotsford, to General Residential 1 Zone.
No ID	S188.020	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Rezone the part of 300 Hillside Road containing the former KiwiRail Managers Residence, and curtilage, from Industrial Zone to a commercial and mixed use zone.
No ID	S188.021	Terramark Limited (Darryl Sycamore)	Not in scope	Accept with amendments	Amend Table A6.2.5 Class 5 - Oxidising substances so that industrial and automotive industries are exempt from the limits if they comply with the HSNO standards.
No ID	S194.002	South Link Health Services Limited (Chris Pearse-Smith)	Not in scope	Accept with amendments	Amend the provisions for the Princes, Parry and Harrow Street Zone to enable a broader range of uses, including permitting office activity within scheduled heritage buildings.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S219.002	Andrea and Nick Lawson	Not in scope	Accept with amendments	Review the stormwater system impacts on 6A Trecastell Street, Brighton, by redirecting the stormwater down Trecastell Street to an existing stormwater outflow pipe at the end of the street adjacent to Brighton Road.
No ID	S224.001	Shelley Linwood and John Aarts	Not in scope	Accept with amendments	Ensure that DCC is responsible for upgrading and maintaining the watercourse at 70A Hazel Avenue, Caversham.
No ID	S226.002	Emma Young	Not in scope	Accept with amendments	Ensure that DCC is responsible for upgrading and maintaining the watercourse at 69 Ravenswood Road, St Clair Dunedin.
No ID	S253.002	Maxwell Clive and Janice Gay Crawford	Not in scope	Accept with amendments	Amend the rules that apply to the area of significant biodiversity value C085 (QEII Trust Covenant) at Saddle Hill to protect the landowners' rights to "maintain the existing track through the protected area" (refer to paragraph 2 of the Third Schedule in the attached Covenant).
No ID	S254.001	Errick's (Michelle and Mili Lobo)	Not in scope	Accept with amendments	Amend Objective 18.2.1 so that the CEC - South Zone also provides for music event venues.
No ID	S254.002	Errick's (Michelle and Mili Lobo)	Not in scope	Accept with amendments	Amend Policy 18.2.1.16 so that conference, meeting and function or entertainment and exhibition is enabled in the CBD Edge Commercial South zone.
No ID	S254.003	Errick's (Michelle and Mili Lobo)	Not in scope	Accept with amendments	Amend Rule 18.3.5.4 and Rule 18.3.5.7 so the activity statuses of conference, meeting and function activities, and entertainment and exhibition activities are restricted discretionary rather than non-complying.
No ID	S268.002	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	Not in scope	Accept with amendments	Amend a range of specified provisions to refer to educational facilities rather than schools or other terms (see the full submission for the list of specified provisions).
No ID	S268.004	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	Not in scope	Accept with amendments	Amend the definition of bulk fuel storage facilities sensitive activities to include educational facilities.
No ID	S268.005	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	Not in scope	Accept with amendments	Insert a new definition for educational facilities as per the National Planning Standard definition.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S268.006	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	Not in scope	Accept	Retain Objective 6.2.1.
No ID	S268.007	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	Not in scope	Accept	Retain Objective 6.2.3.
No ID	S268.008	Ministry of Education Te Tāhuhu o Te Mātauranga (Daly Williams)	Not in scope	Accept with amendments	Amend Rule 9.3.6.1.a so the standard does not apply to schools.
No ID	S269.003	Kāinga Ora - Homes and Communities (Brendon Liggett)	Not in scope	Accept with amendments	Amend the definition of standard residential to remove the reference to social housing being a sub-activity.
No ID	S269.004	Kāinga Ora - Homes and Communities (Brendon Liggett)	Not in scope	Accept with amendments	Remove all references to social housing as different from standard residential from the plan, including consequential changes to remove any objectives, policies, rules or assessment criteria to give effect to the requested changes to the definition.
No ID	S269.008	Kāinga Ora - Homes and Communities (Brendon Liggett)	Not in scope	Accept with amendments	Amend the assessment guidance in Rule 10.6.3.1 to allow for a site specific assessment by a suitably qualified person.
No ID	S272.006	Heritage New Zealand Pouhere Taonga (Christine Whybrew)	Not in scope	Accept with amendments	Amend district plan provisions outside the Historic Heritage chapter to manage potential adverse effects on the values of heritage sites, buildings and surrounding areas.
No ID	S272.007	Heritage New Zealand Pouhere Taonga (Christine Whybrew)	Not in scope	Accept with amendments	Amend the district plan to add robust provisions to ensure residential intensification will not be at the expense of Dunedin's historic heritage, including through provisions that manage development on sites adjacent to heritage items.
No ID	S275.002	Ian Walsh	Not in scope	Accept with amendments	Contribute funds towards the deferred maintenance of tree group G018 at 35 Braeside for the period that maintenance has been prevented.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S276.023	Oceana Gold (New Zealand) Limited (Jackie St John)	Not in scope	Accept with amendments	Amend Policy 16.2.1.13 to recognise the positive effects on rural industry productivity of providing for the upgrade and expansion of existing lawfully established rural industry (which includes the processing of minerals and quarry products where not part of a mining activity on the same site).
No ID	S276.024	Oceana Gold (New Zealand) Limited (Jackie St John)	Not in scope	Accept with amendments	Amend Rule 16.11.2.3 (Rural Zones: Assessment of discretionary rural industry) to recognise the positive effects on rural industry productivity of providing for the upgrade and expansion of existing lawfully established rural industry.
No ID	S276.029	Oceana Gold (New Zealand) Limited (Jackie St John)	Not in scope	If not rejected, amend	If the changes to Policy 2.2.2.1.a are not rejected, use the NPS-HPL wording "avoid inappropriate use and development".
No ID	S279.004	Director-General of Conservation (Gabriel Davies)	Not in scope	Accept with amendments	Amend the district plan to: a. schedule ASBVs on private or leasehold land in accordance with the provisions set out in the National Policy Statement for Indigenous Biodiversity 2023; and b. update Appendix 10A.1 Threatened Plant Species List to reflect the latest threat classifications set out in the document 'Conservation Status of vascular plants in Aotearoa New Zealand, 2023.
No ID	S289.002	Graeme and Marie Bennett	Not in scope	Accept with amendments	Rezone a strip of land at 3 Chelivode Street, Waitati, from Coastal Rural Zone to Township and Settlement Zone, and apply the 'no DCC reticulated wastewater mapped area' and Structure Plan mapped area (Chelivode Street). See the full submission for a map of the requested rezoning area.
No ID	S291.006	Mark Thom	Not in scope	Accept with amendments	Remove rates accounts on any building being put into heritage status.
No ID	S298.003	Business South (Mike Collins)	Not in scope	Accept with amendments	Amend the heritage assessment criteria to provide transparency in decision-making.
No ID	S298.004	Business South (Mike Collins)	Not in scope	Accept with amendments	Simplify and streamline the resource consent process for heritage buildings.
No ID	S298.005	Business South (Mike Collins)	Not in scope	Accept with amendments	Provide financial incentives, compensation, or toolkits to owners of heritage buildings to support seismic strengthening and maintenance.

Change ID	Submission point	Submitter	Provision	Position	Decision sought
No ID	S298.007	Business South (Mike Collins)	Not in scope	Accept with amendments	Provide incentives or support to developers of inner-city residential projects to help offset the additional costs of acoustic insulation.
No ID	S298.008	Business South (Mike Collins)	Not in scope	Accept with amendments	Provide existing live music venues legal protections where appropriate acoustic measures have been taken.
No ID	S301.001	Caris Heiniger	Not in scope	Accept with amendments	Ensure that DCC is responsible for maintaining the watercourse at 81 Somerville Street.