GORDON ROAD FLOODWAY CONSULTATION



SUBMISSION FORM

This is a submission on the Gordon Road Floodway consultation in relation to the Second Generation Dunedin City District Plan (2GP). Your submission must be lodged with the Dunedin City Council by midnight on Friday 31 March 2023. **All parts of the form must be completed.**

Privacy

Please note that submissions are public. Your name, organisation, contact details and submission will be included in papers that are available to the media and the public, including publication on the DCC website, and will be used for processes associated with the Gordon Road Floodway consultation. This information may also be used for statistical and reporting purposes. If you would like a copy of the personal information we hold about you, or to have the information corrected, please contact us at dcc@dcc.govt.nz or 03 477 4000.

Make your submission

Email: districtplansubmissions@dcc.govt.nz

Post to: Submission on Gordon Road Floodway, Dunedin City Council, PO Box 5045, Dunedin 9054

Deliver to: Customer Services Agency, Dunedin City Council, Ground Floor, 50 The Octagon, Dunedin

Submitter details (You must supply a postal and/or electronic address for service)

First name: ROBERT

Last name: REID

Organisation (if applicable):

Contact person/agent (if different to submitter):

Postal address for service: 207 GNASTONE ROAD SOUTH,

Suburb: NO 2 R.b.,

City/town: MOSGE2

Email address: reid. Verter burn @ xMa.co.nz.

Submission

Submissions on Gordon Road Floodway consultation can only be made on the provisions or mapping which are under consultation, as stated in the Section 32 report. Submissions on other aspects of the 2GP are not allowed as part of this process.

You must indicate which parts of the consultation your submission relates to.

TOTAL OPPOSITION TO THE WHOLE PROCESS OF PUTING IA HAZARD OVER THE WHOLE AREA

My submission seeks the following decision from the Council:

Apply the Hazard 1A (Flood) Overlay Zone to the whole floodway

No not apply the Hazard 1A (Flood) Overlay Zone to the whole floodway

Apply the Hazard 1A (Flood) Overlay Zone to part of the floodway. (Please give precise details, such as a description (please attach a map if possible) of the preferred extent of the proposed Hazard 1A (Flood) Overlay Zone.)

one has to ask why it is necessary to apply the 1A HAZARD to this area at all.

There are plenty of laws t bi-laws to cover any situation arising in this area.

I see this as an attempt by the beaucrats to further restrict the policies of the bunedin City Council for no practical reasons.

Reasons for my views (you may attach supporting documents):

You can attach additional pages as needed.

I see this as taking away from people's dignity and belittling there opintion. 95 I have said there are more than enough laws and bi-lows to cover any situation.

I A is going to far and treating people like they are stupid and not capable of making reasonable decisions within the existing lawsete. Please stop treating people like idiots and give them the dignity they deserve

Signature: IR Reid Date: 4/4/23

Please note I have also supported and signed the collective submission lodged by "Gorden Road Spillway Residents Group" and our submission page 2 of 2

Includes all matters covered in both submissions.