

**IN THE ENVIRONMENT COURT
CHRISTCHURCH REGISTRY**

**I MUA I TE KOOTI TAIAO
I ŌTAUTAHU ROHE**

ENV

Under the Resource Management Act 1991

In the matter of an appeal under pursuant to clause 14(1) of the First Schedule
of the Act

Between **COLE BENNETTS**

Appellant

And **DUNEDIN CITY COUNCIL**

Respondent

NOTICE OF APPEAL ON BEHALF OF COLE BENNETTS

21 March 2023

Duncan Cotterill

Solicitor acting: Katherine Forward/Derek McLachlan
PO Box 827, Nelson 7040

Phone +64 3 546 6223
Fax +64 3 546 6033
Katherine.Forward@duncancotterill.com
derek.mclachlan@duncancotterill.com

To: The Registrar
Environment Court
Christchurch Registry

1 Cole Bennetts (**the Appellant**) appeals against a decision of the Dunedin City Council on the following matter:

1.1 Variation 2 to the Second-Generation Dunedin City District Plan (**'The Decision'**).

2 The Appellant filed a submission on Variation 2 to the Dunedin City Council Second Generation Plan (**'2GP'**) seeking rezoning of 23 Sretlaw Place (**S247**) to General Residential 1.

3 The Appellant received notice of the Decision on 8 February 2023.

4 The Decision was made by the Dunedin City Council.

5 The Appellant is not a trade competitor for the purposes of section 308D of the Resource Management Act 1991 (**'The Act'**).

6 The parts of the Decision the Appellant is appealing is the Decision of the Variation 2 – Additional Housing Capacity Second Decision Report: Greenfields Rezoning Sites by the Hearings Panel, in particular:

6.1 Section 2.3.4 Brockville, 23 Sretlaw Place (RS110) rejecting to rezone RS110 to General Residential 1 and apply a structure plan mapped area.

7 The reasons for the appeal are as follows:

7.1 The Decision does not give effect to the purpose of Variation 2 which is to enable the Dunedin City Council to meet its residential capacity obligations under the National Policy Statement – Urban Development, updated May 2022 (**'NPS-UD'**). The Decision unreasonably limits the extent to which Variation 2 can give effect to the NPS-UD, and section 75(3) of the Act;

7.2 The 2GP Decision fails to give effect to the NPS-UD, in particular policy 2 and policy 8 of the NPS-UD;

- 7.3 The Decision places too much weight on Council's Housing Capacity Assessment ('HBA'). The Decision does not acknowledge deficiencies in methodology, assumptions, and accuracy of the HBA;
- 7.4 The Decision places too much weight on supplementary processes such as the Future Development Strategy to give effect to obligations within the NPS-UD;
- 7.5 The Decision is inconsistent with Objective 2.2.4 2GP as the proposal promotes a 'compact city' with well-established transportation connections;
- 7.6 The Decision is inconsistent with Objective 2.6.1 2GP. The Decision does not provide adequate housing choices that will meet the needs of people and communities and future generations for a range of dwelling types and locations;
- 7.7 The Decision is inconsistent with Objective 2.6.2 2GP. The Decision fails to ensure sufficient, feasible development capacity. The Decision fails to respond to the significant demand for housing (and shortfall of housing capacity available);
- 7.8 The Decision erred when it found that the rezoning of the site does not meet the criteria within Policy 2.6.2.1 2GP;
 - 7.8.1 The Decision places too much weight on transportation concerns, particularly whether access can be provided via private rights of way. The Decision incorrectly treats this as a resource management matter, as opposed to a private law consideration between landowners. The evidence available demonstrates that access to the site is feasible.
 - 7.8.2 The Decision then failed to consider the additional information provided that demonstrated that access constraints had been resolved by the appellant's acquisition of an additional piece of land.
 - 7.8.3 The Decision failed to consider the benefits of upgrading the existing right of way for existing residents.

- 7.8.4 The Decision places insufficient weight on the mitigation measures proposed to mitigate the adverse effects in relation to landscape, rural character and amenity on surrounding properties and recreational users.
- 7.8.5 The Decision places too much weight on submitters concerns such as potential fire risk, historic dumping of rubbish and trespass. These matters are not relevant to Policy 2.6.2.1.
- 7.8.6 The Decision failed to recognise that there are technical solutions available in relation to water supply, wastewater, and stormwater.
- 7.8.7 The Decision places too much weight on existing capacity constraints raised by the Council Technical Officer. The Decision fails to recognise the Council's existing obligations to remedy defects in a system. Too much weight has been placed on the Council Officer's representation that upgrades will only occur in the 'long term'.
- 7.8.8 The site does not present any significant development constraints in relation to hazards and instability. Detailed assessment would be produced as part of detailed design.

7.9 The Decision does not give effect to the purpose or Part 2 of the Act.

8 The Appellant seeks the following relief:

- 8.1 The proposed Plan be amended to rezone RS110 to General Residential 1 and apply a structure plan mapped area (two concepts are attached as **Appendix A1** and **Appendix A2**).
- 8.2 All other relief required to give effect to the Appellants' original submissions, and any further relief the Court considers appropriate as a consequence of relief granted under this appeal.
- 8.3 Costs

9 Attached are the following documents to this notice:

- 9.1 A copy of original submission made by:
 - 9.1.1 Cole Bennetts (**Appendix B**).
- 9.2 A copy of the relevant parts of the decision:
 - 9.2.1 Broad Matters raised (**Appendix C1**);
 - 9.2.2 Site specific submissions (**Appendix C2**); and
 - 9.2.3 Interpretation of the NPS-HPL (**Appendix C3**).
- 9.3 A list of names and addresses of persons to be served with a copy of this notice (**Appendix D**).

Dated 21 March 2023



K Forward / D McLachlan
Solicitor for the appellant

This document is filed by Derek McLachlan and Katherine Forward of Duncan Cotterill, solicitor for the appellant.

The address for service of the appellant is:

Duncan Cotterill
197 Bridge Street
Nelson 7010

Documents for service on the appellant may be:

- Left at the address for service.
- Posted to the solicitor at PO Box 827, Nelson 7040
- Emailed to the solicitor at derek.mclachlan@duncancotterill.com or Katherine.forward@duncancotterill.com

Please direct enquiries to:

Katherine Forward/Derek McLachlan
Duncan Cotterill
Tel +64 3 546 6223
Email Katherine.Forward@duncancotterill.com
derek.mclachlan@duncancotterill.com

ADVICE TO RECIPIENTS OF COPY OF NOTICE OF APPEAL

How to become a party to proceedings

If you wish to be a party to the appeal, you must lodge a notice in form 33 with the Environment Court within 15 working days after the period for lodging a notice of appeal ends.


You may apply to the Environment Court under section 281 of the Resource Management Act 1991 for a waiver of the above timing requirements (see form 38).

Your right to be a party to the proceedings in the Court may be limited by the trade competition provisions in section 274(1) and Part 11A of the Resource Management Act 1991.

Advice

If you have any questions about this notice, contact the Environment Court in Auckland, Wellington, or Christchurch.

PROVISIONAL ONLY
DETAIL, AREAS & DIMENSIONS
SUBJECT TO RESOURCE
CONSENT & FINAL SURVEY



PROJECT REF. CLS110	SHEET SIZE A3	SCALE 1:700
ISSUANCE DATE 2 MARCH 2021		
SHEET REF. SHEET 1 OF 1	PLAN REF. CLS110-4	

APPENDIX A2 – STRUCTURE PLAN 2

PROVISIONAL ONLY
DETAILS, AREAS & DIMENSIONS
SUBJECT TO RESOURCE
CONSENT & FINAL SURVEY



Title Reference : RT 186156
Total Area : 1.8502ha
Registered Owners : CWB NZ Limited
Property Address : 23 Sretlaw Place, Dunedin

**Lots 1 - 12 Being a Proposed
Subdivision of Lot 29 DP 345409**



PROJECT NO:	CLS110	SHEET NO:	A3	SCALE:	1:700
DRAWN DATE:	18 DECEMBER 2020	PLAN REF:			
DATE PLOTTED:					
SHEET 1 OF 1					CLS110-2

Roxanne Davies

From: Emma Peters <sweepconsultancy@gmail.com> on behalf of emma <Emma@sweepconsultancy.co.nz>
Sent: Thursday, 4 March 2021 10:39 p.m.
To: District Plan Submissions
Subject: Email 1 of 2: Submission of Cole Bennett - Residential Rezone of 23 Sretlaw Place
Attachments: Submission Form 5 - Cole Bennetts - Residential Rezone of 23 Sretlaw Place & Application of SPMA.PDF; Variation 2 Submission Notes- Cole Bennetts - Residential Rezone of 23 Sretlaw Place & Application of SPMA.pdf; Variation 2 Submission Notes - Cole Bennetts - Table 1.pdf; Structure Plan 1 - 23 Sretlaw Place.pdf; Structure Plan 2 - 23 Sretlaw Place.pdf

Hi,

Please find attached the following documents forming the submission of Cole Bennetts in relation to the residential rezone of 23 Sretlaw Place pursuant to a structure plan:

- Completed Form 5;
- Submission Notes;
- Table 1;
- Structure Plan (x2);
- Landscape Figures and Report.

I will send the Landscape Figures and Report in email 2.

Please confirm receipt of both emails.

Cheers,

Emma Peters Consultant Sweep Consultancy Limited P.O. Box 5724 Dunedin 9054 Phone 0274822214
www.sweepconsultancy.co.nz

VARIATION 2 – ADDITIONAL HOUSING CAPACITY

SUBMISSION FORM 5



SECOND
GENERATION
DISTRICT PLAN

CLAUSE 6 OF FIRST SCHEDULE, RESOURCE MANAGEMENT ACT 1991

This is a submission on Variation 2 to the Second Generation Dunedin City District Plan (2GP). Your submission must be lodged with the Dunedin City Council by midnight on 4 March 2021. **All parts of the form must be completed.**

Privacy

Please note that submissions are public. Your name, organisation, contact details and submission will be included in papers that are available to the media and the public, including publication on the DCC website, and will be used for processes associated with Variation 2. This information may also be used for statistical and reporting purposes. If you would like a copy of the personal information we hold about you, or to have the information corrected, please contact us at dcc@dcc.govt.nz or 03 477 4000.

Make your submission

Online: www.dunedin.govt.nz/2GP-variation-2 | **Email:** districtplansubmissions@dcc.govt.nz

Post to: Submission on Variation 2, Dunedin City Council, PO Box 5045, Dunedin 9054

Deliver to: Customer Services Agency, Dunedin City Council, Ground Floor, 50 The Octagon, Dunedin

Submitter details (You must supply a postal and/or electronic address for service)

First name: Cole

Last name: Bennett

Organisation (if applicable):

Contact person/agent (if different to submitter): Emma Peters, Consultant, Sweep Consultancy Ltd

Postal address for service: P.O. Box 5724

Suburb:

City/town: Dunedin

Postcode: 9054

Email address: emma@sweepconsultancy.co.nz

Trade competition

Please note: If you are a person who could gain an advantage in trade competition through your submission, your right to make a submission may be limited by clause 6(4), Schedule 1 of the Resource Management Act.

I could gain an advantage in trade competition through this submission: ☐ Yes ☒ No

If you answered yes, you could gain an advantage in trade competition through this submission, please select an answer:

- ☐ Yes ☐ No My submission relates to an effect that I am directly affected by and that:
- a. adversely affects the environment; and
 - b. does not relate to trade competition or the effects of trade competition.

Submission

Submissions on Variation 2 can only be made on the provisions or mapping, which are proposed to change or alternatives that are clearly within the scope of the 'purpose of the proposals', as stated in the Section 32 report. Submissions on other aspects of the 2GP are not allowed as part of this process.

You must indicate which parts of the variation your submission relates to. You can do this by either:

- making a submission on the Variation Change ID (in which case we will treat your submission as applying to all changes related to that change topic or alternatives within the scope of the purpose of that proposal); or
- on specific provisions that are being amended.

The specific aspects of Variation 2 that my submission relates to are:

Variation 2 change ID (please see accompanying Variation 2 – Summary of Changes document or find the list on www.dunedin.govt.nz/2GP-variation-2)

Residential Rezone of 23 Sretlaw Place, Dunedin & application of a
For example: D2 structure plan mapped area.

Provision name and number, or address and map layer name (where submitting on a specific proposed amendment):

all relevant provisions including NDMA
For example: Rule 15.5.2 Density or zoning of 123 street name.

My submission seeks the following decision from the Council: (Please give precise details, such as what you would like us to retain or remove, or suggest amended wording.)

☒ Accept the change

☐ Accept the change with amendments outlined below

☐ Reject the change

☐ If the change is not rejected, amend as outlined below

] no application of NDMA or if applied
amend provisions

see attached submission notes

Reasons for my views (you may attach supporting documents):

If you wish to make multiple submissions, you can use the submission table on page 3 or attach additional pages.

see attached submission notes

Hearings

Do you wish to speak in support of your submission at a hearing: ☒ Yes ☐ No

If others make a similar submission, would you consider presenting a joint case at a hearing: ☒ Yes ☐ No

Signature:

 Emma Peters, Consultant, Sweep Consultancy Ltd

Date:

3/3/21

Landscape Assessment – 23 Sretlaw Place, Brockville, Dunedin

1.0 Site overview

- 1.1 23 Sretlaw Place is located at the upper end of paper Fraser Road and approx. 0.6km pedestrian walk alongside Kaikorai Stream from the Frasers Park Sports Field car park. Road access is gained from Sretlaw Place, which is a small cul-de-sac road branching north from Brockville Road.
- 1.2 The land title is generally rectangular and includes 1.8592 ha. Although facing due north the underlying grade is orientated north/east and reflects the narrowing of Frasers Gully as it ends in a valley head west of the site. The underlying grade is approx. 19% with a level area adjacent to Kaikorai Stream.
- 1.3 Frasers Gully Bush marks the steep valley slopes on the opposite side of the stream. A walkway follows the valley bottom on the other side of the stream but only occasional glimpses of the propose site and surrounding housing can be seen through the dense Tree Fuchsia that grow on the site side of the stream.
- 1.4 The western site boundary is bounded by the a large park area that has recently been planted in native species by the Dunedin City Council. The lower part of this planting is on the flood plain adjacent to the site and a small stormwater detention pond that is located partly on the Park land and partly on the applicants land.
- 1.5 The site has two access points to Sretlaw Place but is otherwise land locked by a strip of residential developme along its top boundary. This reflects the zoning of General Residential under these houses while the subject site is one of two blocks, adjacent to each other, that remain zoned Hill Slopes Rural. There is no obvious connection to rural activity in the surrounding area and the zoning may reflect the pre suburban character of the area.
- 1.6 While the lower site area is close to Kaikorai Stream it is not subject to a hazards overlay under the Proposed Second Generation Dunedin City District Plan ('2GP'). It is also not subject a landscape overlay. Part of the lower site area is subject to an easement to allow for pedestrian access from Sretlaw Place to Frasers Gully walkway.
- 1.9 The majority of the surrounding suburban views overlook the site and are orientated northwards towards the sunlight and Frasers Bush. Many of these views are from houses that are set back behind the reserve land to the south/west of the site and on the tops of the slopes that rise up from the stream.

2.0 Proposal

- 2.1 The proposal provides two structure plans that provide different levels of density and internal site layout. Option 1 provides for 12 residential lots that end with a hammer head street in the lower terrace area. The lot sizes range between 960m² and 2270m² in the main site area, with a 570m² outlier lot at the start of the small upper eastern boundary ROW. Option 2 provides for 17 residential lots that range from 665m² and 2200m² and which incorporates a turn around at the end of the cul-de-sac.

- 2.2 Both proposals include extending the stormwater detention pond and planting all of its margins with native wetland plants, which is attached to this report. Other environmental enhancement includes the planting of the terrace area indicated in the structure plan. In both proposals this includes an area of approx. 980m².
- 3.0 Potential landscape and visual effects
- 3.1 Landscape effects
- The proposal will remove part of the open space that currently exists in the small and relatively isolated valley head area and change it to suburban housing. This will be in keeping the surrounding character and will not impact on the long term transition that will occur as the Reserve planting establishes on the western site boundary.
- 3.2 The current land contains a small structure, and oak tree and two gum trees, which are reaching a size that may be hazardous to the immediate neighbour to the east, number 118 Brockville Road. The proposal will involve excavation and land disturbance, but not in a way that differs from many other subdivision developments.
- 3.3 Visual Effects
- As noted it is difficult to see the site from Frasers Gully and most surrounding residents 'look over the site' and not onto it. The site is bare and slightly blighted from overshadowing from the houses above. This effect won't be noticed by future residents but at present there are no points of interest on the site or elements of amenity that compete with the adjacent reserve areas.
- 4.0 Summary and Conclusion
- 4.1 The proposal seeks to locate 12 - 17 lots on open sloping ground that is bounded one dwelling on its eastern boundary and recreational land on its northern and western boundaries. Housing is located on its upper boundary and will not be affected by the proposed development in respect of a loss of amenity that might be expected in a densely settled suburban area. Any off site visual effects will be perceived by elevated residential properties to the south/west. These views will also incorporate the wider vegetated slopes of Frasers Gully.
- 4.3 The short term landscape effects are considered to be **low** on the NZ Institute of Landscape Architects seven-point scale, being 'negligible/ very low/ low/moderate/ high/ very high/ extreme'. Long term adverse landscape effects are assessed as being **very low**. Short term visual effects are considered to be **low/moderate**. Long term visual effects are assessed as **low**.
- 4.4 This landscape assessment supports the proposed development, subject to the planting recommendations being approved by Council biodiversity staff at consent negotiation details.

Hugh Forsyth
Registered Landscape Architect

Planting List for wetland area 23 Sretlaw Place:

Water's edge/wet areas:

Carex virgata (Sedge)

Carex secta (Purei)

Dacrycarpus dacrydioides (Kahikatea)

Damp areas but not waterlogged for long periods:

Austroderia richardii (Toetoe)

Carpodetus serratus (Marble leaf)

Coprosma propinqua (Mingimingi)

Cordyline australis (Cabbage tree)

Olearia lineata (Twiggy Tree Daisy)

Phormium tenax (Harakeke/flax)

Plagianthus regius (Ribbonwood)

Dry areas:

Griselinia littoralis (Broadleaf)

Hoheria angustifolia (Narrow-leaved lacebark)

Olearia odorata (Scented tree daisy)

Pittosporum eugenioides (Lemonwood)

Pittosporum tenuifolium (kōhūhū)

Sophora microphylla (Kōwhai)

Table 1: NDMA Issues and Potential Mechanisms For Solutions

Notified Policy / Rule	Issue	Potential Solutions			
CHANGE D4 Policy 2.3.3.1.X <u>Support community and leisure activity, sport and recreation, and essential community facilities in Dunedin through:</u> ... <u>X. policies and assessment rules for subdivision in a new development mapped area that require consideration of the need for formal and/or informal space for recreation, sporting, social and cultural activities, and community facilities. {Change D4}</u> Delete Policy 2.6.1.6.b Objective 12.2.X <u>Future residential growth areas are developed in a way that achieves the Plan's strategic directions for: {Change D1}</u> <u>a. facilities and spaces that support social and cultural well-being (Objective 2.3.3); {Change D4}</u> Policy 12.2.X.1 <u>Policy 12.2.X.1</u> <u>Only allow subdivision in a new development mapped area where it will provide or otherwise ensure good access to outdoor recreation opportunities (including playgrounds) and, where possible, opportunities for off-road cycling and walking tracks within and between different residential developments and connecting to community facilities and services. {Change D4}</u> Rule 12.X.2.5.c <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u> <table border="1"> <tr> <td><u>Activity</u></td><td><u>Matters of discretion</u></td><td><u>Guidance on the assessment of resource consents</u></td></tr> </table> ...	<u>Activity</u>	<u>Matters of discretion</u>	<u>Guidance on the assessment of resource consents</u>	How will this operate in NDMA where land is in multiple ownership and development is likely to occur over time and potentially without co-operation between landowners? S32 report talks about 'large greenfield areas' [see para 296], however, many of the 'large greenfield areas' in NDMA are in multiple ownership.	A trigger mechanism for requirement of formal and/or informal space for recreation, sporting, social and cultural activities, and community facilities. That is, over so many lots / developed area a greenspace is required. AND / OR Specify what greenspace etc is required as a minimum for which NDMA's.
<u>Activity</u>	<u>Matters of discretion</u>	<u>Guidance on the assessment of resource consents</u>			

Notified Policy / Rule	Issue	Potential Solutions
CHANGE D5 Delete Policies 2.2.2.5.b and 2.2.5.3.a and replace with new clause in Policy 2.2.2.X.a Policy 2.2.2.X to be added {Change D5 & Change E4} Encourage improvements to the environmental performance of new housing by: {Change E4} a. use of policies and assessment rules for subdivision, including in new development mapped areas, that encourage subdivisions to be designed to maximise the potential for passive solar design in housing; {Change D5} b. encouraging new medium density housing in parts of the city that have old housing stock that is not protected for its heritage values; c. rules that require outdoor living space to be on the sunny side of buildings, and requiring principal living areas to connect to the outdoor living space; and d. rules that restrict height in relation to boundary to facilitate access to sunlight in outdoor areas. {Change E4} Objective 12.2.X & Policy 12.2.X.3 Objective 12.2.X {Change D1} Future residential growth areas are developed in a way that achieves the Plan's strategic directions for: {Change D1} ... c. environmental performance and energy resilience (Objective 2.2.2); {Change D5} .. Policy 12.2.X.3 Only allow subdivision in a new development mapped area where the subdivision layout and orientation provides for houses to be designed with good solar access to living areas and outdoor living spaces. {Change D5} Rule 12.X.2.5.a 12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area Activity Matters of discretion Guidance on the assessment of resource consents ...	No issues.	N/A

Notified Policy / Rule	Issue	Potential Solutions						
CHANGE D6 Objective 12.2.X and Policy 12.2.X.2 <u>Objective 12.2.X {Change D1}</u> <u>Future residential growth areas are developed in a way that achieves the Plan's strategic directions for: {Change D1}</u> ... <u>b. indigenous biodiversity (Objective 2.2.3); {Change D6}</u> ... <u>Policy 12.2.X.2</u> <u>Only allow subdivision in a new development mapped area where the subdivision is designed to ensure any future land use and development will protect, and where necessary restore, any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values. {Change D6}</u> Rule 12.X.2.5.d <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u> <table border="1"> <thead> <tr> <th><u>Activity</u></th><th><u>Matters of discretion</u></th><th><u>Guidance on the assessment of resource consents</u></th></tr> </thead> <tbody> <tr> <td data-bbox="450 911 712 1318"> <u>d. Whether subdivision design maintains or enhances areas with significant natural environment values {Change D6}</u> </td><td data-bbox="723 911 1462 1318"> <u>Relevant objectives and policies:</u> i. <u>Objective 12.2.X</u> ii. <u>The subdivision is designed to ensure any future land use and development will protect, and where necessary restore, any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values (Policy 12.2.X.2). {Change D6}</u> <u>Conditions that may be imposed include:</u> iii. <u>A requirement to protect areas through reserve status or other legal mechanisms.</u> iv. <u>A requirement to undertake conservation activity. {Change D6}</u> </td><td></td></tr> </tbody> </table>	<u>Activity</u>	<u>Matters of discretion</u>	<u>Guidance on the assessment of resource consents</u>	<u>d. Whether subdivision design maintains or enhances areas with significant natural environment values {Change D6}</u>	<u>Relevant objectives and policies:</u> i. <u>Objective 12.2.X</u> ii. <u>The subdivision is designed to ensure any future land use and development will protect, and where necessary restore, any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values (Policy 12.2.X.2). {Change D6}</u> <u>Conditions that may be imposed include:</u> iii. <u>A requirement to protect areas through reserve status or other legal mechanisms.</u> iv. <u>A requirement to undertake conservation activity. {Change D6}</u>		What is the threshold for 'significant natural environment values'?	Provide a definition for this term.
<u>Activity</u>	<u>Matters of discretion</u>	<u>Guidance on the assessment of resource consents</u>						
<u>d. Whether subdivision design maintains or enhances areas with significant natural environment values {Change D6}</u>	<u>Relevant objectives and policies:</u> i. <u>Objective 12.2.X</u> ii. <u>The subdivision is designed to ensure any future land use and development will protect, and where necessary restore, any waterways, areas of important indigenous vegetation and habitats of indigenous fauna, or other areas with significant natural environment values (Policy 12.2.X.2). {Change D6}</u> <u>Conditions that may be imposed include:</u> iii. <u>A requirement to protect areas through reserve status or other legal mechanisms.</u> iv. <u>A requirement to undertake conservation activity. {Change D6}</u>							

Rule 15.11.5.Y

15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item		
Activity	Matters of discretion	Guidance on the assessment of resource consents

...

<u>Y</u>	<u>In a new development mapped area:</u> ▪ <u>All subdivision activities</u> (Change D1 & Change F2-2)	<u>d. Whether subdivision design maintains or enhances areas with significant natural environment values</u> (Change D6)	<u>See Rule 12 X</u> (Change D6)
----------	--	--	----------------------------------

Notified Policy / Rule	Issue	Potential Solutions															
CHANGE D7 Objective 12.2.X {Change D1} <u>Future residential growth areas are developed in a way that achieves the Plan's strategic directions for: {Change D1}</u> ... <u>d. form and structure of the environment (Objective 2.4.1): {Change D7}</u> Policy 12.2.X.4 <u>Only allow subdivision in a new development mapped area where the subdivision will provide adequate areas of amenity planting (including but not limited to street trees) and public amenities to ensure an attractive residential environment. {Change D7}</u> Rule 12.X.2.5.b <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u> <table border="1"> <thead> <tr> <th>Activity</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr> </thead> <tbody> <tr> <td>...</td><td></td><td></td></tr> <tr> <td> 5. <u>In a new development mapped area:</u> <u>All subdivision activities {Change D1}</u> </td><td> <u>b. Provision for amenity planting and public amenities. {Change D7}</u> </td><td> <u>Relevant objectives and policies:</u> i. <u>Objective 12.2.X</u> ii. <u>The subdivision provides adequate areas of amenity planting (including but not limited to street trees) and public amenities to ensure an attractive residential environment (Policy 12.2.X.4).</u> <u>Conditions that may be imposed include:</u> iii. <u>Requirements for street tree and other subdivision amenity planting. {Change D7}</u> </td></tr> </tbody> </table> Rule 15.11.5.Y <u>15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item</u> <table border="1"> <thead> <tr> <th>Activity</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr> </thead> <tbody> <tr> <td></td><td></td><td></td></tr> </tbody> </table>	Activity	Matters of discretion	Guidance on the assessment of resource consents	...			5. <u>In a new development mapped area:</u> <u>All subdivision activities {Change D1}</u>	<u>b. Provision for amenity planting and public amenities. {Change D7}</u>	<u>Relevant objectives and policies:</u> i. <u>Objective 12.2.X</u> ii. <u>The subdivision provides adequate areas of amenity planting (including but not limited to street trees) and public amenities to ensure an attractive residential environment (Policy 12.2.X.4).</u> <u>Conditions that may be imposed include:</u> iii. <u>Requirements for street tree and other subdivision amenity planting. {Change D7}</u>	Activity	Matters of discretion	Guidance on the assessment of resource consents				What is the threshold for the requirement? What constitutes an 'adequate' area?	Include a trigger (i.e. number of lots / size of development area). AND / OR Provide guidance on what constitutes 'adequate' areas of amenity planting and public amenities.
Activity	Matters of discretion	Guidance on the assessment of resource consents															
...																	
5. <u>In a new development mapped area:</u> <u>All subdivision activities {Change D1}</u>	<u>b. Provision for amenity planting and public amenities. {Change D7}</u>	<u>Relevant objectives and policies:</u> i. <u>Objective 12.2.X</u> ii. <u>The subdivision provides adequate areas of amenity planting (including but not limited to street trees) and public amenities to ensure an attractive residential environment (Policy 12.2.X.4).</u> <u>Conditions that may be imposed include:</u> iii. <u>Requirements for street tree and other subdivision amenity planting. {Change D7}</u>															
Activity	Matters of discretion	Guidance on the assessment of resource consents															

<u>Y</u>	<u>In a new development mapped area:</u> ▪ <u>All subdivision activities {Change D1 & Change F2-2}</u>	<u>b. Provision for amenity planting and public amenities {Change D7}</u>	<u>See Rule 12.X {Change D7}</u>		
----------	--	---	----------------------------------	--	--

Notified Policy / Rule	Issue	Potential Solutions
CHANGE D8 Policy 2.7.1.2 Ensure areas of new urban development provide for public infrastructure networks that represent the least possible long term cost to the public through: ... <u>Z policies and assessment rules for new development mapped areas that encourage efficient use of land as a way to maximise the cost effectiveness of public infrastructure delivery. {Change D8}</u> Objective 12.2.X {Change D1} Future residential growth areas are developed in a way that achieves the Plan's strategic directions for: <i>{Change D1}</i> ... e. <u>a compact and accessible city (Objective 2.2.4); and {Change D8}</u> f. <u>efficient public infrastructure (Objective 2.7.1). {Change D8}</u> Policy 12.2.X.5 <u>Policy 12.2.X.5 Only allow subdivision in a new development mapped area where the subdivision design ensures the efficient use of land, while also achieving the other elements of Objective 12.2.X. {Change D8}</u> Rule 12.X.2.5.e <u>12.X.2 Assessment of restricted discretionary activities in a Transition Overlay Zone or mapped area</u>	Rule 12.X.2 – general assessment guidance iv.3 This assessment has already been undertaken in rezoning of the land (including placement of Transition overlay zone or mapped area).	Delete.

5 In a new development mapped area All subdivision activities {Change D1}	e. Whether subdivision design supports efficient use of land {Change D8}	Relevant objectives and policies i. Objective 12.2.X ii. The subdivision design ensures the efficient use of land, while also achieving the other elements of Objective 12.2.X (Policy 12.2.X.5). {Change D8} General assessment guidance iii. Council will generally require subdivision in a NDMA to enable the maximum development capacity allowed under the rules and as can be achieved while still achieving the other objectives and policies of the Plan (e.g. as many sites suitable for residential development as practicable or through other means of maximising development capacity). {Change D8} iv. Where a subdivision proposes a residential yield less than what is allowed by the zoning and where this is not required to achieve other plan objectives or policies, Council will consider 1. how this might affect the affordability and efficient delivery of public infrastructure 2. how this might affect the ability to provide a reasonable amount of affordable housing in the development; and 3. the potential cumulative effects of inefficient development on loss of rural land. {Change D8}					
Rule 15.11.5.Y							
15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item <table><tr><td>Activity</td><td>Matters of discretion</td><td>Guidance on the assessment of resource consents</td></tr></table> ...					Activity	Matters of discretion	Guidance on the assessment of resource consents
Activity	Matters of discretion	Guidance on the assessment of resource consents					
Y In a new development mapped area All subdivision activities {Change D1 & Change F2-2}	e. Whether subdivision design supports efficient use of land {Change D8}	See Rule 12.X {Change D8}					

Notified Policy / Rule	Issue	Potential Solutions
CHANGE F2-2 Policy 2.2.2.Y Policy 2.2.2.Y - to be added {Change F2-2} Enable and encourage on-site low impact design stormwater management through policies and assessment rules that require stormwater management in new development mapped areas. {Change F2-2} Delete Policy 2.2.5.2 Policy 2.7.1.2.X Ensure areas of new urban development provide for public infrastructure networks that represent the least possible long term cost to the public through: ... X policies and assessment rules that require on-site stormwater management in the new development mapped area. {Change F2-2} Policy 9.2.1.Y Objective 9.2.1 Land use, development and subdivision activities maintain or enhance the efficiency and affordability of public water supply, wastewater and stormwater infrastructure. ... Policy 9.2.1.Y Only allow subdivision activities in a new development mapped area where: a. an on-site stormwater management system that is designed for the whole NDMA and is installed in full or in planned stages prior to development will ensure there is no increase in the pre-development peak stormwater discharge rate from the site into the stormwater public infrastructure (at any point); or b. where this is not practicable, any adverse effects from an increase in discharge on the stormwater public infrastructure are no more than minor. {Change F2-2} Policy 9.2.1.X Policy 9.2.1.X Require development in a new development mapped area that creates impermeable surfaces to be connected to the integrated communal on-site stormwater management system that meets Policy 9.2.1.Y. {Change F2-2}	1. Potential difficulties with NDMA being in multiple ownership – for example, if there is a reluctant or recalcitrant 2. Requirement to install infrastructure prior to obtaining subdivision consent (see Policy 9.2.1.Y and Note 9.3.7.AAA.a). The proper development process is for resource consent to be obtained prior to installation occurring so that all matters can be assessed together. Focus should be on the design of infrastructure at this stage of the consent / development process. 3. Limiting the extent of Rule 9.5.3.Z.	1. Provide a claw-back mechanism whereby when the developer of infrastructure in a NDMA with multiple owners vests that infrastructure in DCC, DCC pays that developer for the infrastructure (less the developer's pro rata share) and DCC claws-back the cost of that infrastructure vis development contributions as the other land within that NDMA comes online. AND Provide a mechanism whereby the DCC can compulsorily acquire easements in NDMA for new infrastructure. AND Delete from Rule 9.9.X.3.C the following: ', and be submitted along with the written approval of all owners of land within the new development mapped area unless they are the applicant/s'. 2. Delete requirement for infrastructure to be installed prior to subdivision consent. 3. Add the words 'within the subject new development

Rule 9.3.7.AA

9.3.7.AA Stormwater (Change F2-2)

- a. In a new development mapped area, all development that creates an impermeable surface must
 - i. connect to a communal stormwater management system that services the new development mapped area, except
 - 1. prior to the communal stormwater management system being installed, any development that creates less than 60m² of impermeable surface is exempt from this standard.
- b. Activities that contravene this performance standard are restricted discretionary activities. (Change F2-2)

Note 9.3.7.AAA

Note 9.3.7.AAA - General advice and other requirements outside of the District Plan (Change F2-2)

- a. In a new development mapped area, Policy 9.2.1.Y requires installation of a communal stormwater management system prior to development as part of the assessment of a subdivision consent. The requirements for stormwater management are set out in the Special Information Requirements - Rule 9.9.X. (Change F2-2)
- b. Clause E1 - Surface Water of the New Zealand Building Code (Building Regulations 1992, Schedule 1) contains requirements regarding buildings and sitework in relation to managing surface water and effects on other property.
- c. Development that will divert surface water may require resource consent under the Otago Regional Plan, Water.
- d. Discharge of stormwater to any Otago Regional Council scheduled drain or overland flow path is managed by the Otago Regional Council Flood Protection Management Bylaw 2012.
- e. If development affects the flow of surface water, this effect is also subject to the common law principle of natural servitude.
- f. Part 4 of the Dunedin Code of Subdivision and Development 2010 ('Code of Subdivision') requires that design and construction of stormwater systems be undertaken in accordance with NZS 4404:2004 (now replaced by NZS 4404:2010), except as amended by the Code of Subdivision. This includes a requirement that stormwater systems be provided so that any new development results in an insignificant increase of runoff wherever possible (Clause 4.2.8).
- g. For further information on connections to the public stormwater network and for assistance with design requirements for stormwater management systems, please contact DCC 3 Waters on 03 477 4000 at the earliest opportunity. (Change F2-4)

mapped area' to the end of the sentence at Rule 9.5.3.Z.a.

Rule 9.5.3.Z

9.5.3 Assessment of performance standard contraventions

Performance standard	Matters of discretion	Guidance on the assessment of resource consents
----------------------	-----------------------	---

...

Z. In a new development mapped area

- **Service connections - stormwater** (Rule 9.3.7.AA) (Change F2-2)

a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development

Relevant objectives and policies:

- Objective 9.2.1
- Require development in a new development mapped area that creates impermeable surfaces to be connected to the integrated communal on-site stormwater management system that meets Policy 9.2.1.Y (Policy 9.2.1.X). (Change F2-2)

General assessment guidance:

- Council will consider how stormwater will be managed and may require a stormwater management plan to be submitted with the application (see Special Information Requirement - Rule 9.9.X). (Change F2-2)

Conditions that may be imposed include:

- A requirement for easements, covenants, consent notices, or bonds to ensure future development will be in accordance with a stormwater management plan.
- A requirement for on-site stormwater management, such as the installation of detention devices, in accordance with the approved stormwater management plan. (Change F2-2)

Rule 9.6.2.X

9.6.2 Assessment of restricted discretionary activities

Activity	Matters of discretion	Guidance for the assessment of resource consents
----------	-----------------------	--

...

X	<u>In a new development mapped area:</u> • <u>All subdivision activities</u> <i>(Change F2-2)</i>	<u>a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development</u>	<u>Relevant objectives and policies (in addition to those outlined in 9.6.2.2 above):</u> i. <u>Objective 9.2.1.</u> ii. <u>Only allow subdivision activities in a new development mapped area where:</u> 1. <u>an on-site stormwater management system that is designed for the whole NDMA and is installed in full or in planned stages prior to development will ensure there is no increase in the pre-development peak stormwater discharge rate from the site into the stormwater public infrastructure (at any point); or</u> 2. <u>where this is not practicable, any adverse effects from an increase in discharge on the stormwater public infrastructure are no more than minor (Policy 9.2.1.Y). (Change F2-2)</u>		
Special Information Requirement Rule 9.9.X					
<u>9.9.X Stormwater management plans</u> 1. <u>Application for subdivision in a new development mapped area must include a proposed stormwater management plan that demonstrates how Policy 9.2.1.Y will be achieved, unless such a plan has already been approved as part of an earlier subdivision. (Change F2-2)</u>					
...					
3. <u>Stormwater management plans must:</u> a. <u>be prepared by a chartered engineer or other suitably qualified person;</u> b. <u>be of a level of detail commensurate with the scale of the activity, complexity of stormwater management issues, and potential for adverse effects from stormwater. (Change F2-2 & Change F2-3)</u> c. <u>for a new development mapped area (NDMA), address the whole NDMA area, and be submitted along with the written approval of all owners of land within the new development mapped area unless they are the applicant/s. (Change F2-2)</u> d. <u>assess pre-development flows and post-development flows, generally based on the following rainfall events:</u> i. <u>for primary infrastructure, a 10% annual exceedance probability (AEP) for the critical storm duration for the NDMA and the critical storm duration and the catchment upstream of the point of discharge; and</u> ii. <u>for secondary flow paths, a 1% AEP for the critical storm duration for the NDMA and the critical storm duration for the catchment upstream of the point of discharge;</u> iii. <u>for the purposes of this requirement, 'critical storm duration' means the duration of rainfall event likely to cause the highest peak flows or water levels;</u>					

iv. <u>for the purposes of this requirement, 'primary infrastructure' includes both open and closed conduits designed to contain the flows generated by the 10% AEP rainfall event;</u> v. <u>for the purposes of this requirement, 'secondary flow paths' means the flow path over which surface water will flow if the primary flow path becomes overloaded or inoperative and consists of overland flow paths with sufficient capacity to transfer the flows generated by rainfall events up to 1% AEP. Secondary flow paths should be aligned with natural flow paths and located on public land where possible. If located in private property, 1% AEP secondary flows should be through primary infrastructure unless protected by an easement;</u> e. <u>assess the difference between pre-development flows and post-development flows, taking into account the maximum impermeable surfaces permitted in the underlying zone and any proposed roading or accessways for the subdivision area (or in a new development mapped area, for the entire NDMA);</u> f. <u>specify the design and location of any on-site stormwater management systems to accommodate the calculated difference in flows;</u> g. <u>where relevant, specify the design and location of secondary flow paths;</u> h. <u>specify any upgrades to stormwater public infrastructure, or other infrastructure, that will be used to add capacity where it is required;</u> i. <u>the stormwater management system design should allow for stormwater quality treatment to reduce potential contaminants that the site and development may generate;</u> j. <u>areas requiring stormwater quality treatment include trafficked areas such as roads, driveways and carparks. Roof and building areas should not require stormwater quality treatment providing they are constructed with inert building products which avoid exposed metal surfaces;</u> k. <u>stormwater quality treatment devices shall target the removal of 75% total suspended solids (TSS) on a long-term average basis and consider the avoidance or minimisation of thermal loading effects;</u> l. <u>the stormwater management design should consider the use of low impact design features, for example:</u> i. <u>grassed/landscaped swales and other vegetation areas;</u> ii. <u>infiltration trenches/bioretention systems;</u> iii. <u>storage ponds/wetlands/sediment ponds;</u> iv. <u>rainwater tanks harvesting and reuse;</u> v. <u>rain gardens, green roofs; or</u> vi. <u>porous surface treatments;</u>		
--	--	--

- m. where low impact design features are inadequate to address stormwater discharge in a way that meets Policy 9.2.1.Y consider the use of detention tanks;
- n. for larger subdivisions, the design should incorporate consideration of how stormwater management areas can be integrated into reserves and recreation spaces;
- o. for larger subdivisions, the design proposal should demonstrate how the integrity of the stormwater mitigation and management measures will not be compromised during and after subdivision (for example, avoiding premature contamination of devices during the construction of houses and ensuring that open drains that form part of the system will not be blocked or altered). (Change F2-2 & Change F2-3)

Rule 15.3.4.1 Development Activity Status Table

1.	Performance standards that apply to all development activities	a. Natural Hazards Performance Standards b. Maximum building site coverage and impermeable surfaces c. Setback from scheduled tree d. Structure plan mapped area performance standards (where relevant) <u>Y. Service connections - stormwater (in a new development mapped area)</u> (Change F2-2)
----	--	--

Rule 15.6.X

15.6.X Service Connections - Stormwater - to be added (Change F2-2)

In a new development mapped area, all development that creates an impermeable surface must comply with Rule 9.3.7.AA. (Change F2-2)

Rule 15.10.4.Y

15.10.4 Assessment of development performance standard contraventions

Performance standard	Matters of discretion	Guidance on the assessment of resource consents
...		

Y	<u>In a new development mapped area</u> • <u>Service connections – stormwater</u> <i>(Change F2-2)</i>	a. <u>Effectiveness and efficiency of stormwater management and effects of stormwater from future development</u>	<u>See Rule 9.5. <i>(Change F2-2)</i></u>		
Rule 15.11.5.Y					
15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item					
Activity		Matters of discretion	Guidance on the assessment of resource consents		
...					
Y	<u>In a new development mapped area</u> • <u>All subdivision activities</u> <i>(Change D1 & Change F2-2)</i>	f. <u>Effectiveness and efficiency of stormwater management and effects of stormwater from future development</u> <i>(Change F2-2)</i>	<u>See Rule 9.6 <i>(Change F2-2)</i></u>		

Notified Policy / Rule	Issue	Potential Solutions								
CHANGE F3-2 Policy 2.7.1.2.Y Ensure areas of new urban development provide for public infrastructure networks that represent the least possible long term cost to the public through; ... <u>Y policies and assessment rules that require wastewater detention for specified sites in the new development mapped area to allow urban expansion while ensuring any impacts on the wastewater public infrastructure network are no more than minor. (Change F3-2)</u> Policy 9.2.1.BB <table><tr><td><u>Policy 9.2.1.BB</u></td><td><u>Require subdivision, multi-unit development or supported living facilities in specified new development mapped areas to provide or connect to a communal wastewater detention system that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network. (Change F3-2)</u></td></tr></table> Note 9.3.7.ZA General Advice ... 6. <u>In new development mapped areas specified in Rule 9.6.2.Y, immediate connections to the wastewater public infrastructure network will not be available due to network capacity constraints. In these cases, subdivision consent may be refused even if this standard is met where an on-site communal wastewater detention system that serves 50 or more residential units is yet to be approved as a solution to capacity constraints. (Change F3-2)</u> ... Rule 9.6.2.Y <table><tr><th colspan="3">9.6.2 Assessment of restricted discretionary activities</th></tr><tr><td>Activity</td><td>Matters of discretion</td><td>Guidance for the assessment of resource consents</td></tr></table> ...	<u>Policy 9.2.1.BB</u>	<u>Require subdivision, multi-unit development or supported living facilities in specified new development mapped areas to provide or connect to a communal wastewater detention system that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network. (Change F3-2)</u>	9.6.2 Assessment of restricted discretionary activities			Activity	Matters of discretion	Guidance for the assessment of resource consents	1. Potential difficulties with NDMA being in multiple ownership – for example, if there is / are reluctant or recalcitrant owner(s) within the NDMA.	1. Provide a claw-back mechanism whereby when the developer of infrastructure in a NDMA with multiple owners vests that infrastructure in DCC, DCC pays that developer for the infrastructure (less the developer's pro rata share) and DCC claws-back the cost of that infrastructure vis development contributions as the other land within that NDMA comes online. AND Provide a mechanism whereby the DCC can compulsorily acquire easements in NDMA for new infrastructure.
<u>Policy 9.2.1.BB</u>	<u>Require subdivision, multi-unit development or supported living facilities in specified new development mapped areas to provide or connect to a communal wastewater detention system that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network. (Change F3-2)</u>									
9.6.2 Assessment of restricted discretionary activities										
Activity	Matters of discretion	Guidance for the assessment of resource consents								

<u>Y.</u>	<u>In the following new development mapped areas, all subdivision activities, multi-unit development and supported living facilities, (Change F3-2)</u> <u>• Kaikorai Valley Road (Change IN07)</u> <u>• Selwyn Street (Change RTZ2)</u> <u>• Wattie Fox Lane (Change RTZ1)</u>	<u>a. Effectiveness and efficiency of wastewater management and effects of wastewater from future development</u>	<u>Relevant objectives and policies (in addition to those outlined in 9.6.2.2 and 9.6.2.X above):</u> <u>Objective 9.2.1.</u> <u>Require subdivision, multi-unit development or supported living facilities in specified new development mapped areas to provide or connect to a communal wastewater detention system that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network (Policy 9.2.1.BB). (Change F3-2)</u> <u>General assessment guidance:</u> <u>The identified new development mapped areas are serviced for wastewater but new connections to the network will not be allowed (and consequentially any multi-unit development, supported living facility or subdivision that will lead to development that will require a connection will likely be declined) until capacity constraints are resolved or a communal on-site wastewater detention system that is designed for and associated with subdivision and/or development of 50 or more residential units is integrated into the public network and vested in the DCC. After installation of the system, all activities that create wastewater will be required to connect to the system until it is no longer required.</u> <u>In assessing the appropriateness of a proposed communal on-site wastewater detention system, Council will consider the proposed wastewater management plan submitted with the application (see Special Information Requirement – Rule 9.9.Y). (Change F3-2)</u> <u>Conditions that may be imposed:</u> <u>A requirement for the communal on-site wastewater detention system to be installed prior to certification of the survey plan pursuant to section 223 of the RMA.</u> <u>A requirement for the communal on-site wastewater detention system to be vested in the DCC, along with a site containing it which is of a minimum 500m² in area and suitable for residential development.</u> <u>A requirement for necessary easements and a fixed maintenance or defect period agreement to be in place prior to vesting the communal on-site wastewater detention system and associated land. (Change F3-2)</u>		
------------------	--	--	--	--	--

Rule 9.9.Y

9.9.Y Wastewater management plans:

1. Any application for subdivision, multi-unit development or supported living facilities in a new development mapped area specified in Rule 9.6.2.Y must include a proposed wastewater management plan that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network via the use of a communal wastewater detention system, unless such a system has already been approved for the site and will be connected to.
2. The wastewater management plan must be prepared by a chartered engineer and meet the following requirements:
 - a. Specify the design and location of one or more communal wastewater detention systems to detain wastewater from the entire new development mapped area.
 - b. The communal wastewater detention systems must:
 - i. have the capacity to detain wastewater for a 24-hour period, prior to releasing to the wastewater via a connection to the wastewater public infrastructure network. The volume of wastewater to be detained will be calculated with reference to Part 5 of the Dunedin Code of Subdivision and Development 2010 ('Code of Subdivision');
 - ii. be compatible with DCC's Supervisory Control and Data Acquisition (SCADA) system;
 - iii. have a minimum 20 year expected life for all electrical / mechanical components and a minimum 50 year expected life for all civil components;
 - iv. where practicable, be located such that all flow goes to one communal wastewater detention system with no pumping;
 - v. have components and materials that comply with the DCC's 3-Waters Approved Product and Manufacturers List and Part 5 of the Dunedin Code of Subdivision and Development 2010 ('Code of Subdivision');
3. The wastewater management plan must be submitted along with the written approval of all landowners within the new development mapped area unless they are the applicant/s. (Change F3-2)

Rule 15.10.4.Y

15.10.4 Assessment of development performance standard contraventions

Performance standard	Matters of discretion	Guidance on the assessment of resource consents
...		
10. Maximum building site coverage and impermeable surfaces	c. Effects on efficiency and affordability of infrastructure <u>(stormwater)</u> <i>(Change F2-3)</i> d. Effects of <u>stormwater from future development</u> <i>(Change F2-3)</i>	See Rule 9.5.

Rule 15.11.5.Z

15.11.5 Assessment of restricted discretionary activities in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item

Activity	Matters of discretion	Guidance on the assessment of resource consents
...		
<u>Z. In the following new development mapped areas, all subdivision activities, multi-unit development, and supported living facilities:</u> <i>(Change F3-2)</i> • <u>Kaikorai Valley Road</u> <i>(Change IN07)</i> • <u>Selwyn Street</u> <i>(Change RT22)</i> • <u>Wattie Fox Lane</u> <i>(Change RT21)</i>	<u>a. Effectiveness and efficiency of wastewater management and effects of wastewater from future development</u> <i>(Change F3-2)</i>	<u>See Rule 9.6</u> <i>(Change F3-2)</i>

Notified Policy / Rule	Issue	Potential Solutions											
CHANGE F2-6 Policy 9.2.1.AA <table><tr><td>Policy 9.2.1.AA</td><td>Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary. {Change F2-6}</td></tr></table>	Policy 9.2.1.AA	Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary. {Change F2-6}	Limit the extent of Policy 9.2.1.AA and related lower order provisions to provision of capacity of infrastructure within the specific new development mapped area.	Delete the words 'on adjoining or nearby sites that are zoned for urban development' and insert the words 'within the subject new development mapped area' before 'where necessary'. AND Similarly in Rule 9.5.3.Z.a.iii delete the words 'on adjoining or nearby sites that are zoned for urban development' and insert the words 'within the subject new development mapped area' before 'where necessary'. AND Similarly in Rule 9.6.2.X.a.iii delete the words 'on adjoining or nearby sites that are zoned for urban development' and insert the words 'within the subject new development mapped area' before 'where necessary'.									
Policy 9.2.1.AA	Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary. {Change F2-6}												
Rule 9.5.3.Z <table><tr><th colspan="3">9.5.3 Assessment of performance standard contraventions</th></tr><tr><th>Performance standard</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr><tr><td> Z. In a new development mapped area: Service connections - stormwater (Rule 9.3.7.AA) {Change F2-2} </td><td> a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development </td><td> iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). {Change F2-6} </td></tr></table>	9.5.3 Assessment of performance standard contraventions			Performance standard	Matters of discretion	Guidance on the assessment of resource consents	Z. In a new development mapped area: Service connections - stormwater (Rule 9.3.7.AA) {Change F2-2}	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). {Change F2-6}				
9.5.3 Assessment of performance standard contraventions													
Performance standard	Matters of discretion	Guidance on the assessment of resource consents											
Z. In a new development mapped area: Service connections - stormwater (Rule 9.3.7.AA) {Change F2-2}	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). {Change F2-6}											
Rule 9.6.2.X <table><tr><th colspan="3">9.6.2 Assessment of restricted discretionary activities</th></tr><tr><th>Activity</th><th>Matters of discretion</th><th>Guidance for the assessment of resource consents</th></tr><tr><td>...</td><td></td><td></td></tr><tr><td> X. In a new development mapped area: All subdivision activities {Change F2-2} </td><td> a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development </td><td> iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). {Change F2-6} </td></tr></table>	9.6.2 Assessment of restricted discretionary activities			Activity	Matters of discretion	Guidance for the assessment of resource consents	...			X. In a new development mapped area: All subdivision activities {Change F2-2}	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). {Change F2-6}	
9.6.2 Assessment of restricted discretionary activities													
Activity	Matters of discretion	Guidance for the assessment of resource consents											
...													
X. In a new development mapped area: All subdivision activities {Change F2-2}	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	iii. Only allow subdivision in a new development mapped area where any new public or private 3-waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). {Change F2-6}											


KEY



1. Unnumbered lot to be vested with Council. Enlarge existing pond which is currently located in adjacent recreation reserve



2. Revegetation area planted with native species, providing a linkage with adjacent revegetation to the west and the biodiversity values of Frasers Gully



3. Easement strip to be vested with Council and is to provide public pedestrian access between Frasers Gully and Sretlaw Place



4. 12 residential lots ranging from 570m² to 2270m², which provide for the topography of the site



5. Access lot to be vested with Council and is 1250m²



6. Retain existing oak tree (remove two adjacent gum trees)



7. Viewpoints





23 Sretlaw Place

DATE: 26-02-21 SCALE @A3: 1:1000
DWG: 001 REVISION #:

LANDSCAPE PROPOSAL

-








Stitch of several images - no fixed focal length







PROVISIONAL ONLY
DETAIL, AREAS & DIMENSIONS
SUBJECT TO RESOURCE
CONSENT & FINAL SURVEY




Title Reference : RT 186156
Total Area : 1.8592ha
Registered Owners : CWB NZ Limited
Property Address : 23 Sretlaw Place, Dunedin

Lots 1 - 17 Being a Proposed Subdivision of Lot 29 DP 345409

PROJECT REF. CLS110	SHEET SIZE A3	SCALE 1:700
DRAWN DATE: 2 MARCH 2021	PLAN REF:	
SHEET NO.: SHEET 1 OF 1	CLS110-4	

PROVISIONAL ONLY
DETAIL, AREAS & DIMENSIONS
SUBJECT TO RESOURCE
CONSENT & FINAL SURVEY



Title Reference : RT 186156
Total Area : 1.8592ha
Registered Owners : CWB NZ Limited
Property Address : 23 Sretlaw Place, Dunedin



Lots 1 - 12 Being a Proposed Subdivision of Lot 29 DP 345409

PROJECT REF. CLS110	SHEET SIZE A3	SCALE 1:700
DRAWN DATE 13 DECEMBER 2020	PLAN REF. CLS110-2	
SHEET NO. SHEET 1 OF 1		

Variation 2 Submission Notes – Cole Bennetts – Residential Rezone of 23 Sretlaw Street and Application of a Structure Plan Mapped Area

Figure 1: Location of Site:




Figure 2a: Structure Plan 1 (17 Residential Lots)



Figure 2b: Landscape Proposal for Structure Plan 1



Figure 3a: Structure Plan 2 (12 Residential Lots)




Figure 3b: Landscape Proposal for Structure Plan 2



Figure 4: Planting List for Wetland Area

Water's edge/wet areas:

Carex virgata (Sedge)

Carex secta (Purei)

Dacrycarpus dacrydioides (Kahikatea)

Damp areas but not waterlogged for long periods:

Austroderia richardii (Toetoe)

Carpodetus serratus (Marble leaf)

Coprosma propinqua (Mingimingi)

Cordyline australis (Cabbage tree)

Olearia lineata (Twiggy Tree Daisy)

Phormium tenax (Harakeke/flax)

Plagianthus regius (Ribbonwood)

Dry areas:

Griselinia littoralis (Broadleaf)

Hoheria angustifolia (Narrow-leaved lacebark)

Olearia odorata (Scented tree daisy)

Pittosporum eugenoides (Lemonwood)

Pittosporum tenuifolium (kōhūhū)

Sophora microphylla (Kōwhai)

Submission:

1. Rezone Residential 23 Sretlaw Place and Apply a Structure Plan Mapped Area

Reasons:

- 23 Sretlaw Place, along with 118 Brockville Road, is an isolated rural zoned property. To the north and west is reserve and recreation land associated with Frasers Gully¹; to the south and east is General Residential 1 zoned land which is all developed. Hence, the residential rezone of 23 Sretlaw Place provides for a logical 'infill' of the residential zone. The submitter has had prepared two structure plans one for 17 residential lots (structure plan 1) and one for 12 residential lots (structure plan 2). The submitter's preference is for structure plan 1 to be applied to the site.
- Rezone meets rezoning criteria specified in 2GP (see 2.6.2.1) – in particular, the site is close to services and public amenities has a reasonable slope and excellent sun access. The site provides a logical extension of residential zones over a limited area whilst being sensitive to the landscape and ecological values of Frasers Gully. A landscape proposal has been developed for both structure plans along with a planting list. [The landscape architect has provided a breif report which is included with this submission]. The structure plan will have associated performance standards controlling built elements.
- Experienced severe shortage of residential capacity in Dunedin, including in this locale, to satisfy short through to long term demand with sufficient capacity to meet Council's obligations pursuant to *NPS-UD 2020*. Therefore, rezoning residential 23 Sretlaw Place helps Council meet its obligations pursuant to *NPS-UD 2020*.
- Provides for flexibility of development in this locale for which there is experienced high demand for more residential capacity.
- Provision of infrastructure is adequately governed by existing subdivision and land use performance standards in the 2GP but the application of the Structure Plan Mapped Area provides the opportunity for Council to insert performance standards necessary to achieve desired outcomes for this specific site (e.g. attenuation onsite of stormwater and / or wastewater if found to be necessary on assessment of infrastructure capacity at time of subdivision). This is a more appropraite methodology than applying a 'new development mapped area' zone to the site.
- The NDMA provisions will, in this case, act as an impediment to development.

1 Urban Biodiversity Mapped Area 05 and Area of Significant Biodiversity Value C125.

In the alternative, the submitter requests changes to the NDMA provisions as set out in Table 1 of these submission notes. Table 1 contains the NDMA related provisions, issues and potential solutions.

On the submission form the submitter states that their submission relates to *“All relevant provisions including NDMA”*. In the event that Table 1 is not a complete list of all such provisions, the submitter reserves the right to make comment in evidence on any other NDMA related provisions which are found to be missing from Table 1.

2 DECISIONS ON SUBMISSIONS

2.1 Broad matters raised in regard to greenfield rezoning

67. We start by discussing several over-arching issues that have relevance to our decisions on rezoning. During the course of Hearing 4 the Panel posed a number of questions of legal counsel and witnesses on these broad issues. Our conclusions on these matters, having considered the legal submissions and expert evidence, provide context to the site-specific decisions outlined later in the decision report.

2.1.1 *Relationship between the NPS-UD and Variation 2*

2.1.1.1 *Is the intent of Variation 2 to achieve compliance with the NPS-UD?*

68. We received legal submissions from Mr McLachlan on behalf of *CC Otago Limited* arguing that the purpose of Variation 2 is to achieve compliance with the NPS-UD 2020, in particular to ensure there is at least sufficient housing capacity to meet demand over the short, medium and long terms. This argument was made in the context of disputing the methodology and accuracy of DCC's housing and business capacity assessment (HBA). Mr McLachlan argued that where there is uncertainty or volatility in the capacity provided, we should err on the side of caution and ensure that Variation 2 provides at least sufficient development capacity. Mr Page, for *Gladstone Family Trust*, submitted that Variation 2 is "effectively a response to the housing capacity assessment" and that the NPS-UD Policy 8 obliges councils to take advantage of development opportunities as they arise.
69. As Mr Garbett correctly pointed out in his legal submissions in reply, we had considered the purpose of Variation 2 in our decision on scope². Our conclusion in that decision is that Variation 2 is a series of limited plan review topics and proposals, not all of which are concerned with housing capacity or implementing the NPS-UD. We note that our decision on scope was challenged through a section 357 process but was upheld by an independent Commissioner and was not thereafter appealed by any parties to Variation 2. We therefore maintain our view that Variation 2 does not have an overarching purpose of achieving compliance with the NPS-UD. The NPS-UD requires that a strategic approach is taken to growth planning. Variation 2 will provide some 'easy wins' in terms of additional housing capacity, but it is only part of a wider process, including a Future Development Strategy (FDS), that is necessary to give effect to the NPS-UD.
70. Mr Garbett argued that it is not the responsibility of the Panel to ensure that all capacity requirements are met through the options available through Variation 2. Instead, our role is to assess the appropriateness, or not, of the particular sites put forward (including sites requested through submissions).
71. We agree with Mr Garbett's assessment. In our view, the overall responsibility for compliance with NPS-UD remains with the Council not with this hearings panel which has a narrower mandate. The Variation 2 proposals before us are intended to provide extra housing capacity in identified locations and will contribute to giving effect to the NPS-UD. However, it is not necessary for us to zone sites that we consider do not meet the 2GP's policies (in particular Policy 2.6.2.1) simply to ensure additional capacity is provided.

² Out of Scope Decision Report, 31 May 2021. [Variation-2-Out-of-Scope-Decision-Report-31-May-2021.pdf](https://www.dunedin.govt.nz/variation-2-out-of-scope-decision-report-31-may-2021.pdf) ([dunedin.govt.nz](https://www.dunedin.govt.nz))

2.1.1.2 Does the purpose of NPS need to be met at a township level?

72. Related to the above, Mr McLachlan for *CC Otago Limited*, argued that there was a demand for additional housing in Outram, and therefore (by implication) Variation 2 should rezone additional capacity within that settlement. Ms Peters, representing submitters in Outram and Allanton, made a similar argument in relation to Policy 2.6.2.1.a, which is that rezoning is necessary to ensure provision of at least sufficient housing capacity to meet expected demand over the short and medium term. She considered that there is demand for housing in both Allanton and Outram, and therefore the criterion in 2.6.2.1.a is met for requested sites in those locations (that is, capacity should be provided to at least meet demand). Similar arguments were advanced by other submitters in relation to sites at Allanton and Brighton.
73. Mr Garbett's view was that the NPS-UD does not require each centre to fully implement the NPS-UD. We understand that to mean that there is no requirement to provide capacity in each individual suburb, settlement or township. Mr Stocker drew our attention to guidance produced by Ministry for the Environment (MfE) on implementing undertaking housing capacity assessments that "local authorities have discretion to choose how locations are identified for clauses 3.24 and 3.25"³. He also noted guidance prepared on implementing the NPS-UD clearly states a preference for analysis at a catchment scale⁴. This guidance notes that:

To ensure the analysis remains manageable, it may make sense to aggregate area units into a more general classification of locations, for example, central business district, inner city suburbs, peripheral suburbs and areas with high amenity (such as beachside property). These general categories may be more useful than individual suburbs, given that households are mobile within urban areas and will accept trade-offs between similar types of suburbs. This will show the revealed preferences of these household sub-groups for different types of housing at different types of locations (such as inner city suburbs or peripheral suburbs), given current market conditions.

74. He also noted the Dunedin's Housing and Business Development Capacity Assessment (HBA) was scored highly, in an independent review commissioned by MfE and undertaken by Principal Economics and Urban Economics, for using "rigorous methods to explore the range of demands for types, locations and price points to the extent relevant in the urban market".
75. We confirm here that we accept and agree with Mr Stocker's evidence on the requirements of the NPS-UD and Mr Garbett's submission on this matter. We find there is no requirement so ensure that the NPS-UD is given effect to at a fine-grained scale. To do so would be impractical. We are satisfied that the various catchments assessed in the HBA are appropriate for the purposes of giving effect to the NPS-UD. This is corroborated by the independent review of the assessment. Consequently, we find that even if we were to accept that there is demand for additional capacity within a specific township, there is (a) no requirement under the NPS-UD to provide capacity in that township, and (b) no requirement to provide it through Variation 2.

³ Guidance on Housing and Business Development Capacity Assessments (HBAs) under the National Policy Statement on Urban Development (Ministry for the Environment, 2020), page 21

⁴ National Policy Statement on Urban Development Capacity: Guide on Evidence and Monitoring (Ministry of Business, Innovation and Employment and the Ministry for the Environment, 2017), page 33

2.1.1.3 Is the methodology for assessing capacity appropriate?

76. As noted above evidence and legal submissions were presented on behalf of submitters seeking rezoning of sites in Outram and Brighton, one aspect being that the HBA was inaccurate. These criticisms are broadly as follows:
- there is no consideration of the impact of the new rule implemented through this Panel's decisions on an earlier hearing regarding demolition of pre-1940s houses;
 - there were issues with the modelled zoned capacity of sites in relation to (for example) historic rubbish tips, steep slopes, access and encumbrances;
 - disagreement over assumptions used to determine feasible capacity; and
 - the method used to assess realisable capacity (that is, capacity that is reasonably expected to be realised), adds volatility and increases the margin of error on the capacity estimates.

2.1.1.4 Impact of demolition rule for 1940s houses

77. Our first decision on Variation 2 (intensification) required that proposals for demolition of pre-1940s houses will require resource consent. An assessment must be made of the building, and if it is found to meet the criteria for scheduling of heritage buildings, the application for demolition must be assessed against Policy 13.2.1.7, which is a directive 'avoid' policy.
78. Ms Peters gave evidence that this will mean some 1940s houses will now have to be retained and that the consequent reduction in development capacity for these sites was not accounted for within the HBA.
79. Since the hearing, the Environment Court has considered an appeal on these provisions that raised the matter of scope. The Court decision is that the submission (and matters raised within) we relied on to add these provisions was beyond the scope of Variation 2 and therefore directed the provisions be removed from the plan. The issue raised by Ms Peters therefore no longer arises, and this will therefore have no impact on the available development capacity.

2.1.1.5 Issues with the modelled zoned capacity of sites in relation to site-specific factors

80. Ms Peters outlined that, during mediation on 2GP appeals to rezone sites to residential, a finer grained analysis of larger sites (that could provide six or more residential units) revealed issues with various site-specific factors. The implication is that the realisable capacity on some or all of these sites would be lower than modelled. Ms Peters stated that repeated requests had been made of Council staff to obtain site specific capacity data for checking by the submitter's experts; however, this had not been provided.
81. Mr Stocker's response was that he had not seen the analysis referred to by Mrs Peters and so couldn't comment on the specific issues raised. He remained confident in the results of the Council's assessment, noting it was supported by the favourable review undertaken on behalf of MfE. As outlined above, the estimate of realisable capacity was described in the review as rigorous, and a 'high' score was given.

82. He advised us that site specific data is not made publicly available as this could provide a commercial benefit to those receiving it, and could also potentially breach privacy requirements. He said that property level outputs are not intended for use individually, but are aggregated into suburb (or larger) scale. These aggregated results are considered accurate.
83. The Panel considers the favourable review given by MfE to the HBA is a relevant consideration. We also accept Mr Stocker's explanation in relation to the accuracy of model results at a property-specific level, compared to a catchment level, which is their primary use. While Ms Peters has previously identified such discrepancies at a specific property-level, this is to be expected and is not of concern in relation to our reliance on the broader level model results.

2.1.1.6 *Disagreement over assumptions used in the 2021 HBA to determine feasible capacity*

84. Mr Osborne, appearing on behalf of *CC Otago Limited*, confirmed he had reviewed the HBA and, while noting that overall the modelling was appropriate and well done, took issue with assumptions used to determine long term housing capacity. In particular, the assumptions made in the 2021 HBA based on Dunedin's long-term projections of annual increases in land values, property improvement values, and construction and development costs significantly increased long-term capacity. Mr Osborne disagreed with the reasoning for making these assumptions, as it relies on house prices increasing in order to increase capacity. This modelling approach is inconsistent with the city's ability to provide for future growth that is both feasible and affordable.
85. Mr Stocker disputed that the predicted increase in long-term capacity in the 2021 HBA was primarily due to the use of long-term economic trends, as he considered other factors are also significant. He said that 77% of the predicted long-term capacity is currently feasible, and does not rely on future economic trends such as house price changes. In addition, long term trends, such as an increase in house prices, were conservative compared to the higher house price increases over recent years (between 1996 and 2019). He further noted that these assumptions are only applied to long-term capacity, which is not required to be provided in the District Plan under the NPS-UD.
86. We accept Mr Stocker's explanation as to the use of long-term projections in determining capacity over the long-term, and importantly, agree that capacity over this period is not required to be provided in the District Plan, and is a more relevant consideration to the development of an FDS. If the assumptions in the HBA are wrong in relation to long-term capacity, this will have no impact on what must be provided. We also note our discussion above, that the purpose of Variation 2 is not to fully implement the NPS-UD, rather it is only one part of its implementation.

2.1.1.7 *Assessment of realisable capacity*

87. Mr Osborne challenged the estimation of feasible capacity in the HBA as it relies on only two years of data. He said that this adds additional volatility into the capacity estimates, and that assuming a take-up rate that is 20% lower than that modelled would result in a feasible capacity of 1800 fewer dwellings over the long term.
88. Mr Stocker emphasised that the 2022 update to the HBA had revised the annual probability for development (i.e. the take up rates). Whilst he acknowledged the uncertainty of using

only two years' worth of data, he also noted that take up rates could increase as well as decrease, and that over the medium term, this is likely to average out. He explained take up will continue to be monitored and used to inform future HBAs.

89. While we acknowledge Mr Osborne's concerns the Panel is satisfied with and accepts Mr Stocker's responses. Overall we consider the assessment of realisable capacity is adequate and can be relied upon for the purpose of determining the planning response in Variation 2.

2.1.2 Assessment against Policy 2.6.2.1

2.1.2.1 A broad judgement or meeting a majority of criteria?

90. Policy 2.6.2.1 outlines the criteria for rezoning sites to residential, against which all residential rezoning are to be assessed.

91. A number of submitters discussed the assessment of sites against Policy 2.6.2.1, and discussion arose in relation to whether all of the criteria within the policy must be met, and whether there was a hierarchy. For example, Mr Page, counsel for Gladstone Family Trust, noted that:

"It is not realistic to expect all criteria to be met in every site and no hierarchy is set out in the criteria. What is required is a balancing exercise by the Panel."

92. A similar view was expressed by Ms Peters. While there appeared to be general agreement that we must consider and weigh up all criteria, we enquired at the hearing whether there were any 'knock-out' criteria that must always be met for zoning to occur.

93. Ms Christmas addressed this matter in her evidence in reply, noting that Policy 2.6.2.1 draws together relevant (usually strategic) objectives that must be considered, and that the policy does not require that 'a majority' of the criteria must be met. The wording of the policy is:

'Identify areas for residential zoning based on the following criteria...'

94. Her evidence was that the various criteria in Policy 2.6.2.1 sit under the over-riding approach outlined in Objective 2.6.1, which is to zone land 'in the most appropriate locations' while 'sustainably managing urban expansion in a way that maintains a compact city with resilient townships'.

95. Ms Christmas considered that the weight given to the various criteria referenced within Policy 2.6.2.1(d) must be considered in the context of the situation. She agreed with Mr Garbett's legal submissions that a relevant consideration is how directive the wording of the objectives and policies that are referenced in Policy 2.6.2.1 is. However, she also considered that some criteria should generally be given strong weight for other reasons. For example, she argued that significant weight should be given to the effective and efficient provision of infrastructure, due to its emphasis in the NPS-UD, which directs that that capacity must be assessed in terms of the degree to which it is infrastructure ready. Furthermore, if 3 waters servicing is not available or managed ineffectively, significant environmental and health and safety issues can result.

96. Ms Christmas also considered management of natural hazards should also be given significant weight due to the implications for health and safety and because most natural hazards are predicted to worsen over time due to climate change.

97. Finally, she considered that compact city and resilient townships criteria are particularly important due the 'overall urban form outcome' in the Spatial Plan, its alignment with Policy 1 clauses (c) and (e) of the NPS-UD, and the overall 'direction of travel' in national direction in terms of intensification of existing urban areas, and the increasing concern and need to reduce carbon emissions and prepare for climate change.
98. Ms Christmas' evidence was that a broad judgement approach should be taken, but there should be an expectation of an overall positive alignment with the Plan's strategic objectives.
99. We agree that a broad judgement approach should be taken. However, we consider that some criteria will in most or many cases be more critical than others, for example the provision of infrastructure. Our finding is that each assessment must consider relevant site factors, and so the specific assessment (in terms of what is given most weight) may vary from site to site. We have reflected this in our individual site conclusions below.

2.1.2.2 *Question over whether some criteria should be or have been treated as 'knock-out' criteria?*

100. On a related topic, we also observed at the hearing that, for some site assessments carried out by the reporting officers, the initial assessment of some of the rejected sites appeared incomplete and appeared to stop after some 'knock out' criteria were assessed as not being met. We asked the reporting officers to confirm if that was the case.
101. In her Reply Report, Ms Christmas provided some context by explaining the process by which Variation 2 had evolved. The greenfields part of the investigation for Variation 2 involved an initial 'traffic light' assessment of the entire city, where areas were scored at a high level on a range of criteria reflecting the criteria in Policy 2.6.2.1 (for example distance from centres, presence of a significant landscape overlay). However, DCC also sought suggestions for suitable sites from the development community, particularly planners, developers and surveyors.
102. These suggested sites were first subject to a high level 'screening' level of assessment against a few key criteria (for example hazard risk, known infrastructure issues, known significant landscape or biodiversity values). If sites did not pass these screening criteria they were rejected. In addition to the key criteria, a further key consideration was that the site would provide a reasonable return in terms of additional housing capacity (e.g. rural residential proposals were discarded).
103. Ms Christmas noted that use of key criteria to screen a large set of options is a pragmatic approach in order to focus time and resources on sites that are most likely to be appropriate, given the time and cost involved in undertaking a comprehensive assessment. She noted that for many plan changes, options that are rejected at a screening stage are not included as alternative options for the purposes of a section 32 evaluation. However, in the case of Variation 2, even sites that were rejected through the screening stage (and by virtue of that, not subject to a comprehensive assessment) were included in the section 32 report and were therefore open to submissions.
104. We consider that process was appropriate, but re-iterate our conclusions on the previous topic, i.e. that a broad judgement approach should be taken but some criteria will in most or many cases be more critical than others.

2.1.2.3 What factors make a compact city?

105. Policy 2.6.2.1.d.xi, which is concerned with maintaining a compact city and resilient townships, references Objective 2.2.4. This states that:

Dunedin stays a compact and accessible city with resilient townships based on sustainably managed urban expansion. Urban expansion only occurs if required and in the most appropriate form and locations.

106. Mr Morrissey, in his section 42A report, noted in relation to a number of sites that this policy was not met as they were disconnected from existing residential zoned land. Evidence was provided by Ms Peters in relation to one of these sites (RS212) that disconnection from residentially zoned land does not provide sufficient reason not to rezone a site, as the 'gap' might ultimately be rezoned as residential. We were not convinced by that argument as to the theoretical location of new development in un-zoned areas. We also note that the compact city objective was not addressed properly, or at all, by submitters for the majority of requested sites. The issue also arose in relation to site GF01 (Scroggs Hill), where we questioned whether this site met the compact city objective, and how should that be assessed.
107. In her evidence in reply, Ms Christmas noted that the term 'compact city' comes from the Spatial Plan, which was undertaken, in part, to guide the development of the 2GP. A 'compact and accessible city' is described as one that supports public transport and active transport modes due to its density, diversity and distribution of land use, and the design of its built form. She noted this was consistent with Policy 1(c) of the NPS-UD, which identifies well-functioning urban environments as including (amongst other things) good accessibility between housing, jobs and community services.
108. Ms Christmas considered that a determination of sustainably managed urban expansion involves consideration of the ability to walk and use public transport to access services and amenities. Zoning decisions that achieve this will focus on land close to centres, other community facilities and services and public transport routes, and minimise walking times where possible, and will provide for efficient land development (as outlined in Policy 2.2.4.1). This compact urban form provides multiple benefits, including providing for efficient provision of infrastructure, minimising vehicle use (and therefore reducing traffic and carbon emissions), and can also contribute to reducing loss of productive rural land, rural amenity, biodiversity and significant natural values.
109. While not addressing whether new residentially zoned areas must be connected to existing zoned areas, she did note that in her view a compact city would not be achieved by zoning patches of residential development, and in particular large lot development (as addressed further in section 2.1.4 of this decision report), that are disconnected from existing urban centres. Her evidence was that this development pattern (represented, for example, by sites RS109 and RS212 at Riccarton Road East, and RS157 at Blackhead Road) does not meet this objective.
110. We acknowledge the significance of this policy criterion, given its importance for providing well-functioning urban centres, as outlined in the NPS-UD, and with consideration for climate change and the need to manage carbon emissions.
111. Consequently, we agree that new residential land should provide for efficient land use (as outlined in Policy 2.2.4.1), and provide for walking and cycling transport options. In general,

we are of the view that this necessitates that new zoned land adjoining existing zoning. However, we acknowledge there may be circumstances where a compact city form may be attained without this always being met, if for example an area for growth is identified in a strategic planning document (FDS) and development occurs out of sequence but otherwise can be supported by planned infrastructure.

112. We have taken this approach in our decisions below, in many cases rejecting those sites that do not reflect this outcome, including those proposed for large lot zoning where there is no strong reason for this (noting the criteria in Policy 2.2.4.1), and those isolated and disconnected or with poor access to existing centres.

2.1.2.4 Consideration of resilient townships

113. Submitters in relation to sites at Outram, Allanton and Brighton were critical of the approach taken in assessing sites against Policy 2.6.2.1.d.xi. They argued that a 'Dunedin-centric' approach had been taken and that the 'resilient townships' aspect of the policy had been overlooked. This argument was particularly advanced by Ms Peters, and also in legal submissions by Mr McLachlan for *CC Otago Limited*. Mr McLachlan's submissions focussed on Outram, which he argued is a rural centre as identified on the 2GP planning maps. He argued that housing is encouraged in rural centres under Policy 2.2.4.2. He did note that where development is not proposed in the 'centre' there is a greater policy hurdle to overcome in relation to providing for increased development.
114. Mr McLachlan also addressed the relevance of the Spatial Plan in regard to determining where growth should occur, arguing that this is an outdated document, pre-dating the 2GP and the NPS-UD and that little weight should be placed on it.
115. Ms Peters noted that Dunedin is primarily a rural district, and that rural townships are required to provide housing for those who work in these areas. She said this was supported by the evidence of Mr Osborne on travel trends of those living with the Momona Statistical Area 2 (which includes Outram). This shows that 40% of people living within SA2 stay within it for work or study, and a further 22% commute to Mosgiel. Mr Osborne noted that given the higher proportion of retired residents in Outram relative to the wider Momona area, the travel data may overstate the travel trends for Outram specifically. Almost one third of Outram's workforce travels to Dunedin for employment. In summary, Ms Peters considered that growth must be provided for in townships to support rural areas.
116. With respect to the sites proposed at Outram, Ms Christmas noted that assessment against Objective 2.2.4 reflected the focus on the transport-related aspects of maintaining a compact city (and a 'well-functioning urban environment'). She noted that development in this location is further from the main sources of work and high schools at Dunedin and Mosgiel, and currently cannot access public transport, meaning more housing in this location will result in additional traffic and related carbon emissions.
117. However, she acknowledged that little attention has been given in the assessments to whether resilience of the various townships may be maintained or improved by allowing further development. This was due to the inherent difficulty in demonstrating how change may maintain or improve resilience (except in its meaning in relation to natural hazards).
118. She noted that townships are not defined or identified in the 2GP, however the Introduction to Section 15 – Residential Zones states:

5.1.1.7 Township and Settlement

The Township and Settlement Zone applies to areas beyond the main urban areas of Dunedin and Mosgiel and includes areas that were once independent settlements, such as Port Chalmers and Portobello. It includes larger residential townships supported by a commercial centre and smaller residential settlements that are not attached to a commercial centre. ...

119. The Spatial Plan defines townships as:

Townships – are the outlying residential settlements that have a centre and a range of community facilities and services. Townships include Mosgiel, Waikouaiti, Port Chalmers, Waitati, Middelmarsh, Outram, Brighton, and Portobello.

120. On this basis, she concluded that Brighton and Outram (which both have commercial centre zones) are townships, but that Allanton is not a township.
121. She also noted that ‘resilience’ is also not defined in the 2GP, but may include factors such as community and commercial services to support residents, having sufficient business land and activity to provide employment (and services) for residents, and avoiding hazards or having sufficient land available for people to move away from hazards.
122. In her view resilience, and the factors necessary to maintain it, is difficult to determine and an increase in population may not directly lead to an increase in resilience. She noted that no evidence was presented by submitters that additional zoned capacity is required to maintain or achieve resilient townships.
123. Her evidence was that the FDS process is the most appropriate means to determine whether additional housing or business land capacity is needed to maintain or improve resilience.
124. We agree that the resilience of townships is an important aspect of Policy 2.6.2.1.d.xi, but note that we did not receive any substantive evidence that would support, or refute, the need for additional housing capacity to achieve or maintain resilience. In the absence of this, we cannot conclude that this is a reason that should be determinative, or be given significant weight, in providing additional capacity in locations that do not meet other important criteria for assessment. This is reflected in our decisions on individual sites below. We note the evidence that this matter will be further addressed through the FDS process, currently underway.
125. We further agree with Ms Christmas that Allanton is not a township as identified through the relevant planning documents, including in the Spatial Plan. This aspect of 2.6.2.1.d.xi therefore does not apply.

2.1.3 Is residential zoning appropriate in an SNL?

126. Several submitters sought residential zoning for sites that are affected by a mapped Significant Natural Landscape (SNL) or Outstanding Natural Landscape (ONL) overlay zone, including RS161, RS165, RS168, RS206 and an extension to GF11.
127. The appropriateness of zoning these residential was addressed in the section 42A report at 4.3, where Mr Morrissey noted that a key attribute of such areas is naturalness and that urban use is incompatible with this. He highlighted Policy 2.6.2.1.d.iv, which states:

“Achieving [protection of ONLs and SNLs] includes generally avoiding the application of new residential zoning in ONF, ONL and SNL overlay zone.”

128. We heard legal submissions and evidence on this in relation to a number of sites. Mr Page, for *Fletcher Glass*, submitted that the 2GP provisions in Section 10 Natural Environment, and the overriding strategic provision, Objective 2.4.4 and policies 2.4.4.1 and 2.4.4.2, apply in all zones, and they therefore provide protection of these values if a site is zoned residential. He argued that the 2GP contemplates management of SNL values in relation to development through design controls, and that (in the case of the North Road/Watts Road site for example – RS206/RS206a/RS077) effects on the SNL can be managed through controls on built form and vegetation.
129. Ms Peters, in evidence relating to site RS151 (147 St Leonards Drive), noted that in her assessment the term ‘generally avoid’ in Policy 2.6.2.1.d.iv is not a total prohibition on residential zoning in a landscape overlay, instead it implies that in certain, perhaps very limited, circumstances, it can be applied.
130. A similar argument was made by Mr Bowen in relation to site RS161 (210 Signal Hill Road). His view was that carefully considered applications, particularly where there are significant positive effects, may not be contrary to this policy.
131. The Panel acknowledges that the ‘generally avoid’ policy framework means there is not a blanket prohibition on development within areas affected by these overlays. However we consider it sets a very high bar and requires a considerable level of assessment to establish that a particular proposal will not conflict with this fairly strong policy. We also note that some sites had only a small portion affected by an SNL. Mr Morrissey’s evidence was that the SNL overlay could be removed where it overlapped with the proposed residential rezoning. We discuss these situations in relation to those specific sites later in this decision.

2.1.4 When is large lot residential zoning appropriate?

132. Submissions on a number of sites requested that they are zoned to Large Lot Residential, rather than General Residential 1 or Township and Settlement zoning. In addition, in response to issues raised by submitters or in the section 42A report, some landowners sought that their site be zoned to a less dense zoning than originally requested, usually Large Lot Residential 1 or 2 rather than General Residential 1. As we understand the submissions and evidence, this approach was generally to avoid or address concerns on matters raised in the section 42A report such as effects on provision of 3 waters infrastructure, landscape values, rural amenity, neighbouring properties and traffic volumes, by reducing the overall development potential of each site.
133. While we understand the rationale for this approach, this focusses our attention on Policy 2.2.4.1, which is to:

Prioritise the efficient use of existing urban land over urban expansion by: ...

- b. ensuring that land is used efficiently and zoned at a standard or medium density (General Residential 1, General Residential 2, Inner City Residential, Low Density, or Township and Settlement), except if: hazards; slope; the need for on-site stormwater storage; the need to protect important biodiversity, water bodies, landscape or natural character values; or other factors make a standard density of residential development inappropriate; in which case, a*

large lot zoning or a structure plan mapped area should be used as appropriate.

134. Ms Christmas, in her evidence in reply, addressed the use of Large Lot zoning for the purposes of on-site servicing where 3 waters servicing is not available. She noted that the need for on-site servicing is not a reason listed in Policy 2.2.4.1 to make provision for Large Lot zoning. Instead, a Residential Transition Overlay zone could be applied, with residential use at an appropriate density once servicing is available. Ms Christmas also raised the concern that Large Lot zoning is not an efficient use of the land if it can potentially support denser development in the future. Rezoning to Large Lot potentially locks in an inefficient development pattern that prohibits intensification or upzoning in the future.
135. While we address the site-specific issues raised in relation to each site below, our general view is that, through Variation 2, General Residential 1 density is preferred and that strong (on-going) reasons are necessary to justify a less dense zoning. Where GR1 is not possible now but may be possible in the future (for example due to servicing constraints), our view is that Large Lot Residential zoning is not appropriate, as an interim approach. This is due to the difficulties of ensuring that denser zoning occurs in the future. We think there is too much risk that once an area is developed, intensification will be slow or challenging to implement (in terms of upgrading or adding infrastructure that would be needed for the future density). We agree it is far better to design and develop an area at the higher density from the beginning.
136. We note that Ms Christmas recommended that an RTZ overlay could be applied to land that has been assessed as appropriate to zone for residential land but where programmed infrastructure upgrades are not yet available. In general this is preferable to implementing Large Lot Residential zoning as part of Variation 2.

2.1.5 *Is there an expectation that rural-zoned land should be productive?*

137. Several submitters made the case that their rural land was not providing an economic return, and therefore residential zoning was a more appropriate zoning. We note, for the most part, this information was anecdotal and not supported by economic evidence.
138. Ms Christmas addressed this in her Reply Report, advising that the principal functions of the rural environment are both to provide for productive rural activities and to provide ecosystem services. There is no expectation that all rural zoned land will achieve an economic return sufficient to provide a sole income for one or more landowners, and many small rural properties only provide supplementary income.
139. However, these properties may still be important collectively for the overall rural economy, for example by growing feed sources for more intensive farming operations or supporting contractors that service small rural food producers. Some rural land may have no economic return but may provide invaluable ecosystem services or act to protect values important to communities (for example outstanding or significant modified pastoral landscapes).
140. We agree with Ms Christmas' assessment and do not consider that current low productivity or lack of adequate economic return is sufficient reason to rezone a site to residential especially where the evidence is that other key criteria for rezoning are not able to be achieved.

2.1.6 *Are urban design controls appropriate?*

141. We received evidence on several requested sites for residential zoning on the basis that adverse visual and rural character effects could be mitigated by urban design controls, such as height limits, green space and reflectivity of cladding and roofs. Evidence on this basis was received from Mr Forsyth, landscape expert, for a number of submitters and was also addressed by Mr McKinlay for DCC. Urban design controls were also requested by submitters or further submitters, often nearby landowners and residents.
142. This matter was addressed both in the section 42A report and by Ms Christmas in reply. Mr Morrissey noted that the 2GP does not currently provide for additional design controls within residential areas. His view was that in general such controls are not appropriate as they tend to focus on preserving the amenity of a small number of neighbours. He suggested that if zoning is dependent upon these controls to protect wider landscape amenity values, a decision must be made up front as to whether it is appropriate to rezone these areas. He also noted that if we were to include such controls they would need to be supported by additional policy and assessment guidance being added to the Plan provisions and that work had not been done.
143. Ms Christmas agreed with that evidence and further noted that a section 32 assessment must consider the administrative costs of such provisions, including enforcement, compared to the benefits. These administrative costs are partly ratepayer funded. Where the benefit is localised to a small number of neighbours, it is unlikely to exceed the costs, and is an inefficient approach to management.
144. We have reflected on the evidence of the reporting officers, and record that we agree with it in principle. As a general proposition, if an area is to be rezoned for residential development, the effects should be such that bespoke types of urban design controls will not be necessary. We have applied this reasoning when considering individual sites.

2.1.7 *Impacts of urbanisation and pets on wildlife*

145. A number of submitters on various greenfield sites raised concerns that an increase in residential activity would result in an increase in pets (most notably cats), which would have a negative impact on indigenous fauna in the area. Submitters also raised broader concerns relating to the impacts of urbanisation, including loss of green space, impacts to indigenous flora and fauna, and effects development could have on various community groups working to protect and enhance biodiversity. Several of these submitters were focussed on development in Dunedin's North East Valley.
146. We received evidence on this matter from Mr Kelvin Lloyd, Wildland Consultants, as part of the section 42A report. Mr Lloyd's evidence agreed that increased residential development could increase the density of cats, and therefore predation on and disturbance of indigenous fauna. Mr Lloyd recommended that consideration could be given to prohibiting keeping cats on future residences within the sites, or allowing cats only in secure areas that do not allow roaming.
147. In his opening statement, Mr Morrissey discussed this matter further. He noted that while it would be theoretically possible to include rules preventing or managing pets within a residential area, there is no existing policy framework in the 2GP to manage this. He noted that the majority of Council rules relating to pets across the country are implemented by bylaws. He also noted that some new subdivisions around the country have banned cats by

way of a consent notice on titles. Mr Morrissey advised that if we did wish to restrict pet ownership in greenfield areas, we would need to be satisfied that such a measure achieved section 32 of the RMA. Section 32 requires us to assess various options to ensure that the proposal is the most appropriate method to achieve the plan's objectives. The relevant Objective is 2.2.3 - protection of significant biodiversity.

148. After considering the advice received on this matter, we do not consider it appropriate to apply restrictions on pet or cat ownership in any of the greenfield sites through this variation. This would be out of step with management in existing zoned areas, and with no clear reason to have differing management regimes within urbanised parts of the City.
149. If DCC wish to consider restrictions on pet ownership, this is a matter that would best be addressed through a dedicated regulation review (considering both bylaw and plan method options) that involves appropriate community consultation and cost-benefit analysis.

2.2 Broad submissions on greenfield rezoning

150. This section of the report deals with the broad submissions, which are addressed in section 5.1 of the section 42A report for Hearing 4.

2.2.1 Submissions regarding structure plan mapped area vegetation clearance rules

151. This section addresses the submissions covered in section 5.1.1 of the section 42A report.
152. The *Dunedin City Council (S187.029, S187.030, S187.031)* sought to amend Change GF08 (Main South Road), Change GF10 (Honeystone Street) and RT22 (Selwyn Street) to amend the proposed vegetation clearance rules in the following structure plan mapped area performance standards:
 - Rule 15.8.AB for GF08;
 - Rule 15.8.AA for GF10; and
 - Rule 15.8.AC for RT22.
153. The amendments proposed are to remove the exception relating to the maintenance of fences for all three structure plans, and to amend the wording for GF08 and GF10 so that protection applies to all vegetation within 5m of water bodies and not just indigenous vegetation. The changes proposed are to improve clarity, promote consistency with similar provisions in the rest of the plan and correct errors in the proposed drafting.
154. The *ORC (FS184.535)* opposed the *DCC (S187.031)* submission and sought not to amend Change RT22 because it considered that the proposed stormwater management provisions of Variation 2 are not appropriate for the Lindsay Creek catchment.
155. *Tim Hyland (FS241.3)* supported the *DCC (S187.031)* submission as he considered that changes to Rule 15.8.AC would better protect biodiversity.
156. In the section 42A report, Mr Morrissey considered that the amendments proposed by the DCC will result in clearer and more appropriate vegetation clearance rules. He recommended that, if changes GF08, GF10, and RT22 are adopted, the amendments proposed should also be adopted.

2.2.1.1 Decision and reasons

157. For the reasons given by the Reporting Officer, we accept the submissions by the *Dunedin City Council (S187.029, S187.030)* to amend the vegetation clearance rules in the following structure plan mapped area performance standards: Rule 15.8.AB for GF08 and Rule 15.8.AA for GF10. These changes are shown in Appendix 1 with the reference 'Change GF08/S187.029' and Change GF10/S187.030' respectively.
158. We reject the submission by the *Dunedin City Council (S187.031)* to amend the proposed vegetation clearance rules in the structure plan mapped area performance standards for RTZ2 (Rule 15.8.AC), as our decision is not to rezone RTZ2 (see section 2.3.11.2).

2.2.2 General submissions on greenfield rezoning

159. This section addresses the submissions covered in section 5.1.2 and 5.1.3 of the section 42A report.
160. A number of submissions were received in general support of the greenfield rezoning aspects of Variation 2. For example, *Mark Geddes (S128.011)* supported rezoning greenfield areas to General Residential 1, *Waka Kotahi (NZ Transport Agency)* generally submitted in favour of Variation 2 and *Bill Morrison (S13.001)* also generally sought to retain all changes made in Variation 2. We note that the *ORC* opposed in part the majority of these original submissions, unless the amendments sought in the *ORC* submission were made. The *ORC* submission covered a broad range of topics, but in relation to the greenfield rezoning sites generally raised concerns relating to water quality, wastewater management, stormwater management, and hazards.
161. A number of submissions were received that opposed all new greenfield zoning for a variety of reasons. For example, *Ken Barton (S23.001)* submitted to remove all changes which extend residential zoning over greenfield land.
162. Other submissions were received (e.g. *Liz Angelo (S176.001)*) that supported the notified greenfield sites provided a number of criteria are met. We note that the *ORC* supported some of these submissions in part.
163. We note that none of the submitters appeared at the hearing to present evidence specifically on these broad submissions. However, we acknowledge these broad submissions and the arguments made by these submitters, which have been considered in our decisions on individual sites.

2.2.3 Application of NDMAs and associated infrastructure controls

164. This section addresses the submissions covered in section 5.1.4 of the section 42A report.

2.2.3.1 Submissions to remove the NDMA from greenfield rezoning sites

165. *Paterson Pitts Group (S206.013)*, *Terramark Limited (S220.004)*, *Survey & Spatial New Zealand (STSNZ) Coastal Otago Branch (S282.012)*, and *Kurt Bowen (S300.006)* sought that the new development mapped area be removed from all greenfield rezoning sites or, if not removed, amendments are made to require the DCC to undertake a complete infrastructure modelling programme and change the new development mapped area provisions to specifically address identified constraints. These submissions were all opposed in part by the

ORC (FS184) as it considered the relief sought conflicted with the *ORC's* submission on the stormwater provision changes in Variation 2.

- 166. A large number of submitters sought to remove the infrastructure controls from all new greenfield areas, until the stormwater management plan provisions can be amended into a workable arrangement. These submissions were opposed also by the *ORC (FS184)*.
- 167. A decision on the infrastructure aspects of the new development mapped area provisions with respect to stormwater was covered in Part C.4.4 of our first decision. Additionally, a decision on submission points that sought the removal of new development mapped areas from existing residential land was made in part C.4.9 of our first decision. These requests were rejected as we did not consider that the new development mapped area provisions were a significant hurdle for developers to overcome and were necessary to address potential environmental effects and achieve the 2GP's objectives.

2.2.3.1.1 *Decision and reasons*

- 168. We accept the reasoning in the section 42A report on this broad matter and accordingly reject the submissions that sought the removal of the new development mapped area requirements from greenfield areas. We agree that the NDMA provisions are appropriate to ensure that design and layout of subdivisions is undertaken appropriately and will achieve the Plan's strategic directions. In particular, the policies and assessment matters in relation to stormwater management that apply in NDMA areas, will ensure that stormwater is appropriately managed. This approach is consistent with our decision in part C.4.9 of our first decision.
- 169. We note that a number of submissions to remove NDMA's from specific sites were also received. Our decisions on those submissions are outlined in the individual site-specific sections of this decision.

2.2.3.2 *Submission to add an NDMA to new greenfield residential rezoning sites*

- 170. The *DCC (S187.017)* sought to apply a new development mapped area to any greenfield residential rezoning site added to the 2GP since notification of Variation 2 through the resolution of rezoning appeals.
- 171. The submission sought to ensure that all new greenfield areas are treated in a similar way and appropriate management of effects occurs. Some rezoning appeals were settled prior to us making decisions on the new development mapped area provisions, and so application of a new development mapped area was not possible.
- 172. This submission was opposed by the *ORC (FS184.546)*.
- 173. Mr Morrissey provided a list of sites which had been rezoned since notification of the 2GP in the section 42A report. This was updated in Appendix 2 of his Reply, and consequential changes that may be required to the existing structure plans for some of the appeal sites should the *DCC* submission be accepted, were noted. These amendments were to delete provisions relating to stormwater management, and were recommended to ensure there is no duplication between the existing structure plan provisions and the new development mapped area provisions.

174. The final list of appeal sites Mr Morrissey recommended a new development mapped area be applied to were:

- 49 and 55A Riccarton Road East, East Taieri;
- 27 Inglis Street and Part 58 Ayr Street, Mosgiel;
- Part 636 North Road, Dunedin;
- 457 Highcliff Road, Dunedin;
- Part 135/145 Doctors Point Road, Waitati; and
- 41 Soper Road and 20-21 Henderson Street.

2.2.3.2.1 Decision and reasons

175. We accept the submission from the DCC (*S187.017*) and apply an NDMA to the sites above. In making this decision, we note that we were concerned at the broad nature of the DCC submission which taken literally would apply to unspecified sites. We requested prior to the commencement of Hearing 4, as part of Minute 12, that DCC might like to address us on the legal ramifications of that submission. Mr Garbett, counsel for DCC, considered that it is necessary to specify to which sites the submission applies, and we note that Mr Morrissey had since provided a list of sites as set out above. We accept Mr Garbett's advice that in terms of jurisdiction it is appropriate and valid to consider the merits of this submission as it relates to those sites. Consequently, we have applied an NDMA to the sites listed above.

176. We also note that as a consequential change, we have included these sites in Appendix 12C. This lists all sites to which an NDMA applies and was included in the Plan through our first decision on Variation 2.

177. In relation to Mr Morrissey's consequential changes, we are concerned that removing the structure plan provisions from the sites suggested might mean that, should an appeal be received on the application of the NDMA, these sites may have no appropriate rules in place until the appeal is resolved. Therefore, our decision is not to remove this content from the structure plans. We are satisfied that the structure plan rules identified, and the NDMA provisions, are not in conflict. We are therefore satisfied that this will not create any issues when subdivision and development consents are applied for.

178. These changes are shown in Appendix 2 with the reference 'Change NDMA/S187.017'.

2.2.4 3 waters infrastructure availability

179. This section addresses the submission covered in section 5.1.5 of the section 42A report.

180. *Cameron Grindlay (S60.005)* submitted in support of Variation 2, subject to 3 waters infrastructure being adequately funded so that it is able to support existing and new development. This submission was opposed by the *ORC (FS184.101)*.

181. Mr Morrissey recommended accepting the submission from *Mr Grindlay*, as he advised that 3 waters servicing has been considered as part of assessing a site's suitability for rezoning. He also noted that the 10 year plan includes funding for all costs associated with extending 3 waters servicing to the sites notified for rezoning in the section 32 report, and the majority of funding required for existing network upgrades across the city.

2.2.4.1 Decision and reasons

182. We accept in part the submission by *Cameron Grindlay* (S60.005). We acknowledge Mr Morrissey's evidence that 3 waters servicing has been considered as part of assessing a site's suitability for rezoning and that budgetary provision has apparently been made to extend 3 waters servicing the sites notified (with the 'majority' of funding required for existing network upgrades). We do not consider this submission can be wholly accepted because the Panel can make no decisions as to Council funding of public infrastructure.

2.2.5 Public transport and roading network

183. This section addresses the submissions covered in section 5.1.6 of the section 42A report.
184. *Peter Dowden* (S122.004) and the *Bus Users Support Group Otepoti/Te Roopu Tautoko Kaieke Pahi ki Otepoti* (S125.005) sought that new greenfield zoning is only undertaken where new dwellings will be within 800m of a bus stop or 1200m of a high frequency bus stop. Mr Morrissey noted in the section 42A report that if a site can meet these distances it is classified as 'OK' in the site assessment sheets. A further submission from the *ORC* (FS184.479, FS184.482) supported both of these original submissions.
185. *Waka Kotahi (NZ Transport Agency)* (S235.001) supported the approach of 'filling gaps' across a wider area, as it reduces impacts on the roading infrastructure at specific points or locations.

2.2.5.1 Reporting Officer's recommendation

186. Mr Morrissey recommended rejecting the submissions from *Peter Dowden* (S122.004) and the *Bus Users Support Group Otepoti/Te Roopu Tautoko Kaieke Pahi ki Otepoti* (S125.005), commenting that access to public transport is considered alongside the other criteria identified in Policy 2.6.2.1. He noted most, but not all, of the sites recommended for rezoned had 'OK' or better access to public transportation. He also advised that similar submissions were received from both submitters relating to public transport in intensification areas, and were dealt with in Part A.2.8 of our first decision report, where they were rejected.
187. Mr Morrissey recommended accepting the submission from *Waka Kotahi* (S235.001) and noted that a large number of proposed rezoning sites are relatively small areas, located close to, or within, existing residential developed areas.

2.2.5.2 Decision and reasons

188. We reject the submissions from *Peter Dowden* (S122.004) and the *Bus Users Support Group Otepoti/Te Roopu Tautoko Kaieke Pahi ki Otepoti* (S125.005). The reasons for this are the same as outlined in our first decision report, primarily that the DCC does not have direct control over public transport networks in Dunedin and so cannot guarantee how these might change in the future (for the better or worse).
189. We also agree with Mr Morrissey that this is but one factor for consideration in the assessment of rezoning a site and should not be used as a 'knock out blow'.
190. We accept the submission from *Waka Kotahi* (S235.001) for the reasons given in the submission.

Requested Sites he had engaged with Transpower and confirmed that none of the sites are near the National Grid.

2.2.7.2 Decision and reasons

200. We accept in part the submission from *Transpower New Zealand (S28.001)*, and we note their support of the notified rezoning sites.

2.2.8 Provision of green space

201. This section addresses the submission discussed in section 5.1.9 of the section 42A report.
202. *John and Christine Burton (S8.002)* submitted in support of changes to increase the density of housing within Dunedin, including new greenfield zoning, provided green spaces are maintained. A further submission from the *ORC (FS184.75)* opposed this submission on the grounds that it conflicts with their position on stormwater provisions.
203. We also note here the submission made by *Yolanda van Heezik (S82)* in relation to a number of specific sites. This submission sought, broadly, to retain biodiversity areas including gardens and landscaping, within new development. We note that in our first decision we made a number of amendments (see 'Change A2 Alt 3 IN-LANDSCAPE/S82.004 and others') in response to *Ms van Heezik's* submission, including requiring minimum landscaping for new General Residential 2 areas.
204. Mr Morrissey advised in the section 42A report that rezoning sites to General Residential 1 density or lower did not justify the same minimum landscaping requirements as applied General Residential 2 areas. He stated this was because General Residential 1 areas are less built up and more likely to have garden areas and trees relative to the higher density General Residential 2 areas.

2.2.8.1 Decision and reasons

205. We accept in part the submission from *John and Christine Burton (S8.002)* and note that our decision on individual sites is contained within the next section of our decision report.
206. With respect to the submission from *Ms van Heezik*, we agree with the Reporting Officer that sites being rezoned to General Residential 1 have less need for minimum landscaping requirements than for General Residential 2 sites and that it is not necessary or appropriate to apply the minimum landscaping requirements to sites being rezoned to a General Residential 1 or lower density. We therefore reject *Ms Van Heezik's* submission as it relates to these sites, which are GF02, GF06, and GF07. We note that this submission also applies to GF08, but given this site is being rezoned to General Residential 2, we address her submission as it may be applied to that particular site in the individual site section.

2.2.9 Miscellaneous submissions

207. This section addresses the submissions covered in section 5.1.10 of the section 42A report.
208. The *Dunedin City Council (S187.008)* made a general submission to consider the need for additional Plan provisions to better manage any adverse effects identified through submissions. This request was considered by the Panel as appropriate by way of general application for us when considering submissions on proposals in Variation 2.

209. *Michael McQueen (S252.003)* sought to retain the current General Residential 1 zoning of 96 Somerville Street. We note as the zoning of 96 Somerville Street is not being reviewed through Variation 2, this submission is out of scope. In any case no decision on this submission is required as it doesn't seek a change to the existing zoning.

2.3 Sites

210. This section of the report deals with site-specific submissions, which are addressed in sections 5.2 – 5.4 of the section 42A report for Hearing 4. Sites are grouped by geographic area.

2.3.1 Abbotsford

2.3.1.1 Freeman Close and Lambert Street, Abbotsford (RS14)

211. RS14 is located north of Abbotsford, at the end of North Taieri Road. RS14 comprises two discrete parts, a smaller (6.6ha) area to the west (42A Lambert Street) and a larger area (48ha) to the east (consisting of 25 McMeakin Road, 45 Mc Meakin Road, 55 McMeakin Road, and part 188 North Taieri Road). Both sites are adjacent to existing residentially zoned land, and a small part of the western site lies adjacent to the main railway line. The Dunedin Airport Flight Fan overlays the majority of RS14. If the entirety of RS14 was to be rezoned to General Residential 1, Mr Morrissey advised that the site would have an estimated feasible capacity of 761 dwellings.
212. The section 32 report notes the site was originally rejected for inclusion in Variation 2 as there were significant natural hazard risks identified.

2.3.1.1.1 Submissions received

213. *Bill Hamilton (S298.001)* submitted to rezone 25 McMeakin Road to General Residential 1.
214. *Alan David and David Eric Geeves & Nicola Jane Algie (S302.001)* submitted to rezone 55 McMeakin Road to General Residential 1.
215. *Nash and Ross Ltd (Steve Ross) (S281.001)* submitted to rezone 42 Lambert Street (now 42A Lambert Street) to General Residential 1.
216. *Wendy Campbell (S228.003)* submitted to rezone 45 McMeakin Road and part of 188 North Taieri Road to a mixture of residential zones in accordance with a proposed structure plan.
217. Several further submitters supported one or more of the submissions seeking rezoning. Reasons given by these further submitters included that rezoning would enable more housing, the majority of services are in place, and that the land is well suited for residential use.
218. A large number of further submitters opposed one or more of the submissions seeking rezoning. These further submissions outlined concerns relating to waters, transport and traffic safety, natural hazards, loss of rural character, loss of amenity, impacts to biodiversity, lack of infrastructure and servicing in Abbotsford, the potential for reverse sensitivity, and general concerns regarding additional population growth.

2.3.5 Brockville

2.3.5.1 23 Sretlaw Place (RS110)

479. This section addresses the submissions covered in section 5.4.4 of the section 42A report.
480. The site is located off Sretlaw Place in Brockville. The 1.9ha site is zoned Rural Hill Slopes, and is surrounded on two sides by Recreation zoning, one side by Rural Hill Slopes, and one side by General Residential 1. The Recreation zoned area includes the Frasers Gully urban biodiversity mapped area; the part of this immediately adjoining the site to the west has recently been planted by DCC in native vegetation. Frasers Creek, to the north of the site, is subject to an esplanade strip mapped area, which requires that subdivision along the bank of Frasers Creek must provide an esplanade reserve with a minimum width of 20m (Rule 10.3.1). A walking track passes between Frasers Creek and the subject site, then climbs through the replanted area to the west.
481. The section 42A report notes that the site has a very good aspect, good access to public transport, very good access to schools, but relatively poor access to centres. The site is sloping, with a mean slope of 14.8 degrees. There is a small area of high class soil mapped area located in the southwest corner of the site, adjoining the existing General Residential 1 area.
482. The section 32 report indicates that the site was rejected as the original request for rezoning was received from a potential (unsuccessful) purchaser so was not progressed. The site was subject to a second rezoning request from the new purchaser, but the request was received too late in the Variation 2 process to be fully assessed at that time.

2.3.5.1.1 Submissions received

483. *Cole Bennetts (S247.001 and S247.002)* submitted to rezone 23 Sretlaw Place to General Residential 1 and apply a structure plan mapped area (rather than a new development mapped area) over the site. Mr Bennetts attended the hearing and stated that the site is an area of isolated rural zoning and rezoning to residential provides for a logical “infill” of the residential zone. He noted that the site is close to services and public amenities and has a reasonable slope and excellent sun access. *Mr Bennetts’* submission was accompanied with a landscape assessment with two possible development plans; one for 17 residential lots and the other for 12.
484. *Mark Baker (FS160.1 and FS160.2)* supported *Mr Bennetts’* submission, with adoption of the 12-lot structure plan option.
485. *Helen & Myles Thayer (FS103.1), Jade Benfell (FS112.1, FS112.002), Jill Milne (FS119.1, FS119.2), Michael Moffitt (FS176.1, FS176.002), Ann Venables (FS19.1), Tilman Davies (FS239.1, FS239.2), Tracy and Peter Finnie (FS245.1, FS245.2), Anthony Dowling (FS25.1, FS25.2), Bryan and Catherine Moore (BK and CM Moore Family Trust) (FS39.1, FS39.002), David and Sarah Shearer (FS69.1, FS69.002), Allan Martin (FS9.1, FS9.002), and Flora Macleod (FS91.1)* opposed Mr Bennett’s submissions.
486. Three further submitters spoke at the hearing in opposition to Mr Bennetts’ submission: Mr Justin Venables on behalf of *Ms Ann Venables (FS19.1)*, *Mr David Shearer (FS69.1 FS69.002)*, and *Mr Myles Thayer (FS103.1)*. While all three further submitters spoke in opposition, in

response to our questions there was general agreement that they could potentially support a lower density of development on the site (around 4 – 5 lots).

- 487. Mr Venables outlined his opposition to rezoning as currently proposed, primarily due to the effects that the proposal would have on transport networks, infrastructure, natural landscapes, and adverse amenity effects for neighbours. He stated he would object to any more than 5 lots being developed on the site. He sought a number of development controls as outlined in his tabled statement.
- 488. Mr Shearer outlined his two key concerns of loss of amenity and issues around access. He noted significant concerns with all of the submitter's proposed access arrangements, and said that he would not support acquisition of the right of way attached to his property at 25 Sretlaw Place. Mr Shearer noted at the hearing that he could potentially support some Large Lot Residential 1 zoning, but is not supportive of the densities currently proposed.
- 489. Mr Thayer outlined a number of concerns regarding the access situation. He noted issues around inadequate and narrow access, existing damage, and issues around ongoing maintenance and repairs.

2.3.5.1.2 Transport

- 490. The majority of further submitters raised concerns regarding transportation and access issues. Most significantly was the concern that access to the site would need to be via a private road (either 18 or 25 Sretlaw Place or both).
- 491. Mr Watson of DCC Transport provided initial comment as part of the section 42A report. He agreed that access to the site is problematic as the potential access lots are both private, shared lots used by a number of existing dwellings. These access lots are not of a standard that DCC would adopt as legal roads and upgrading and widening would be required as part of a subdivision consent, with the road then vested in Council as legal road. This would require agreement from the existing owners/users. Using these lots as private accessways for the number of dwellings proposed would be contrary to Policy 6.2.3.Y of the 2GP, which requires subdivision to provide a new road where more than 12 sites are to be serviced.
- 492. In her hearing evidence on behalf of the submitter, Ms Peters acknowledged that the site is currently accessed via two rights of way. She noted that *Mr Bennetts* has had discussions with the owner of 18 Sretlaw Place regarding purchasing this right of way. She also suggested that a one way access through RS110 could be implemented, utilising the two right of ways, or that Council could compulsorily purchase the right of way required.
- 493. In his response, Mr Watson reiterated that if there is no realistic possibility for the submitter to secure access through the right of way held within 25 Sretlaw Place then it is difficult to see how the access issues could be overcome. Mr Watson did not consider that using the Public Works Act would be supported by Council. Overall, without the ability to access the site and provide for a legal road, Mr Watson was unable to support the proposed rezoning.
- 494. Subsequently, and as requested by us, Ms Peters provided legal advice on our question if the existing access to the site is an impediment to rezoning the site to residential. The advice received from Mr John van Bolderen of Wilkinson Rodgers Lawyers stated that "*Whether these two accesses and utility rights over private rights of way are sufficient for a subdivision of Lot 29 DP 345409 (23 Sretlaw Place) will be governed by the zoning and the code of*

subdivision. The issue here is the re-zoning of the land rather any actual subdivision so the subdivision plans in the Brief of Evidence by E Peters are only indicative of possible options.”.

2.3.5.1.3 Landscape, rural character, biodiversity, amenity

- 495. Several of the further submitters raised a range of concerns relating to loss of rural outlook, reduction in green space, impacts on natural landscape values and potential impacts on the Frasers Gully stream and track.
- 496. The original submission from Mr Bennetts included a landscape assessment prepared by Mr Hugh Forsyth (Landscape Architect) which supported the proposed development, subject to the planting recommendations being approved by Council. The assessment concluded that the short-term landscape effects would be low, and the long term landscape effects very low. Short-term visual effects would be low/moderate, and the long term visual effects low. This is based on the New Zealand Institute of Landscape Architects seven-point scale.
- 497. At the hearing, he produced an updated proposal and assessment, containing additional conditions on development. These included native vegetation on some upper slope lots, external colour restrictions for roofs and walls, and height and ground floor restrictions would also apply.
- 498. Mr Morrissey noted that the existing 2GP performance standards for residential zones (including rules for matters such as height, maximum building site coverage, and setbacks) should help manage loss of general amenity to existing residents. He also noted the advice from the Mr John Brenkley of DCC Parks and Recreation Services that, should rezoning proceed, a buffer along the northern boundary should be required along with a recreation track connecting to the existing Frasers Gully track.
- 499. Mr McKinlay assessed the impact of the site on landscape and amenity values on behalf of DCC. His view was that rezoning would result in adverse visual amenity effects on nearby residents associated with the loss of open space adjacent to the Frasers Gully reserve. He considered that the effects on wider rural character would be relatively low, given that this is a small remnant rural block adjacent to residential development. If rezoning were to occur, Mr McKinlay recommended a number of mitigation measures should be implemented, and he considered that the proposed 12-lot structure plan would integrate better with the environment than the 17-lot plan.
- 500. In his response to submitter evidence, Mr McKinlay acknowledged the submitters updated proposed conditions, but maintained his view that the effects on the visual amenity of neighbouring residents and the natural character of the gully as experienced by users of the reserve track will still be adversely affected by this proposal.

2.3.5.1.4 Hazards

- 501. Three of the further submitters raised concerns regarding hazards, most notably land instability and flooding of Frasers Creek.
- 502. The section 42A report notes that the site had been assessed by Mr Paterson of Stantec as having a low to medium hazard level associated with slope instability. He noted there are several sources of information that the site has been inundated with landslide debris and affected by landslides from other lots. While geotechnical assessment would be required at the time of subdivision, overall the site is considered developable.

503. Mr Mark Walrond of GeoSolve spoke on behalf of Mr Bennetts at the hearing and outlined his hearing evidence (Appendix 8 of Ms Peters' Planning Evidence) which was based on a visual appraisal and a desktop review of existing information. Overall Mr Walrond considered that the site is developable and there are no geotechnical issues that would prevent rezoning.
504. In his Reply, Mr Paterson of Stantec commented that the geotechnical assessment from GeoSolve addresses concerns about stability. He noted there are still a number of natural hazards on the site that will need to be mitigated through engineering design and general good earthworks practices.

2.3.5.1.5 3 waters

505. Several of the further submitters raised concerns regarding drainage, stormwater, inadequate infrastructure, wastewater servicing and disruption of natural watercourses on the site.
506. DCC 3 Waters assessed the site and advised that a minor network extension would be required for potable water supply, along with some minor network upgrades. For wastewater, a minor network extension is required; however, pumping wastewater upslope would be required, which is generally not supported. Furthermore, the wastewater flow goes to Kaikorai Valley then South Dunedin, both of which experience wastewater overflows in wet weather. Significant downstream upgrades are required to address this, and a long-term timeframe is expected.
507. Stormwater would pass into Frasers Creek then Kaikorai stream. There are known flooding issues downstream and on-site stormwater attenuation would be required. 3 Waters advised that the area of land required for stormwater management is over 20% of the total site area and this is not considered feasible.
508. Ms Peters noted that an estimate of stormwater attenuation has been undertaken by Mr Scott Cookson, surveyor for the submitter. Mr Cookson also appeared at the hearing and considered that stormwater management onsite is achievable. Ms Peters outlined proposed performance standards for stormwater management.
509. Ms Peters considered that stormwater infiltration of the wastewater network is not a reason to reject rezoning, given this is something Council is obligated to remedy. However, it may be a reason to apply a Residential Transition Overlay Zone with a site specific release relating to network upgrades.
510. In their response, Mr Oliver and Mr Saunders of DCC 3 Waters restated their view that rezoning is not supported due to wastewater and stormwater concerns. They were concerned about the lack of detail on stormwater management, and that the stormwater management proposed is unlikely to meet the new development mapped area requirements. They also provided additional information on the cumulative impacts to downstream wastewater overflows and considered that any further rezoning in the area is unacceptable until existing wastewater infrastructure constraints in Kaikorai Valley and South Dunedin are resolved.

2.3.5.1.6 Other issues raised by submitters

511. A number of other issues were raised by some of the further submitters. These included concerns about the potential fire risk due to nearby bush areas, potential land contamination

on the site from historic dumping, reverse sensitivity with respect to neighbouring 118 Brockville Road which is used as a small farm, increased trespassing, and increased walking traffic from Sretlaw Place to Frasers Creek. Mr Bennetts told us of the considerable efforts he had gone to in removing historic rubbish from the site.

512. Mr Morrissey addressed these issues in the section 42A report and did not consider that they should preclude rezoning the site.

2.3.5.1.7 Demand for residential zoned land

513. Ms Peters considered that there is a clear demand for more residential zoned capacity to be made available to the market in this area of Dunedin. She raised a number of broad issues with the housing capacity assessment which we have discussed in section 2.1.1 of the decision.

2.3.5.1.8 Reporting Officer's recommendation

514. Mr Morrissey did not recommend rezoning of RS110. This was based on concerns that access to the site is unable to be realistically achieved, and the 3 waters concerns for the site relating to wastewater and stormwater. Rezoning would therefore conflict with Policy 2.6.2.1.d.x and d.ix. He advised if that we decided to rezone, he would recommend that the subdivision be limited to 12 lots, walking access must be provided, and a vegetated buffer should be implemented along the sites northern boundary. He also recommended that a new development mapped area should be applied to the site, in order to ensure that subdivision is undertaken in a way that supports best practice urban design outcomes and achieves the strategic objectives of the Plan.
515. In his Reply, He also highlighted that there appears no opportunity to provide a legal road into the site without the use of the Public Works Act to compulsorily acquire land, which he considered that Council would be unlikely to support. Mr Morrissey responded to Ms Peters' suggestion of applying a Residential Transition Overlay Zone to the site until infrastructure upgrades were complete. Mr Morrissey did not support this approach, as DCC 3 Waters had advised that the upgrades required for the downstream wastewater network have a long term timeframe to resolve. He also noted that, while a Residential Transition Overlay Zone might be appropriate to manage wastewater issues, this will not address concerns around stormwater management or access to the site.

2.3.5.1.9 Decision and reasons

516. We reject *Cole Bennetts' (S247.001 and S247.002)* submission to rezone RS110 to General Residential 1 and apply a structure plan mapped area.
517. Our key reason for rejecting this submission, and finding the proposal inappropriate, is the inability to achieve appropriate access. The owners of 25 Sretlaw Place, David and Sarah Shearer, have indicated no intention of selling the land to Mr Bennetts. We note the legal advice from Mr van Bolderen suggested that this issue can be left to be resolved later as part of a subdivision consent. However we take little comfort in that, as a consequence of a decision to rezone this land will inevitably be that there will be expectations for development occurring, and this may well not be achievable on the evidence we heard from landowners. We agree with the Reporting Officer that using the Public Works Act to gain access to a single, relatively small, site would be an inappropriate use of those powers. We also do not understand how a one-way arrangement solves the fundamental problem.

518. A second reason for rejecting the submission is issues raised with wastewater and stormwater. We accept the evidence of DCC 3 Waters that the 'tipping point' for wastewater in the catchment has been reached, and that further development is not appropriate until these issues are resolved. We also do not consider that applying a Residential Transition Overlay Zone is appropriate, for the reasons outlined by Mr Morrissey.
519. In relation to stormwater management, we accept Mr Oliver's and Mr Saunders's advice that there is insufficient detail to ascertain whether stormwater can be satisfactorily detained on site and meet the 2GP's requirements. Overall, we do not consider that Policy 2.6.2.1.b and d.ix will be met.
520. We acknowledge the commitment and passion of Mr Bennetts to develop this site, however we consider Variation 2 is not the right process in which to rezone a site with constraints that have yet to be resolved.
521. Lastly, we received some information from Ms Peters on 16 January 2023 to indicate a site has been purchased by the submitter which, on the face of it, may provide an access into this land. However due to the receipt of this information very late in the process it was not able to be assessed by staff and evaluated by other submitters, and the Panel could not therefore place much weight on it. In any event there are other factors, other than access, that we have identified as needing to be resolved before this site can be rezoned to residential through the Variation 2 process.

2.3.6 Concord

2.3.6.1 33 Emerson Street, Concord (GF07)

522. This section addresses the submissions covered in section 5.2.9 of the section 42A report.
523. Variation 2 proposed to rezone GF07 from Rural zone to General Residential 1 zone.
524. The section 42A report describes GF07 as follows. The site is 5.8ha in size, located to the south of Concord, and adjacent to existing residential zoned land. The site is elevated and sloping to the north, providing a sunny site. It is relatively close to a high frequency bus stop and the school and the commercial services in Concord. The estimated feasible capacity is 23 – 28 dwellings under General Residential 1 zoning.
525. Mr Morrissey described the site as being relatively steep, which will reduce yield, and was assessed as having a medium level hazard associated with slope instability. He said that 3 waters and transport upgrades would be required, and no significant landscape issues had been identified.

2.3.6.1.1 Submissions received

526. *Robert Mathieson (S284.003)*, the owner of the site, submitted in support of rezoning GF07.
527. *Yolanda van Heezik (S82.010)* supported the rezoning, subject to considering ways of reducing housing footprints, protecting vegetation cover at sites adjacent to major biodiverse areas, compensatory plantings/greenspace creation and considering ways to minimise hard landscaping. *Ms van Heezik* sought amendments to reduce the loss of green space.
528. No submitters directly opposed the proposed residential zoning of GF07.

(c) the environmental, social, cultural and economic benefits of rezoning outweigh the environmental, social, cultural and economic costs associated with the loss of highly productive land for land-based primary production, taking into account both tangible and intangible values.

(5) Territorial authorities must take measures to ensure that the spatial extent of any urban zone covering highly productive land is the minimum necessary to provide the required development capacity while achieving a well-functioning urban environment.

1497. We note that Dunedin City is currently a Tier 2 territorial authority.

3.3 Interpretation of the NPS-HPL

1498. On 30 September 2022, we issued Minute 17 to all Hearing 4 submitters. In this Minute, we asked the DCC to provide a legal submission to address which sites it assesses as being affected by the NPS-HPL. That was duly provided, and we also received the DCC reporting officer's advice on which of the sites requested for rezoning are affected by the NPS-HPL.

1499. Minute 17 also invited submitters to respond to the DCC's legal submission. The responses are addressed below.

3.3.1 Legal submissions

1500. The legal submissions we received covered a full spectrum of opinions, however the primary legal question on which we received submissions was the interpretation of clause 3.5(7) to the sites in question. The initial legal submissions we received are summarised below.

Dunedin City Council

1501. The DCC's legal opinion was that, firstly, the transitional provisions of the NPS-HPL mean that it applies to land that is zoned Rural and Rural Residential and contains LUC 1, 2 or 3 land. We record that there seemed to be no disagreement from the parties on this.

1502. The DCC legal opinion was that, secondly, the deeming provision does not apply to land identified for "future urban development" or that is subject to a Council initiated plan change to rezone it from general rural to urban or rural lifestyle. In that regard, Dunedin does not yet have a Future Development Strategy in place, and Variation 2 cannot be considered to be strategic planning document based on the relevant definitions.

1503. However, thirdly, the DCC advice went on to say that Variation 2 is exempted by clause 3.5(7)a by virtue of it being a Council initiated plan change. Fourthly, the advice was that the exemption does not extend to land put forward in submissions which Council has not adopted or initiated (i.e. as part of proposed Variation 2 as notified).

1504. The consequence of the DCC legal advice is that where submitters have sought to rezone further areas of rural land that is deemed to be highly productive by the NPS-HPL than the NPS provisions should be considered by the Panel in relation to that land when evaluating whether, in response to submissions, to rezone the land.

Gladstone Family Trust

1505. The legal submissions for Gladstone Family Trust agreed with DCC's submission that Variation 2 is a Council initiated plan change. However, it disagreed with the argument that submitters' sites were not part of the variation. The submission was that, regardless of whether the land has been identified by DCC or by submitters, it is before the Panel because it is in scope of Variation 2. Reasons were provided as to why the submitters' sites could be considered part of the variation including that the variation process, which has been a Schedule 1 RMA process, can change the zoning of that land.

CC Otago Limited, Peter Doherty & Outram Developments Limited

1506. The legal submissions from CC Otago Limited, Peter Doherty & Outram Developments Limited agreed with the DCC submissions that Variation 2 is not a Future Development Strategy or strategic planning document as defined. However, it fundamentally disagreed with the DCC's position arguing that the 'site' advanced for rezoning by these submitters is currently subject to the Variation 2 process which has been initiated by DCC, and that it has been determined that the site is within the scope of Variation 2.
1507. It was also argued that it is artificial to read clause 3.5(7)(b)(ii) to be limited only to sites as identified within the 'notified version' of plan change, whereas the clause does not limit itself in this way. To limit its scope in this way to only the notified version of the plan change would be inconsistent with the treatment of 'notification' as a procedural step within Schedule 1 of the Act. The important factor is said to be that 'at the date of commencement' there were live submissions seeking rezoning of the Site from rural to urban.

Otago Regional Council

1508. The legal submission for Otago Regional Council was that it agrees the NPS-HPL does not apply to land proposed by the DCC in Variation 2 for rezoning, but that it does apply to those parts of the submitters' sites which contain highly productive land as those sites were not promoted by DCC in Variation 2 for rezoning. Further it emphasised there is an obligation to implement the NPS provisions rather than to treat them as relevant, or strong "considerations".
1509. Mr Logan for Otago Regional Council also raised a matter at the reconvened hearing that differed from his written submissions. He essentially questioned whether Variation 2 was a 'plan change' in terms of the NPS. This is further addressed below.

Further legal submissions

1510. Following the hearing reconvened on 21 October 2022, and in response to Minute 20, further legal submissions were received, which are briefly summarised for the following parties as follows:
1511. *Otago Regional Council* – there is no definition in the RMA of 'plan change', and in studying other relevant definitions the argument was made that the 2GP is not a 'plan'; it is not an operative plan approved by DCC under Schedule 1 of the RMA; and Variation 2 is an alteration under Clause 16A of the First Schedule to a proposed plan (the 2GP). Therefore the exception in clause 3.5(7)(b)(ii) does not apply because there is a 'Variation' and not a 'plan change'.
1512. *Gladstone Family Trust* – to emphasise that clause 3.5(7)(b)(iii) sets out alternatives, i.e. that it may be either "a council initiated or an adopted" plan change. In that context, adoption does not relate to a Council resolution in relation to a particular proposal, and instead it

identifies that the plan change must be “Council driven” to qualify. The submission was further that the enquiry is about the status of the land on the NPS commencement date, on 17 October 2022, at which date the submissions had been lodged and were being considered as part of Variation 2.

1513. This further legal submission was also that Variation 2 is a ‘plan change’ for the purposes of the NPS-HPL. It noted that whilst that term is not defined the provisions of the 2GP became operative under section 86F and as such they became part of a single operative plan to satisfy subsection (b) of the definition of ‘district plan’ in the RMA. Further, under Clause 16A a variation is treated as a change in the Schedule 1 process.
1514. *CC Otago Limited, Peter Doherty & Outram Developments Limited* – to emphasise that all sites that are identified within Appendix 4 of the section 32 report are ‘subject’ to Variation 2. In this way there are no ‘rogue sites’ sought by submitters, and any unmeritorious sites have also been addressed through the Commissioners’ decision on scope. This further legal submission also made references to the definition of ‘operative’ and the need to carry out a dynamic assessment of whether the plan has become ‘operative’ or not. In essence, it agreed with the Gladstone Family Trust arguments with respect to Variation 2 being able to be considered as a plan change.
1515. *Dunedin City Council* – the revised legal advice was in essence to agree with ORC’s further legal submissions to the effect that Variation 2 has the status of a variation and is not treated as a plan change as defined. This was based on the NPS identifying that where terms are not defined in the NPS the definitions in the RMA apply unless otherwise specified. In that sense the 2GP has not yet been approved by DCC under clause 17, Schedule 1. It was submitted that all of the sites covered by LUC 1-3 that have a rural zoning need to be assessed against the NPS-HPL (i.e. including the sites notified by DCC in Variation 2).

Independent legal advice to the Panel

1516. The Panel received legal advice from Simpson Grierson, following its review of all the legal submissions and further submissions summarised above.
1517. That advice was as follows:
- (a) The purpose of clause 3.5(7) supports the interpretation that Variation 2 is a ‘plan change’;
 - (b) The Schedule 1 provisions support the interpretation that a variation is part of a plan change; and
 - (c) The exception in clause 3.5(7)(b)(iii) does not apply to land identified in submissions, as submissions do not have any legal effect and they do not (substantively) form part of the plan change initiated by the Council.

3.3.1.1 Determination on legal submissions

1518. We acknowledge there was a wide range of legal advice received and note also that, even during the course of us hearing, some of the counsel changed their views and presented different opinions to us as part of the further submission process. The matter therefore may be considered somewhat complex due in no small part to the NPS provisions being very new and untested at the time of our deliberations.

1519. As advised in our Minute 21, issued on 7 November 2022, having considered all the legal submissions we favoured the advice prepared by Simpson Grierson. Having reconsidered the updated legal submissions, that is still our view. In essence, the Panel favours the advice which applies a broad and holistic approach to determine the purpose of all of the relevant legal provisions and essentially applies what we consider is a common sense approach to it all.
1520. To confirm, our determination is that we favour the following interpretation:
- (a) Variation 2 is a 'plan change' as referred to in clause 3.5(7) of the NPS-HPL, and therefore that clause will apply; and
 - (b) The sites requested for rezoning by way of submissions (that were not proposed for rezoning in the notified version of Variation 2) do not fall within the exception in clause 3.5(7) of the NPS-HPL.
1521. Based on this interpretation, it is our view that the sites in Table 2 below contain highly productive land (HPL), and therefore that the NPS-HPL applies to them. These are the sites identified by Mr Morrissey¹⁸ that contain land that is LUC 1, 2 or 3, are rural-zoned, and were not proposed to be rezoned to residential in the notified Variation 2 (that is, they were proposed for rezoning through submissions).

Table 2 - Sites affected by the NPS-HPL

Address	Site ID	Site Area (m ²)	Area of HPL (m ²)	Percentage of site with HPL
Freeman Cl, Lambert St, Abbotsford	RS14	545,850	537,427	98%
119 Riccarton Road West	RS109	17,924	17,924	100%
RS153: 77, 121 Chain Hills Road, part 100 Irwin Logan Drive, 3-20 Jocelyn Way, 38 and 40-43 Irwin Logan Drive, 25-27 Pinfold Place	RS153	653,000	127,553	20%
91 and 103 Formby Street, Outram	RS154	42,798	40,977	96%
155 Scroggs Hill Road	RS160	640,968	1,586	0.2%
85 Formby Street, Outram	RS175	59,965	58,996	98%
774 Allanton-Waihola Road	RS195	551,874	539,213	98%
489 East Taieri-Allanton Road, Allanton	RS200	86,102	70,722	82%
170 Riccarton Road West	RS212	83,477	83,477	100%

¹⁸ Reporting Officer's Reply on Minute 15, 16, and 17 from the Panel. 6 October 2022. [Reporting-Officers-Reply-on-Minute-15_16_17.pdf \(dunedin.govt.nz\)](#)

3.3.2 Other submissions received on the NPS-HPL

1522. We note that several other submitters provided responses to Minute 17 which were not legal submissions. While not specifically requested by us, we briefly note those responses here.
1523. *Ms Alice Maley, Mr Christopher Girling, Ms Margaret Henry, and Susan and Donald Broad* all submitted in support of the NPS-HPL, and specifically its relevance to the two RS sites located in Outram (RS175 and RS154). All these submitters considered that the Outram sites should not be rezoned, due to conflict with the new NPS-HPL.
1524. We also note that the tenor of those responses generally reflects evidence provided by the submitters in the September hearing.

3.3.3 Is rezoning of the HPL sites consistent with the NPS?

1525. Ms Christmas provided a section 42A Addendum report on 15 November 2022, addressing the relevant considerations of the NPS-HPL for those affected sites identified in the Table above. She explained that Policy 5 requires that urban rezoning of HPL (that is, zoning land to Residential) must be avoided, unless the NPS-HPL provides otherwise. Clause 3.6 outlines the tests that must be met to allow urban rezoning of HPL. This contains three clauses, a, b and c, which must all be met to allow rezoning to occur. Clause 3.6 is outlined above (in section 3.2 of this Decision Report).
1526. In relation to clause 3.6(1)(a), Ms Christmas stated that there is sufficient housing capacity over the short, medium, and long term, based on evidence provided by Mr Stocker. This showed, based on an update of the modelling undertaken for the Housing Capacity Assessment 2021 (HBA), that there is sufficient housing capacity across the city as a whole for the short, medium and long term, as well as in the individual 'catchments' in which the sites fall (we discuss the use of catchments in the HBA in section 2.1.1 earlier in this report). Consequently, Ms Christmas' opinion was that none of the sites can pass clause 3.6(1)(a).
1527. In relation to clause 3.6(1)(b), Ms Christmas considered it highly likely that there are other reasonably practicable and feasible options for providing additional development capacity that achieves a well-functioning urban environment, rather than needing to rezone the RS sites in question. She noted Mr Morrissey's assessment of the relevant RS sites (as part of the main hearing) and highlighted that he had not recommended any of them for rezoning due to various conflicts with Policy 2.6.2.1, including conflict with the compact and accessible objective, distance from centres, facilities and public transportation, and hazard issues. In her view, clause 3.6(1)(b) is not met for the sites in question.
1528. In relation to clause 3.6(1)(c), Ms Christmas noted that no cost-benefit analysis has been undertaken for most of the sites. We note that an assessment of RS14 was included in the Section 32 Assessment reporting, and an economic cost/benefit assessment was supplied for RS212 during the hearing. Ms Christmas noted that all the other sites have issues (costs) associated with them and were not recommended for rezoning by Mr Morrissey. Without more information and analysis, she did not consider it was possible to conclude that the benefits of rezoning outweigh the costs, and clause 3.6(1)(c) is therefore also unable to be met for any of these sites.
1529. Overall, Ms Christmas concluded that none of the sites met the criteria in 3.6(1) and therefore, as required by the NPS-HPL, rezoning should be avoided.

1530. Ms Christmas also provided additional comment on the sites that partially contain HPL. Her view was that while the NPS-HPL does not preclude rezoning the non-HPL parts of the site, to do so would generally result in a poor planning outcome (e.g. an isolated piece of residential-zoned land) and in all cases, rezoning of the entire site had not been recommended by Mr Morrissey.
1531. The ORC provided a statement¹⁹ that they agreed with and supported the evidence of Ms Christmas.
1532. Mr Kurt Bowen and Ms Emma Peters also provided planning evidence on behalf of a number of submitters. Both repeated concerns raised previously about the accuracy of the HBA. In particular, the inability for the submitters to have been able to review the modelling undertaken and that the model relies on house prices increasing. They stated that any doubts about the HBA assumptions and its conclusions must be read in favour of the view that more land is required to give effect to the NPS-UD. They also disputed the use of catchments as representing the 'same locality and market' in terms of clause 3.6(1)(b). It was noted that some catchments are very large and, for example, that for the 'Outer Urban' catchment, Port Chalmers could not realistically be considered to be in the same locality as Brighton. They also made note that the sites in question represented the only option for providing additional capacity in that particular geographic location, and therefore can satisfy clause 3.6(1)(b).
1533. Mr Bowen identified that clause 3.10 of the NPS-HPL may provide a pathway to enable 'use' or 'development' of the land, outside of clause 3.6. Both Mr Bowen and Ms Peters identified site specific matters, for example property size, existing consents for residential dwelling, flooding risk and slope that in their opinion reduced the primary productivity potential of the sites. Some of this repeated or drew on evidence received in the September hearing.
1534. In her Reply, Ms Christmas called on Mr Stocker to address matters relating to the HBA. Mr Stocker provided an overview of the HBA, and reiterated his earlier statements that there is a surplus of capacity. He also spoke to his earlier evidence which outlined the information that had been provided to the submitters to enable their consultants to understand the model and the reasons for not releasing the requested site specific information to the public. These being matters related to potential privacy breaches, commercial competitiveness advantage and reiterating that site level information may not be accurate as the model works to create accuracy by aggregating data (the 'overs and unders') to be accurate at the aggregate level. He also reiterated that the external peer review of that work had been positive and had commented favourably on the transparency of the model, and the position on release being aligned to that of other councils.
1535. Ms Christmas then discussed the use of catchments. She noted clause 3.6(3) of the NPS identified that "*in the same locality and market*" means in or in close to a location where demand has been identified through a housing and business assessment. Whilst the HBA uses catchments to identify capacity, she acknowledged that we could take a narrower view of locality, provided we had regard to Mr Stocker's comments that demand on a scale smaller than catchment size is very difficult to determine, and there is no requirement in the NPS for Urban Development (NPS-UD) to provide for capacity at a fine-grained scale.
1536. Ms Christmas and Mr Stocker also discussed the results of the DCC's housing demand study which, based on a statistically representative sample, did not indicate people take a narrow

¹⁹ Otago Regional Council, letter dated 22 November 2022. [Otago-Regional-Council.pdf \(dunedin.govt.nz\)](https://dunedin.govt.nz/assets/Uploads/Otago-Regional-Council.pdf)

view of where they would choose to live (i.e. down to the individual settlement scale as suggested by Ms Peters) but rather the results indicate people are often flexible in terms of location. Mr Stocker gave the raw results provided from the residents from Outram that were surveyed to illustrate this. They also discussed that affordability rather than location may be a reason why some people choose to live in outer locations such as Allanton.

1537. Finally, Ms Christmas drew our attention to the requirements of clause 3.6(1)(b) and noted it requires that “there are no other reasonably practicable and feasible options for providing at least sufficient development capacity within the same locality and market while achieving a well-functioning urban environment”. She emphasised that the assessment of alternatives is not limited to those in play through Variation 2 and that this requires an assessment of alternatives in the broader sense, for which there was no evidence provided by submitters.
1538. She also emphasised the need to undertake an assessment against the criteria of a “*well-functioning urban environment*” and drew our attention to Mr Morrissey’s assessment against the 2GP strategic directions which have several overlaps with these criteria. She noted that failure to meet those criteria formed part of the basis for his recommendation to not rezone these rejected sites. Ms Christmas considered it was likely there would be alternatives in the same locality and market (for example in Mosgiel) that better met these criteria if additional capacity was required.
1539. With respect to Mr Bowen’s suggestion about the use of clause 3.10, Ms Christmas stated this clause is not relevant as it explicitly relates to situations where subdivision, use and development is not otherwise enabled under clauses 3.7, 3.8 or 3.9. It does not relate to urban rezoning (i.e. the focus of Hearing 4), which is governed by clause 3.6.

3.4 Evidence in relation to submitters’ sites that have HPL

1540. Ms Peters provided evidence relating to the two sites located in Allanton (RS195 and RS200), Mosgiel (RS212, RS153), and the two Outram sites (RS154 and RS175). In all cases, she considered that each component of clause 3.6(1) can be met. She discussed clause 3.6(1)(a) for all the sites and raised perceived issues with the HBA as outlined above. She considered that clause 3.6(1)(b) is also satisfied for the sites, and there is no other development capacity within the ‘same locality and market’ for the various sites. She also noted the high demand for the various areas, and in some cases limited alternative options for providing capacity in the area. For all sites, she noted they had limited potential for primary production, and that they could also satisfy clause 3.6(1)(c).
1541. Ms Peters also provided evidence relating to RS160 (Scroggs Hill). She highlighted the very small area of HPL within this site and noted that, should the site be rezoned, the small area of HPL would be included in a record of title with an identified building platform situated outside of that small area to ensure that no residential activity occurs on the HPL land.
1542. Mr Bowen provided evidence relating to RS109 (Riccarton Road, Mosgiel). He stated the site is of such a small size (1.74ha) that it is unable to be used effectively in primary production, which should be a relevant consideration under the NPS-HPL. On questioning Mr Bowen explained this site may not meet the other relevant criteria for assessment under the NPS provisions.
1543. Mr Bowen provided evidence relating to RS14 (Abbotsford) and noted this was also provided on behalf of Ms Peters. He also discussed the Property Economics and Beca report, which included an assessment of RS14, and noted that rezoning this site was assessed as having a

‘lower impact’ based on relative economic costs. He lastly noted that one of the component land parcels of RS14 is of a small size (2.66ha), and stated consideration on the application of the NPS-HPL should be given to sites like this, of a limited site area.

1544. In her Reply, Ms Christmas responded directly to a number of the site-specific points made by Mr Bowen and Ms Peters. Overall, she maintained her original recommendations that residential rezoning of any of the NPL parts of the relevant sites is contrary to the NPS-HPL.

3.5 Conclusions on evidence

1545. Overall, we agree with and accept the evidence of Ms Christmas on the application of the relevant provisions of the NPS-HPL to the RS sites in question. We agree with Ms Christmas that the NPS-HPL directs that the residential rezoning of any part of a site that constitutes HPL is to be avoided unless all three criteria in clause 3.6(1) apply. We accept Mr Stocker’s evidence, consistent with our conclusions in section 2.1.1 above, that there is sufficient residential capacity within Dunedin for the short and medium terms considering both the City as a whole, and in relation to the specific catchments into which the HPL sites fall. Consequently, it is our view that 3.6(1)(a) is not met for any of the RS sites.
1546. We consider the concerns expressed from submitters regarding the veracity of the model are unfounded, noting in particular the favourable response from the peer review by Ministry for the Environment. In addition, we acknowledge the large area of some of the catchments, but we accept the evidence of Ms Christmas and Mr Stocker on this, as summarised above.
1547. On this basis, we do not need to consider clauses 3.6(1)(b) and (c). However, for completeness, we also agree with Ms Christmas’ assertion that it is highly likely that there are other reasonably practicable and feasible alternative options for providing housing capacity within the same locality and market. We note there is a surplus in the outer urban, Mosgiel and outer suburbs catchments.
1548. We do not accept Ms Peters’ argument that the Outram and Allanton sites are the only options for providing additional capacity in those localities and markets. We are cognisant of the requirement that our decisions must achieve a well-functioning environment. We consider that Mosgiel provides a reasonably practicable alternative option which better meets the well-functioning environment test, if additional capacity was needed (which from the DCC evidence it is not). Any evidence raised by the submitters to counter that appeared largely anecdotal and not rigorously assessed. Similarly, we consider that the same response could be applied to the other sites on the periphery of Mosgiel (e.g. RS109, RS212, RS153), i.e. Mosgiel itself provides a reasonably practicable alternative option.
1549. We agree that clause 3.10 is not relevant for decisions on residential rezoning, and that it does not provide a valid alternative pathway for the urban rezoning of highly productive land. It may be the case that this clause provides a pathway for subsequent resource consent processes, but we note Ms Christmas advised that it would likely to require a non-complying activity process for developing rural zoned sites. We have therefore not considered Mr Bowen’s assessment of RS14 in terms of clause 3.10 any further.
1550. In relation to sites that are only partially affected by HPL, we have considered whether it is appropriate to rezone the non-HPL parts. For this, we have returned to our original assessment of these sites (see section 2.3 – decisions on individual sites). We have heard

nothing that changes these conclusions - that in all cases, zoning is inconsistent with Policy 2.6.2.1 and is not appropriate.

3.6 Impacts on decisions

- 1551. As outlined previously, our decisions outlined in section 2.3 of this report were made separately without applying any assessment of the NPS-HPL.
- 1552. However, in order to give effect to the NPS-HPL we have outlined in this section how the NPS-HPL affects those decisions already outlined in section 2.3.
- 1553. Firstly, we note that for all of the RS sites affected by the NPS-HPL (RS14, RS109, RS153, RS154, RS160, RS175, RS195, RS200, RS212), our decision in section 2.3 is to reject the submissions seeking rezoning as we do not consider the sites are suitable for residential zoning when assessed against the relevant (non-NPS-HPL) criteria.
- 1554. We have subsequently concluded that rezoning the HPL parts of these sites is also contrary to the NPS-HPL provisions, and to zone them would not be consistent with s75(3), the requirement for a district plan to give effect to any national policy statement.

APPENDIX D – TABLE OF SUBMITTERS		
Submission reference	Name	Contact
FS103	Helen & Myles Thayer	mylespthayer@gmail.com
FS112	Jade Benfell	jade.benfell@gmail.com
FS119	Jill Milne	jillmilne0@gmail.com
FS160	Mark Baker	markbakernz1@gmail.com
FS176	Michael Moffitt	gail.michael@xtra.co.nz
FS19	Ann Venables	jrvenables1976@gmail.com
FS239	Tilman Davies	tilman.davies@gmail.com
FS245	Tracy & Peter Finnie	finnita@xtra.co.nz
FS25	Anthony Dowling	adowling@sjones.co.nz
FS39	Bryan & Catherine Moore (BK & CM Moore Family Trust)	jabula@xtra.co.nz
FS69	David & Sarah Shearer	davidnshearer@gmail.com
FS9	Allan Martin	alandneen@xtra.co.nz
FS91	Flora Macleod	3 McMeakin Road, Mount Grand.