

25.4 Areas of Significant Conservation Value

Site Number	Map Number	Name (Location)	Area (ha)	Description (Hydrological Class)	Reasons for Inclusion (Significance)	Status	Legal Description	Grid Reference (NZMS 260)
C001	1	Rock and Pillar Scenic Reserve	443.0000	High altitude subalpine/alpine area on the Rock and Pillar Range.	Alpine herbfield with four species unique to the Rock and Pillar Range.	DOC (H43 008)	Sec 1 Blk I Strath Taieri SD	
C002	1, 5	Sutton Salt Lake Scenic Reserve Incorporating: Sutton Salt Lake	143.0215	Rocky tor landscape with lowland tussock grassland and a salt lake. Succulent herb swamp, rush and sedge swamp.	The association of the salt lake and tussock grassland and rock face flora is a unique feature in the District. Regional/Local Significance	DOC (H43 017) Wetland - WERI Database	Lots 1 & 2 DP 21687, Sec 1 SO 23629	Easting H43 2282400 Northing H43 5510600
C003	5	Mt McKay Covenant	1.6945	Small area of rocky tors with undisturbed native grasses.	Habitat values for giant skink and Otago skink.	DOC (H43 022)	Part of Sec 3 Blk V Nenthorn SD (shown as A on DP 23427)	
C004	4	Black Rock	51.9800	Predominantly tussock covering wide ridge crests, gentle slopes and shallow gullies.	Lowland snow tussock area (now rare within the Waipori Ecological District). Scientifically important as an opportunity to monitor changes occurring in tussock grassland.	DOC (H44 007)	Sec 20 SO 21511	
C005	5, 53	Mill Creek	300.5811	Deep sided valley that flows into the Waipori Valley. Area contiguous with Waipori Falls and the Maungatua Range Scenic Reserve.	Largest remnant of silver beech forest in eastern Otago north of the Catlins	DOC (H44 076)	Lots 1 & 2 DP 20208, Lot 2 DP 18686, Secs 15 & 21, Pt Sec 22, Blk XIII Maungatua SD	
C006	53	Mill Creek - Kofoed Acquisition	260.9134	Broad face cloaked in silver beech forest and tussock grassland.	There are values in the large contiguous protected area formed when combined with Waipori Falls and Maungatua Range Scenic Reserve.	DOC (H44 077)	Secs 43 & 44 Blk XV Maungatua SD	
C007	5, 53	Mill Creek Scenic Reserve	384.1734	Area of native forest contiguous with Waipori Falls and the Maungatua Range Scenic Reserve.	Silver beech forest and regenerating forest	DOC (H44 086)	Sec 45 Blk XV, Secs 16 & 24, Part Secs 14, 19 & 20, Blk XIII, Maungatua SD	
C008	5, 6, 7	Maungatua Range Incorporating: Maungatua Range Wetland	1240.7385	Rolling tussock and boggy tops descending to deeply dissected gullies with beech forest remnants. Tarn restiag bog and tussockland cushion bog.	Typical alpine wetland cushionfield, shrubland and grassland at low altitude. National Significance	DOC (H44 087) Wetland - WERI Database	Lot 1 DP 18686, Lot 1 DP 20529, Lot 1 DP 20530, Lot 1 DP 17720, Secs 1 & 2 & Pt Sec 3 Blk VIII, Secs 10, 32-34 & Pt Sec 22 Blk XI, Secs 11, 14-18, 23 & 24 Blk XIV, Maungatua SD	Easting H44 2285800 Northing H44 5476800
C009	6	Maungatua Range Scenic Reserve	19.7107	Forested slopes on the eastern side of the Maungatua Range at the end of Grainger Road.	This is a reserve containing regenerating native forest and remnant silver beech forest.	DOC (H44 088)	Secs 31, 49-51 & 55 Blk I Maungatua SD	
C010	3, 8	Stoney Hill Run Covenant	26.5750	Small gully system on moderate to steep slopes.	Remnant kanuka-manuka/broadleaf and tussock grasslands and fernlands.	DOC (I43 024)	Part of Sec 5 Blk IV Hummockside SD (shown as A on SO 22522)	
C011	8	Garden Bush	30.3514	Broadleaf forest on steep valley side.	Forest remnant representative of Waikouaiti Ecological District.	DOC (I43 027)	Sec 28 Blk V Waikouaiti SD	
C012	9	Hawksbury Quarry Reserve	4.1657	Eastern slopes of Mt Baldie remnant bush.	Lowland coastal forest remnant including ngaio, kowhai, broadleaf, fuchsia.	DOC (I43 028)	Sec 92 Blk V Hawksbury SD	
C013	9	Waikouaiti River	7.1808	River margins adjacent to important river habitats.	These riparian areas are important in maintaining the quality of the adjoining significant water habitat for whitebait and other species.	DOC (I43 032)	Crown Land Blk VI Hawksbury SD, Sec 67 & 68, Pt Sec 48, Blk IV Waikouaiti SD	
C014	9, 11	Waikouaiti River – Cherry Farm	1.3911	River margins adjacent to important river habitats.	These riparian areas are important in maintaining the quality of the adjoining significant water habitat for whitebait and other species.	DOC (I43 034)	Pt Sec 48 Blk IV Waikouaiti SD	
C015	9, 11	Waikouaiti River and Mouth	1.7000	River margins adjacent to important river habitats.	These riparian areas are important in maintaining the quality of the adjoining significant water habitat for whitebait and other species.	DOC (I43 035)	Sec 66 Blk IV Waikouaiti SD	
C016	11	Waikouaiti River Mouth	1.9172	River margins adjacent to important river habitats.	These riparian areas are important in maintaining the quality of the adjoining significant water habitat for whitebait and other species.	DOC (I43 037)	Sec 21 Blk VI Hawksbury SD	
C017	9	Seacliff Bush Covenant	14.9624	Light bush remnant - fuchsia dominant, kowhai, mahoe.	Coastal bush remnant.	DOC (I43 044)	Part of Sec 1 SO 23452 (shown as A on SO 23451)	
C018	9	Seacliff Wetlands Covenant	0.7868	Small wetland adjacent to Scenic Reserve.	Habitat values for birds and aquatic species.	DOC (I43 045)	Part of Sec 1 SO 23452 (shown as B on SO 23451)	
C019	9	Seacliff Scenic Reserve	22.9000	Light bush remnant - fuchsia dominant, kowhai, mahoe.	Coastal bush remnant.	DOC (I43 046)	Pt Secs 46 & 78 Blk III Waikouaiti SD	
C020	9	Seacliff Scenic Reserve	21.3894	Bushclad hillside - kowhai dominant, matai, kahikatea, broadleaf, totara.	Remnant coastal bush.	DOC (I43 051)	Sec 1 SO 24408, Pt Sec 46 Blk III Waikouaiti SD	
C021	10	Part of Hawksbury Lagoon Wildlife Refuge	63.2280	Two lagoons fed by channel. Causeways dissect lagoons.	Natural values include wetland habitat values for native bird and fish species.	DOC (I43 069)	Lot 14 DP 22723, Sec 32 & Part of Sec 36 Blk VI Hawksbury SD	
C022	6	Taieri River Gorge	5.0000	Marginal strip along Taieri River adjoining the Taieri Gorge Scenic Reserve.	Botanical and fauna values - long-tailed bat habitat.	DOC (I44 009)	Crown Land Blk I Dunedin & East Taieri SD	
C023	6, 8	Taieri Gorge	514.2899	Long narrow reserve made up of steep forested slopes adjacent to the Taieri River.	Two uncommon vegetation types. Reports of long tailed bat.	DOC (I44 010)	Lot 1 & 2 DP 20246, Lots 6-8 DP 23307, Pt Lot 1 DP 22179, Pt Sec 1 SO 23799, Secs 16-18 Blk XI, Sec 7 Blk XVI, Sec 31 Blk VII, Manguatua SD, Secs 35 & 37, Pt Secs 11, 16 & 17, 1 of 18 Blk I Dunedin & East Taieri SD	
C024	6	Taieri Gorge Scenic Reserve	0.4047	Steep forested slopes of Taieri River Gorge.	Two uncommon vegetation types. Reported sightings of long tailed bat.	DOC (I44 011)	Sec 34 Blk I Dunedin & East Taieri SD	
C025	6	McKays Triangle Wildlife Management Reserve	41.9600	Wetland area on the Taieri Plain 10 km south west of Mosgiel.	Important wildfowl breeding area.	DOC (I44 024)	Pt Secs 3, 4 and 5 Blk XIX, Pt Secs 80 & 81 Irreg Blk, East Taieri SD (SO 22077)	

Site Number	Map Number	Name (Location)	Area (ha)	Description (Hydrological Class)	Reasons for Inclusion (Significance)	Status	Legal Description	Grid Reference (NZMS 260)
C026	54	Allanton Wildlife Management Reserve	3.2376	Oxbow of Taieri River	The quality of the margins of this reserve are important in maintaining the habitat values of the wetland for native wildfowl.	DOC (I44 027)	Sec 49 River Sections West Taieri SD (SO 9032)	
C027	54	Allanton Wildlife Management Reserve	11.0000	Oxbow of Taieri River	The quality of the margins of this reserve are important in maintaining the habitat values of the wetland for native wildfowl.	DOC (I44 029)	Sec 56 River Section East Taieri SD (SO 19274)	
C028	54	Allanton Wildlife Management Reserve	0.5000	Oxbow of Taieri River.	The quality of the margins of this reserve are important in maintaining the habitat values of the wetland for native wildfowl.	DOC (I44 030)	Crown Land River Sections East Taieri SD (SO 61)	
C029	54	Hope Hill	26.3550	Area of native vegetation east of Allanton in gully systems.	Broadleaf forest, bracken, scrub, kanuka.	DOC (I44 032)	Sec 70 SO 21709	
C030	54	Hope Hill Scenic Reserve	171.3460	Area of native vegetation east of Allanton in gully systems.	Broadleaf forest, kanuka.	DOC (I44 033)	Lot 3, Pt Lot 2 DP 18740	
C031	8, 16	Silverpeaks	3649.8494	The Silverpeaks hills west of Dunedin.	Contains silver beech forest, snow tussocklands, broadleaf forest, kanuka, cassinia/inaka shrubland and is the habitat for native falcon, fernbirds and a large number of invertebrates.	DOC (I44 039)	Lot 1-3 DP 19518, Sec 2 SO 22569, Secs 1 & 2 SO 22530, Pt Secs 30, 32-36, 38, 39, 42, 1522R Blk III North Harbour & Blueskin SD, Pt Sec 2 Blk X, Secs 10 & 1521R Blk XI, Waikouaiti SD, Pt Secs 3 & 1520R Blk X Silverpeaks SD.	
C032	8, 16	Silverpeaks Scenic Reserve	60.6470	Part of Silverpeaks Hills west of Dunedin.	Important for native flora and fauna.	DOC (I44 042)	Sec 12, Part Sec 5 Blk XI Waikouaiti SD, Part Sec 40 Blk III North Harbour & Blueskin SD	
C033	8, 16	Careys Creek Conservation Area	641.2320	Gully area west of Blueskin Harbour.	Contains stands of broadleaf forest and kanuka.	DOC (I44 043)	Lots 1 & 2 DP 12172, Pt Secs 22 & 23, 59, 60, 103 & 104 Blk I, Pt Secs 1, 3, 6 & 7 Blk XI, Pt Sec 4 Blk IX, Pt Sec 1 of 21 Blk I Waikouaiti SD, Pt Sec 63 Blk II, Pt Sec 40 Blk III, North Harbour & Blueskin SD.	
C034	13	Orokonui Scenic Reserve	28.7327	Estuarine area feeding into Blueskin Bay.	Margins around saltmarsh area important for freshwater and saltwater fish spawning - especially important whitebait spawning area and native invertebrates.	DOC (I44 058)	Part of Sec 78 Blk I North Harbour & Blueskin SD	
C035	8	Reserve for Waioara Yellow Grey Earth	5.3014	Area of land on spur between Boulder Hill and Powder Hill.	A site of international importance supporting a rare soil type (Waioara Yellow Grey Earth) and manuka scrub threatened with extinction.	DOC (I44 063)	Pt Lot 1 DP 23046	
C036	8	Chalkies	201.3698	Area of native vegetation on the western side of the Silverstream Valley approximately 10.5 km north west of Dunedin city.	This area contains podocarp broadleaf forest merging into snow tussock grasslands.	DOC (I44 065)	Secs 1-5 SO 23318	
C037	56, 57	Westwood Recreation Reserve	44.5837	Area of sandhills just north of Brighton between the sea and the road.	Important site of remnant pingao - uncommon in this area.	DOC (I44 110)	Secs 1-16 TN of Green Island Beach, Secs 138-147 & 153 Blk VIII Dunedin & East Taieri SD.	
C038	59	Tunnel Beach	0.7313	Headland projecting from irregular coastline about 30m above sea level.	This is one of few remaining areas of salt tolerant herb vegetation. Also important for invertebrates.	DOC (I44 134)	Sec 6 & Crown Land Blk XIII Dunedin & East Taieri SD	
C039	17, 18	Leith Valley Scenic reserve	7.0863	Small areas of mixed broadleaf forest on very steep south west slope above Leith river.	Remnants of native bush - Halls totara, rimu and miro.	DOC (I44 180)	Secs 87-89 & 92, Pt Secs 1, 3 & 11, Blk VIII, Pt Sec 74 Blk XI, North Harbour & Blueskin SD	
C040	13, 14, 16	Orokonui Reserve	227.2412	Generally steep northeast aspect covered in regenerating scrub and forest containing a major stream catchment.	This area contains an example of succession from pasture to forest. The estuary and stream are important habitat and spawning areas for whitebait and native freshwater fish.	DOC (I44 205)	Secs 16, 1 of 18, 2 of 18, 19, 50, 51, 53, 60, 61, Part Secs 14, 15, 17, 18, 51-56, 59, 314R, Blk I North Harbour & Blueskin SD	
C041	13	Orokonui Stream	1.4992	Narrow strip of land beside stream running from forested catchment down to estuary.	Marginal protection. Aquatic stream has native freshwater fish species and whitebait spawning.	DOC (I44 206)	Part of Sec 1 SO 23475 (shown as C & D on SO 23475)	
C042	13	Orokonui Walkway		Track from carpark, beside estuary and stream, up to native forest.	An unusual association of exotic tress and native vegetation. An example of succession from pasture to forest.	DOC (I44 207)	Part of Sec 1 SO 23475 (shown as A & B on SO 23545)	
C043	16	Mihiwaka	7.1553	Sub-alpine vegetation on slopes of Mt Mihiwaka.	Sub-alpine vegetation remnants.	DOC (I44 209)	Sec 94 Blk VI North Harbour & Blueskin SD	
C044	16	Grahams Bush	22.8258	Moderate to steep southwest slope with deep forested gully and small stream at northern end.	Important podocarp kamahi broadleaf remnants.	DOC (I44 211)	Lots 1 & 2 DP18914, Lot 1 DP 20727, Part Secs 62 & 63 Block VII North Harbour & Blueskin SD	
C045	19	Addition to Mt Cargill Scenic Reserve	29.8235	Native bush on basalt rock.	High forest values (silver beech, mountain cedar, totara, miro, matai, kanuka/manuka).	DOC (I44 217)	Lots 1-7 DP 18407	
C046	23	Goat Island Scenic Reserve	4.5000	Small scrub covered island in the middle of Otago Harbour between Portobello and Port Chalmers.	Remnant native bush representative of former cover occurring on this island and the Otago Peninsula.	DOC (I44 229)	Sec 30 Blk VI Portobello SD (SO 21570)	
C047	23, 24	Quarantine (St Martin's) Island Recreation Reserve	14.3000	Reasonable sized island in Otago Harbour between Portobello and Port Chalmers.	Remnant and regenerating bush with restorative values. Contains many uncommon plant species.	DOC (I44 230)	Sec 31 Blk VI Portobello SD	
C048	26	Taiaroa Head Nature Reserve	5.2981	Northern most point of Otago Peninsula a predominantly grassed promontory.	Wildlife - albatross breeding colony, Stewart Island shags (only mainland sites for both species), spotted shags, sooty shearwater, little blue penguins, black backed and red billed gulls, fur seals.	DOC (I44 238)	Otakou Sec 54 and 55 Blk A3, Sec 71 Blk II Portobello SD	
C049	25	Heywood Point Scenic Reserve	53.3440	Promontory and high steep cliffs running down to open sea.	Important coastal native forest remnants and habitat values for bush birds, shags, redbilled and black billed gulls nesting, seals breeding.	DOC (I44 241) DOC (I44 242)	Sec 50 & Crown Land Blk V North Harbour & Blueskin SD	

Site Number	Map Number	Name (Location)	Area (ha)	Description (Hydrological Class)	Reasons for Inclusion (Significance)	Status	Legal Description	Grid Reference (NZMS 260)
C051	25	Papanui Beach/Cape Saunders	7.0000	Steep coastal cliffs exposed to the sea.	Habitat - nesting for spotted shags.	DOC (I44 265)	Crown Land Blk VI Otago Peninsula SD	
C052 and C053	25	Cicily Beach	6.4000	Coastal strip including low rocky headlands and small sandy beaches.	Small breeding area for yellow-eyed penguins. Haulout area for fur seals and sealions. Colonies of pingao still survive.	DOC (I44 267) DOC (I44 268)	Crown Land Blk VI Otago Peninsula SD	
C054	25	Allans Beach Recreation Reserve	58.7926	Rocky headland and very small sandy beach. Rough pasture mixed with coastal tussock hebe elliptica.	Habitat for yellow eyed and little blue penguins, sealion haul out area. Good stands of coastal tussock.	DOC (I44 269)	Secs 30-32, 36 & 37 Blk VI Otago Peninsula SD	
C055	25	Allans Beach Wildlife Reserve	24.1000	Salt marsh and marginal vegetation.	Important saltmarsh area - wildlife habitat.	DOC (I44 270)	Lot 1 DP 18173, Sec 39 Blk VI Otago Peninsula SD	
C056	25	Sandymount Wildlife Refuge	22.9027	Steep hillside of coastal bush and clear areas of tussock and rough pasture.	Habitat values for yellow-eyed and little blue penguins, haul out for fur seals with breeding colonies nearby, occasional elephant seal visits. Sooty shearwater may still breed here.	DOC (I44 273)	Pt Sec 57, Closed Road Crown Land, Blk III Otago Peninsula SD	
C057	25	Sandfly Bay	176.7389	Extensive sand dune area with large open sand below. Coastal Bay covered in lupin and other coastal shrubs. Sand blow rising from beach to ridge.	Yellow-eyed and little blue penguin breeding area, fur seal/hooker sealion haulout area, small sooty shearwater breeding area. Remnant pingao plants.	DOC (I44 361)	Sec 53 Blk III Otago Peninsula SD	
C058	16, 25	Boulder Beach WWF Block	39.6413	Coastal cliffs with rank pasture flax and hebe elliptica.	Major yellow eyed penguin breeding area, small number of seals.	DOC (I44 275)	Lot 1 DP 20821, Pt Secs 15 & 39 Blk I Otago Peninsula SD	
C059	16	Boulder Beach-Highcliff Block	74.0738	Steep coastal cliffs with remnants of coastal vegetation.	Major yellow-eyed penguin breeding area. Jeweled geckos. Remnant coastal vegetation and part of a revegetation project for yellow-eyed penguin habitat.	DOC (I44 276)	Sec 18, 19, & 42, Pt Secs 16, 17 & 43, Closed Road, Blk I Otago Peninsula SD	
C060	19, 20, 38, 39	Burns Park	79.9021	Most of the remaining bush in the steep easterly aspect overlooking Otago Harbour and containing podocarps.	Bush remnants - Halls totara, rimu and miro.	DOC (I44 332)	Lot 1 DP 18833, Lot 1 DP 19100, Lot 1 DP 19274, Lots 3-5 DP 19513, Lot 104 & Pt Lot 114 DP 331, Secs 65, 75 & 76, Pt Secs 31 & 36, Pt Secs 1 of 27 & 3 of 27, Pt Secs 1 of 29 & 2 of 29, Pt Sec 1 of 32, Blk IX North Harbour & Blueskin SD	
C061	39	R B Allen Covenant	6.0236	Bush adjoining Burns Park	Contains examples of Halls totara, rimu and miro.	DOC (I44 336)	Lots 44 & 45 Blk IV DP160, Sec 15 Blk IX North Harbour & Blueskin SD, Lots 6 & 11, Part of Lots 7-10, Blk IV Deeds 122 (shown as A on SO 21237)	
C062	25	Sandymount Recreation Reserve	192.8758	Broad headland rising to the summit of Sandymount (319 m).	Wildlife habitat - sooty shearwater, little blue penguins, gulls, seal breeding. Patches of pingao, other rare or restricted plants, tussock.	DOC (I44 344)	Secs 44-48, 58 & 59, Pt Sec 57, Secs 1 of 49 & 2 of 49, Blk III Otago Peninsula SD	
C063	39	Collinswood Conservation Covenant	1.3410	A remnant of forest on gentle slopes above Collinswood.	Remnant kowhai and lacebark.	DOC (I44 345)	Part of Pt Secs 24-26 Upper Harbour East SD, Pt Sec 2 of 3 Otago Peninsula SD (shown as A on DP 22693)	
C064	6	Taieri Gorge-Blair Acquisition	50.3400	Part of bush-clad Taieri River Valley system.	Large stands of kanuka with occasional podocarp present.	DOC (I44 346)	Lots 1 & 2 DP 22716	
C065	25, 40	Peggy's Hill Conservation Covenant	1.7916	A patch of dense low forest with a large number of plants not found elsewhere on the Otago Peninsula.	Flora uncommon on the Peninsula.	DOC (I44 356)	Part of Pt Sec 1 of 3 Blk III Otago Peninsula SD (shown as A on DP 22646)	
C066	8	Sullivans Bush	36.1153	Bush remnant in small catchment above Taieri plains.	Bush remnant - podocarps and native fauna.	DOC (I44 362)	Lot 4 DP 22765	
C067	25, 26	Aramoana Conservation Area	148.4313	Buffer area (pasture) dunes and sand spit.	Breeding grounds for insects and feeding grounds for many birds. The salt marsh area above mean high water springs lies adjacent to the second largest representation of dune slacks area in New Zealand.	DOC (I44 363)	Lot 3 DP 24352	
C068	26	S J McGrouther Covenant	7.0700	Coastal cliff and tops sparse native grasses and pasture.	Habitat values - sooty shearwater.	DOC (I44 366)	Part of Otakou Sec 27 Blk A1	
C069	6	Part of the Taieri Gorge Scenic Reserve	121.8120	Native bush margins to Scenic Reserve on steep slope.	Native bush remnants.	DOC (I44 367)	Lots 1 & 2 DP 23306	
C070	25	Sandymount Conservation Covenant	1.1740	Native bush remnant on Peninsula hill.	Remnant native bush - fuchsia and mahoe.	DOC (I44 370)	Part of Pt Lot 1 DP 22451 Blk III Otago Peninsula SD (shown as A on DP 23875)	
C071	40	Every's Scientific Reserve	0.8520	Native bush on hillside above Otago Harbour	Habitat for jeweled gecko.	DOC (I44 371)	Lot 1 DP 23728	
C072	5	Tappers Conservation Covenant	0.6114	Small outcrop of tors with native grasses.	Skink habitat.	DOC (I44 372)	Part of Pt Sec 3 Blk X Nenthorp SD (shown as A on DP 23428)	
C073	54	Part of Taieri River Scenic Reserve	40.2405	Steep sided bush clad gully flowing the Taieri River upstream from Taieri Mouth.	Podocarp, silver beech, broadleaf species, kanuka.	DOC (I45 014)	Taieri Sec 29, 29A, 29B, 33 Blk A	
C074	54	Henley Reserve	26.3816	Forest remnant on hillside above Taieri River.	Remnant podocarp/broadleaf and kanuka.	DOC (I45 035)	Lot 1 DP 22738	
C075	54	McLarens Gully Covenant	38.2060	Native bush gullies.	Area of podocarps including totara and kahikatea.	DOC (I45 036)	Lot 6 DP 21420	
C076	25	Dunedin City Council/Yellow-Eyed Penguin Trust Reserve	231.1223	Habitat of yellow-eyed penguin.	Habitat of yellow-eyed penguin.	DCC Natural Reserve	Pt Lot 7 Deeds 228	
		Incorporating: The Pyramids Lake	10.0000	Lake - tarn, rush and sedge swamp.	Regional Significance	Wetland - WERI Database		Easting I44 2333000 Northing I44 5484700
C077	8, 17	Flagstaff Scenic Reserve	98.7759	Natural area of sub alpine tussock grasslands, flaxes, native herbs, and shrubs, with many important insect species.	Natural area of sub alpine tussock grasslands, flaxes, native herbs, and shrubs, with many important insect species.	DCC Natural Reserve	Lot 10 Deeds 49, Lots 13-17 DP 296, Lots 1-25 DP 794, Pt Sec 24 Blk V Dunedin & East Taieri SD	
C078	16, 20	Mt Cargill Scenic Reserve	198.7686	Alpine/subalpine area of native herbs, shrubs, and tussock grasslands close to urban centre with important populations of native insects.	Alpine/subalpine area of native herbs, shrubs, and tussock grasslands close to urban centre with important populations of native insects.	DCC Natural Reserve	Secs 1-6 SO 22490, Lots 3-5 DP 19089	
C079	46	Caversham Bush Reserve	3.3963	Habitat of rare and significant native fauna.	Habitat of rare and significant native fauna.	DCC Natural Reserve	Pt Sec 172 Blk VI Town SD	

Site Number	Map Number	Name (Location)	Area (ha)	Description (Hydrological Class)	Reasons for Inclusion (Significance)	Status	Legal Description	Grid Reference (NZMS 260)
C080	34	Woodhaugh Gardens	4.6768	Contains remnant totara, matai, and kahikatea - important as a type locality for many native insects.	Contains remnant totara, matai, and kahikatea - important as a type locality for many native insects.	DCC Natural Reserve	Sec 1 SO 23008	
C081	8	QEII Trust Covenant	6.9200	Forest remnant and mineral spring	Forest remnant and mineral spring.	QEII Trust Covenant	Lot 1 23736	I44 050824
C082	8	QEII Trust Covenant	13.8437	Forest remnant.	Forest remnant.	QEII Trust Covenant	Lot 1 DP 11738, Lot 2 DP 23736	I44 050824
C083	40	QEII Trust Covenant	2.3932	Coastal regenerating hardwood forest and forest revegetation.	Coastal regenerating hardwood forest and forest revegetation.	QEII Trust Covenant	Part of Lot 1 DP 24435 (shown as A on SO 22504)	I44 253811
C084	13	QEII Trust Covenant	2.1723	Coastal regenerating hardwood forest and forest revegetation.	Coastal regenerating hardwood forest and forest revegetation.	QEII Trust Covenant	Part of Pt Sec 45 Blk I, Part of Sec 1 of 19 Blk II, North Harbour & Blueskin SD (shown as A on DP 20879)	I44 205927
C085	56	QEII Trust Covenant	15.4715	Coastal broadleaf/podocarp forest and parkland.	Coastal broadleaf/podocarp forest and parkland.	QEII Trust Covenant	Part of Lot 1 DP 24871, Pt Sec 6 SO 22856, Secs 77 & 78, Part of Sec 79, Blk VIII Dunedin and East Taieri SD (shown as A, B, C, D, E and G on DP21466)	I44 050744
C086	56	QEII Trust Covenant	2.0637	Coastal broadleaf/podocarp forest.	Coastal broadleaf/podocarp forest.	QEII Trust Covenant	Part of Sec 5 SO 22856, Part of Sec 61 Blk VIII Dunedin and East Taieri SD (shown as F on DP 21466)	I44 050744
C087	14	QEII Trust Covenant	8.9190	Sand dune habitat and coastal forest.	Sand dune habitat and coastal forest.	QEII Trust Covenant	Lots 26-38 DP 2611 Kawarika Township, Lot 1 DP 21660	I44 228943
C088	42, 43, 56, 57	QEII Trust Covenant	13.7341	Regenerating beech forest remnant.	Regenerating beech forest remnant.	QEII Trust Covenant	Pt Sec 23 & 34 Blk VIII Dunedin & East Taieri SD	I44 658744
C089	16	QEII Trust Covenant	19.1838	Lowland regenerating kanuka/manuka forest remnant.	Lowland regenerating kanuka/manuka forest remnant.	QEII Trust Covenant	Part Legal Road (DP 20371) (shown as P and Q on SO 24829)	I44 195886
C090	25, 26	QEII Trust Covenant	29.2385	Forest remnant and wildlife habitat.	Forest remnant and wildlife habitat.	QEII Trust Covenant	Otakou Sec 43 Blk A2	I44 340872
C091	25	QEII Trust Covenant	2.0661	Podocarp/broadleaf forest.	Podocarp/broadleaf forest.	QEII Trust Covenant	Part of Lot 1 DP 22000 (shown as A on DP 2307)3	I44 275815
C092	25	QEII Trust Covenant	1.7338	Forest remnant.	Forest remnant.	QEII Trust Covenant	Part of Lot 2 DP22000 (shown as B on DP 23073)	I44 275815
C093	55, 56	QEII Trust Covenant	9.8048	Semi-coastal regenerating podocarp/broadleaf forest remnant.	Semi-coastal regenerating podocarp/broadleaf forest remnant.	QEII Trust Covenant	Pt Lot 3 DP 19182, Pt Secs 5A & 11 Blk VIII Dunedin & East Taieri SD (shown as A, B & C on SO 438)	I44 032730
C094	16	QEII Trust Covenant	5.5535	Lowland regenerating forest remnant.	Lowland regenerating forest remnant.	QEII Trust Covenant	Part of Sec 10 Blk III North Harbour & Blueskin SD (shown as A & B on DP 22819)	I44 187886
C095	16	QEII Trust Covenant	2.8	Forest remnant.	Forest remnant.	QEII Trust Covenant	Part of Lot 1 DP 20371 (shown as A on SO 6015)	I44 189886
C096	52	QEII Trust Covenant	3.1000	Forest remnant and foreshore.	Forest remnant and foreshore.	QEII Trust Covenant	Part of Sec 22 & 23 Blk VII Anderson Bay SD, Part of Secs 3, 5 & 7 Blk III Tomahawk SD, Part of Sec 5 Blk VII Otago Peninsula SD	I44 194755
C097	16	QEII Trust Covenant	81.1420	Semi-coastal regenerating tussock shrub land and broadleaf/podocarp forest remnant.	Semi-coastal regenerating tussock shrub land and broadleaf/podocarp forest remnant.	QEII Trust Covenant	Secs 52, 53, 55, 56, 91, 93 & 94, Sec 1 of 75, Blk VII North Harbour & Blueskin SD	I44 219878
C098	25, 26	Aramoana (Otago Harbour)		Estuary - succulent herb swamp, salt rush and reed swamp, estuarine shrub swamp, sandflat.	International/National Significance.	Wetland - WERI Database		Easting I44 2327000 Northing I44 5486000
C099	4	Great Moss Swamp	500.000	Swamp/Lake - restiad bog and tussockland, rush and sedge swamp.	National/Regional Significance.	Wetland - WERI Database		Easting H43 2268400 Northing H43 5513300
C100	25	Edge of Hoopers Inlet		Estuary – mudflat, salt marsh and reed swamp, succulent herb swamp.	National/Local Significance.	Wetland - WERI Database		Easting I44 2329400 Northing I44 5480000
C102	25	Edge of Papanui Inlet		Estuary - mudflat, succulent herb swamp.	National/Local Significance.	Wetland - WERI Database		Easting J44 2331000 Northing J44 5482000
C103	16	Swampy Summit	40.0000	Bog – tarn, restiad bog and tussockland.	National/Regional Significance.	Wetland - WERI Database		Easting I44 2314000 Northing I44 5487000
C104	12, 13, 14	Edge of Blueskin Bay		Estuary - mudflat, salt rush and reed swamp, succulent herb swamp.	Regional/Local Significance.	Wetland - WERI Database		Easting I44 2322000 Northing I44 5495500
C105	10	Edge of Hawksbury Lagoon (Part of Hawksbury Lagoon Wildlife Refuge)		Lake - lowland lake.	Regional Significance.	Wetland - WERI Database		Easting I43 2328500 Northing I43 5509000
C106	57, 58	Edge of Kaikorai Estuary		Estuary – mudflat, salt marsh and reed swamp, succulent herb swamp.	Regional Significance.	Wetland - WERI Database		Easting I44 2307800 Northing I44 5473300
C107	9	Edge of Pleasant River Estuary		Estuary - succulent herb swamp, mudflat, salt rush and reed swamp.	Regional Significance	Wetland - WERI Database		Easting J43 2332000 Northing J43 5514500
C108	14, 15	Edge of Purakanui Inlet		Estuary - rush and sedge swamp, succulent herb swamp, salt rush and reed swamp, estuarine shrub swamp.	Regional/Local Significance.	Wetland - WERI Database		Easting I44 2325300 Northing I44 5492500
C109	1	Rock and Pillar Wetlands No 2	180.0000	Bog - cushion bog.	Regional Significance.	Wetland - WERI Database		Easting H42 2287600 Northing H42 5537900
C112	52	Edge of Tomahawk Lagoon		Lake - lowland lake, reed swamp.	Regional/Local Significance.	Wetland - WERI Database		Easting I44 2319600 Northing I44 5475600
C113	9, 11	Edge of Waikouaiti Estuary		Estuary - mudflat, succulent herb swamp.	Regional/Local Significance.	Wetland - WERI Database		Easting I43 2325600 Northing I43 5506800
C114	53	Waipori Boot Wildlife Management Reserve	18.0000	Lagoon - rush and sedge swamp, broadleaved tree swamp, lowland swamp.	Regional Significance.	Wetland - WERI Database		Easting: H45 2288000 Northing: H45 5465700
C115	1	Winfield Marsh	1.2000	Swamp - reed swamp.	Regional Significance.	Wetland - WERI Database		Easting I43 2291500 Northing I43 5528700
C116	26	Pilots Beach Recreation Reserve	3.9153	Provides habitat for a number of species, including little blue penguins, fur seals, hooker sea lions, elephant seals and leopard seals.	Provides habitat for a number of species, including little blue penguins, fur seals, hooker sea lions, elephant seals and leopard seals.	DCC Natural Reserve	Sec 72 & 73 Blk II Portobello SD	
C117	26	Otekiho Local Purpose (Wildlife) Reserve	4.8780	Provides habitat for a number of wildlife species, including yellow -eyed penguins, fur seals, hooker sea lions, elephant seals and leopard seals.	Provides habitat for a number of wildlife species, including yellow -eyed penguins, fur seals, hooker sea lions, elephant seals and leopard seals.	DCC Natural Reserve	Lots 1 & 2 DP 21743	

Site Number	Map Number	Name (Location)	Area (ha)	Description (Hydrological Class)	Reasons for Inclusion (Significance)	Status	Legal Description	Grid Reference (NZMS 260)
C118	60	Green Island/Okaihae (Green Island Nature Reserve)	4.5000	Green Island/Okaihae rises to 42 metres above sea level, and is partly covered in coastal scrub and herbaceous vegetation.	Provides habitat for a number of wildlife species, including yellow eyed penguins, blue penguins, royal spoonbill, Stewart Island shag, sooty shearwater, fairy prion, and variable oystercatcher. A small number of New Zealand fur seals also haul out on Green Island/Okaihae.	DOC	Sec 150 Blk VIII Dunedin and East Taieri SD	J44 073 696

