



SECOND GENERATION DISTRICT PLAN

Summary table of minor and inconsequential amendments made following notification of the 2GP

January 2024

This table includes further amendments made in accordance with Schedule 1, clause 16(2) of the Resource Management Act.

Clause 16(2) of Schedule 1 of the RMA allows a local authority to make an amendment where the alteration “is of minor effect”, and to correct any minor errors, without needing to go through the submission and hearing process.

The changes of minor effect being made are minor wording changes to improve clarity of wording, where this does not change the meaning. This includes changes to ensure consistent terminology and phrasing is used throughout the plan where it is intended to mean the same thing (clarity error/change of minor effect to improve clarity).

The DCC is currently undertaking a project to update the numbering of the 2GP. From 2019 to the present, as part of the resolution of appeals on the 2GP, a range of new provisions have been added to the Plan. To minimise changes to numbering while appeals were being resolved, these new provisions were given X, Y, Z placeholders rather than being numbered in the usual style. Now that most appeals have been resolved, 2GP numbering is now being updated, section by section, to remove these placeholders and replace them with standard numbering. Alongside this, minor clause 16 amendments are also being made as required. This report includes the renumbering of provisions in **Section 9 Public Health and Safety**.

Minor technical and formatting errors in the 2GP will be amended, when found, on an ongoing basis and will not be reported in a summary table. This includes, but is not limited to, incorrect spelling, missing macrons, and incorrect use of italics/bold. ePlan data loading errors that result in the 2GP Plan text being incorrect will be amended within 7 days of occurrence. Data loading errors found and amended later than this will be reported in a summary table.

Please note this is not a complete list of all minor and inconsequential amendments necessary to correct any errors in the Plan’s text or in the 2GP Planning Map. The DCC will continue to identify these and make further amendments as required.

Change ID	Plan Section	Provision(s)	Change Made	Reason								
B13.01	9. Public Health and Safety	9.1 – Introduction	Remove comma: Earthworks activities often remove considerable amounts of soil, which if not undertaken appropriately, can create silt and sediment runoff...	Fix grammatical error: incorrect punctuation.								
B13.02	9. Public Health and Safety	9.1 – Introduction	Add colon: These controls include; restricting the amount of noise and light spill that activities can generate; requiring appropriate acoustic insulation...	Fix grammatical error: incorrect punctuation.								
B13.03	9. Public Health and Safety	Rule 9.3.1.7 – Acoustic Insulation	Add 'performance' to correct wording: 7. Any activity that contravenes this <u>performance</u> standard is a discretionary activity	Change to achieve style consistency: to align with wording of similar content.								
B13.04	9. Public Health and Safety	Rule 9.3.3.1 – Firefighting	Remove space in fire fighting: fire-fighting requirements	Change to achieve style consistency: to align with wording of similar content.								
B13.05	9. Public Health and Safety	Note 9.3.4A.4 (table header) – Other requirements outside of the District Plan	Amend table headers to sit in the correct column: <table><tr><th>Location</th><th>a. Maximum quantity of LPG Location</th><th>b. Maximum cylinder size a. Maximum quantity of LPG</th><th>b. Maximum cylinder size</th></tr><tr><td>1.</td><td>A detached house...</td><td>20kg per dwelling...</td><td>10kg cylinder...</td></tr></table>	Location	a. Maximum quantity of LPG Location	b. Maximum cylinder size a. Maximum quantity of LPG	b. Maximum cylinder size	1.	A detached house...	20kg per dwelling...	10kg cylinder...	Change to move content to clarify meaning: table headings were erroneously moved when appeal highlighting was added.
Location	a. Maximum quantity of LPG Location	b. Maximum cylinder size a. Maximum quantity of LPG	b. Maximum cylinder size									
1.	A detached house...	20kg per dwelling...	10kg cylinder...									
B13.06	9. Public Health and Safety	Rule 9.3.6 – Noise (table header)	Amend wording for clarity: Noise level measured at the boundary of the receiving property, or <u>in a rural, rural residential or Ashburn Clinic zone at the notional boundary of noise sensitive activities in a rural, rural residential or Ashburn Clinic zone</u>	Change to amend content to clarify meaning: table header rearranged and comma added to provide clarity regarding where the noise level is measured.								

Change ID	Plan Section	Provision(s)	Change Made	Reason
B13.07	9. Public Health and Safety	Rule 9.3.6.X.a, Rule 9.3.6.X.b – Noise	Amend incorrect unit used: LA e geg	Typographical error: incorrect spelling of unit.
B13.08	9. Public Health and Safety	Rule 9.3.6.7 – Noise	Amend wording for clarity: Except, the following activities are exempt from this standard <u>rules 9.3.6.1 and 9.3.6.2</u> :	Wording amended as a consequential change due to numbering of provision above (9.3.6.X renumbered as 9.3.6.2): 9.3.6.7 now no longer sits directly below the table so rewording adds clarity to the exemption.
B13.09	9. Public Health and Safety	Note 9.3.7.YA – General advice (renumbered as Note 9.3.2.4A), Note 9.3.7.ZA – General advice (renumbered as Note 9.3.2.5A), Note 9.3.7.ABA – General advice (renumbered as Note 9.3.2.6A)	Add clause into the note to plan users: 9.3.2.4A: <u>3. Where sites are connected to the public water supply network, the owner of the site (and not Council) owns and is responsible for the maintenance of the full length of pipe up to where it connects to the public infrastructure.</u> 9.3.2.5A: <u>7. Where sites are connected to the wastewater public infrastructure network, the owner of the site (and not Council) owns and is responsible for the maintenance of the full length of pipe up to where it connects to the public infrastructure.</u> 9.3.2.6A: <u>2. Where sites are connected to the stormwater public infrastructure network, the owner of the site (and not Council) owns and is responsible for the maintenance of the full length of pipe up to where it connects to the public infrastructure.</u>	Change to add information to clarify meaning: new clause added into relevant advice notes to clarify that the owner of the site is responsible for maintenance of the stretch of pipes that connect to 3 waters services, not the Council.

Change ID	Plan Section	Provision(s)	Change Made	Reason
B13.10	9. Public Health and Safety	Rule 9.3.6.7 – Noise	Amend ordered list to only have 'and' before the second to last item: n. noise generated by pyrotechnics and firing of a ceremonial cannon (see Rule 4.5.4.2.c); and o. noise generated by blasting in rural zones, as part of mineral exploration (see Rule 16.5.15); z... ... q. operation of the rail network (including trains on rail lines at railway yards, railway sidings or stations, and level crossing warning devices); <u>and</u> r. ...	Change to achieve style consistency: to align with 2GP Style Guide general formatting and spelling (Section 3). Provisions in list were moved as a result of Section 9 renumbering, therefore the list grammar needed amending so that the 'and' followed the second-last item in the list.
B13.11	9. Public Health and Safety	Rule 9.4 – Assessment of Controlled Activities	Add introduction to Rule 9.4 Assessment of Controlled Activities: <u>Rule 9.4.1 Introduction</u> <u>1. Controlled activities will be assessed in accordance with section 104 and 104A of the RMA. Council must grant the application and may impose conditions with respect to matters over which it has reserved its control.</u> <u>2. Rule 9.4.2:</u> <u>a. lists the matters over which Council has reserved its control; and</u> <u>b. provides guidance on how consent applications will be assessed, including:</u> <u>i. relevant objectives and policies, with respect to s104(1)(b)(vi); and</u> <u>ii. conditions that may be imposed.</u>	Change to achieve style consistency: to align with wording of similar content. All assessment of controlled activity sections in the 2GP have an introduction.

Change ID	Plan Section	Provision(s)	Change Made	Reason
B13.12	9. Public Health and Safety	Rule 9.5.1.2 and Rule 9.5.1.3 (new provision) – Assessment of Restricted Discretionary Activities (Performance Standard Contraventions)	Amend introduction to reference new assessment table: 2. Rules 9.5.2 and <u>9.5.3</u>: a. ... b. ... 3. <u>Rules 9.5.2 - 9.5.4 apply as follows:</u> <u>a. Rule 9.5.2 applies to all performance standard contraventions;</u> <u>b. Rule 9.5.3 applies to performance standard contraventions located in the public health and safety section and other plan sections; and</u> <u>c. Rule 9.5.4 applies to performance standards that apply in an overlay zone or mapped area.</u>	Change to add content to clarify meaning: content added to introduce the new assessment table (9.5.4) created for rules that apply in overlay zones and mapped areas (Change ID B13.18 below).

B13.13	9. Public Health and Safety	Rules 9.5.3.3, 9.5.3.10, 9.5.3.Z, 9.5.3.AB, and 9.5.3.13 – Assessment of Restricted Discretionary Activities (Performance Standard Contraventions) – Assessment table	Move provisions to new assessment table (9.5.4) for overlay zones and mapped areas for consistency with Plan content: <table><tr><th colspan="4">9.5.3 Assessment of performance standard contraventions</th></tr><tr><th colspan="2">Performance standard</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr><tr><td>3:</td><td>Density – standard residential in General Residential 2 Zone wastewater constraint mapped area (Rule 15.5.2.5.b)</td><td>a. Effects on efficiency and affordability of infrastructure (wastewater)</td><td><i>Relevant objectives and policies:</i> i. Objective 9.2.1. ii. NA X. Only allow land use activity in a wastewater serviced area where: 1. it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or 2. an unplanned upgrade to the public wastewater network that addresses any capacity constraints can be implemented prior to development with agreement from the DCC (Policy 9.2.1.1A). <i>General assessment guidance:</i> -iii. In determining whether Policy 9.2.1.1.A is achieved, Council will consider the cumulative effects of the proposed development together with existing development and permitted development that is likely to arise in the future.</td></tr><tr><td>10</td><td>In a hazard overlay zone: • Hazardous substances quantity limits and storage requirements</td><td>a. Risk from natural hazards</td><td>See Rule 11.4</td></tr><tr><td>Z</td><td>In a new development mapped area: • Service connections – stormwater</td><td>a. Effectiveness and efficiency of stormwater management and effects of stormwater</td><td><i>Relevant objectives and policies:</i> i. Objective 9.2.1 ii. Development in a new development mapped area that creates impermeable surfaces is connected to the</td></tr></table>	9.5.3 Assessment of performance standard contraventions				Performance standard		Matters of discretion	Guidance on the assessment of resource consents	3:	Density – standard residential in General Residential 2 Zone wastewater constraint mapped area (Rule 15.5.2.5.b)	a. Effects on efficiency and affordability of infrastructure (wastewater)	<i>Relevant objectives and policies:</i> i. Objective 9.2.1. ii. NA X. Only allow land use activity in a wastewater serviced area where: 1. it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or 2. an unplanned upgrade to the public wastewater network that addresses any capacity constraints can be implemented prior to development with agreement from the DCC (Policy 9.2.1.1A). <i>General assessment guidance:</i> -iii. In determining whether Policy 9.2.1.1.A is achieved, Council will consider the cumulative effects of the proposed development together with existing development and permitted development that is likely to arise in the future.	10	In a hazard overlay zone: • Hazardous substances quantity limits and storage requirements	a. Risk from natural hazards	See Rule 11.4	Z	In a new development mapped area: • Service connections – stormwater	a. Effectiveness and efficiency of stormwater management and effects of stormwater	<i>Relevant objectives and policies:</i> i. Objective 9.2.1 ii. Development in a new development mapped area that creates impermeable surfaces is connected to the	Change to align with 2GP Style Guide Plan drafting guidance (Section 2): assessment rules that apply only in overlays, mapped areas or scheduled items should be in a separate table (Change ID B13.18 below).
9.5.3 Assessment of performance standard contraventions																								
Performance standard		Matters of discretion	Guidance on the assessment of resource consents																					
3:	Density – standard residential in General Residential 2 Zone wastewater constraint mapped area (Rule 15.5.2.5.b)	a. Effects on efficiency and affordability of infrastructure (wastewater)	<i>Relevant objectives and policies:</i> i. Objective 9.2.1. ii. NA X. Only allow land use activity in a wastewater serviced area where: 1. it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or 2. an unplanned upgrade to the public wastewater network that addresses any capacity constraints can be implemented prior to development with agreement from the DCC (Policy 9.2.1.1A). <i>General assessment guidance:</i> -iii. In determining whether Policy 9.2.1.1.A is achieved, Council will consider the cumulative effects of the proposed development together with existing development and permitted development that is likely to arise in the future.																					
10	In a hazard overlay zone: • Hazardous substances quantity limits and storage requirements	a. Risk from natural hazards	See Rule 11.4																					
Z	In a new development mapped area: • Service connections – stormwater	a. Effectiveness and efficiency of stormwater management and effects of stormwater	<i>Relevant objectives and policies:</i> i. Objective 9.2.1 ii. Development in a new development mapped area that creates impermeable surfaces is connected to the																					

				for development (Rule 9.3.7.AA)	from future development	stormwater management system that meets Policy 9.2.1.Y (Policy 9.2.1.X): iii. Only allow subdivision in a new development mapped area where any new public or private 3 waters infrastructure is designed to connect to, and provide capacity for, future urban development on adjoining or nearby sites that are zoned for urban development, where necessary (Policy 9.2.1.AA). <i>General assessment guidance:</i> iv. Council will consider how stormwater will be managed and may require an integrated stormwater management plan to be submitted with the application (see Special Information Requirement—Rule 9.9.X). <i>Conditions that may be imposed include:</i> v. A requirement for easements, covenants, consent notices, or bonds to ensure future development will be in accordance with an integrated stormwater management plan. vi. A requirement for stormwater management, such as the installation of detention devices, in accordance with the approved integrated stormwater management plan.	
			AB	Setback from stormwater open watercourse mapped area (Rule 10.3.3)	a. Effects on the efficiency and affordability of infrastructure	<i>Relevant objectives and policies:</i> i. Objective 9.2.1 ii. Development adjacent to a stormwater open watercourse mapped area will not compromise the current or planned capacity of stormwater infrastructure (Policy 9.2.1.4B). <i>General assessment guidance:</i> iii. In determining whether Policy 9.2.1.4B is achieved, Council will consider the cumulative effects of the proposed development together with	

Change ID	Plan Section	Provision(s)	Change Made				Reason
						existing development and permitted development that is likely to arise in the future.	
			13	Maximum height within the Taieri Aerodrome flight fan mapped area	a. Effects on health and safety	<i>Relevant objectives and policies:</i> i. Objective 9.2.2 ii. Buildings and structures within the Taieri Aerodrome flight fan mapped area are a height that enables the safe operation of the aerodrome (Policy 9.2.2.14).	
B13.14	9. Public Health and Safety	Rule 9.5.3.7.a.iii – Assessment of performance standard contraventions – firefighting	Remove clause: iii. Subdivision that may result in new residential buildings ensures there is access to suitable water supply for firefighting purposes (Policy 9.2.2.9).				Change to remove content to clarify meaning. Clause iii was a duplicate of clause ii above. The phrasing of clause ii aligns better with Policy 9.2.2.9 that is being paraphrased and the 2GP Style Guide.
B13.15	9. Public Health and Safety	Rule 9.5.3.8 – Assessment of performance standard contraventions – Forestry and shelterbelts and small woodlots setbacks	Add missing rule reference: Forestry and shelterbelts and small woodlots setbacks (<u>rules 16.6.10.2 and 17.6.9.2</u>)				Change to add information to clarify meaning: to provide cross reference information.
B13.16	9. Public Health and Safety	Rule 9.5.3.9.a.v – Assessment of performance standard contraventions – Hazardous substances quantity limits and storage requirements	Change wording of 'arterial routes' to 'arterial roads' to link to the defined term in the 2GP: ...arterial routes <u>roads</u>				Fix hyperlinking error: wording change to enable definition pop-up.

Change ID	Plan Section	Provision(s)	Change Made	Reason												
B13.17	9. Public Health and Safety	Rule 9.5.3.9.a.X and Rule 9.8.3.2.ae – Assessment of performance standard contraventions – Hazardous substances quantity limits and storage requirements	Amend URL link to supporting document: ...will be guided by the New South Wales Government Risk Criteria for Land Use Safety Planning (refer https://2gp.dunedin.govt.nz/2gp/supportingdocuments.html <u>www.dunedin.govt.nz/2nd-generation-district-plan/supporting-documents</u>)	Change to amend content to clarify meaning: to provide updated URL for link to the referenced material.												
B13.18	9. Public Health and Safety	Rule 9.5.4 (new assessment table)	Create new assessment table for performance standard contraventions in overlay zones or mapped areas: <table><tr><th colspan="4">9.5.4 Assessment of performance standard contraventions in an overlay zone or mapped area</th></tr><tr><th colspan="2">Performance standard</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr><tr><td>1.</td><td>...</td><td></td><td></td></tr></table>	9.5.4 Assessment of performance standard contraventions in an overlay zone or mapped area				Performance standard		Matters of discretion	Guidance on the assessment of resource consents	1.	...			Change to align with 2GP Style Guide Plan drafting guidance (Section 2): assessment rules that apply only in overlays, mapped areas or scheduled items should be placed in a separate assessment table. See Change ID B13.13 above for provisions moved into this table.
9.5.4 Assessment of performance standard contraventions in an overlay zone or mapped area																
Performance standard		Matters of discretion	Guidance on the assessment of resource consents													
1.	...															
B13.19	9. Public Health and Safety	Rule 9.5.3.3 (new 9.5.4.1) and Rule 9.5.3.13 (new 9.5.4.5)	Amend wording of performance standards (9.5.3.3 and 9.5.3.13) to fit under the appropriate header in new assessment table 9.5.4 for overlay zones and mapped areas: 9.5.3.3 9.5.4.1 Density – standard residential in General Residential 2 Zone In a wastewater constraint mapped area: <u>Density - standard residential in General Residential 2 Zone</u> (Rule 15.5.2.5.b) 9.5.3.13 9.5.4.5 Maximum height within In the Taieri Aerodrome flight fan mapped area: <u>Maximum height</u>	Change to achieve style consistency: to align with wording of similar content.												

Change ID	Plan Section	Provision(s)	Change Made	Reason
B13.20	9. Public Health and Safety	Rule 9.5.3.3.a.iii – Assessment of Restricted Discretionary Activities (Performance Standard Contraventions)	Amend policy number referenced: Policy 9.2.1.1.A <u>9.2.1.2</u>	Renumbering: incorrect provision number referenced.
B13.21	9. Public Health and Safety	Rules 9.6.2.X.a.viii, 9.6.2.Y.a.iii, and 9.6.2.Y.a.vi – Assessment of Restricted Discretionary Activities	Amend wording: vested in the DCC <u>Council</u>	Change to achieve style consistency: to align with wording of similar content.
B13.22	9. Public Health and Safety	Rule 9.6.2.Y.a (header) – Assessment of Restricted Discretionary Activities	Add 'Rule' to Plan provision number: <i>Relevant objectives and policies (in addition to those outlined in <u>Rules</u> 9.6.2.2 and 9.6.2.X above):</i>	Change to achieve style consistency: to align with 2GP Style Guide general formatting and spelling.
B13.23	9. Public Health and Safety	Rule 9.6.2.Y.a.vi – Assessment of Restricted Discretionary Activities	Amend wording: ... along with a site containing it which is of a minimum <u>of</u> 500m ² in area and suitable for residential development.	Change to amend content to clarify meaning.
B13.24	9. Public Health and Safety	Rule 9.7.4 (assessment table subheading) – Assessment of discretionary performance standard contraventions	Amend subheading: Activity <u>Performance Standards</u>	Change to amend content to clarify meaning: incorrect term used as the table is referring to the assessment of non-complying performance standard contraventions, not activities.
B13.25	9. Public Health and Safety	Rule 9.7.4.1 – Assessment of discretionary performance standard contraventions – Acoustic insulation	Add subheadings to align with 2GP Style Guide: <i><u>Potential circumstances that may support a consent application include:</u></i> ... <i><u>General assessment guidance:</u></i> ...	Change to achieve style consistency: to align with 2GP Style Guide Plan drafting guidance (Section 2) and use the correct sub-headers for guidance on assessment of resource consents.

Change ID	Plan Section	Provision(s)	Change Made	Reason
B13.26	9. Public Health and Safety	Rule 9.9.1.X – Site management and emergency response plans	Amend list grammar and punctuation: ... c. mining (these plans may form part of a quarry management plan); <u>and</u> d. any activity that contravenes the Hazardous Substances Quantity Limits and Storage Requirements performance standard 9.3.4 7 .	Change to achieve style consistency: to align with 2GP Style Guide general formatting and spelling (Section 3).
B13.27	9. Public Health and Safety	Rule 9.9.Y.2.b.iv – Wastewater management plans	Amend list grammar by adding 'and' after the second last item: ... iv. where practicable, be located such that all flow goes to one communal wastewater detention system with no pumping; <u>and</u> v. ...	Change to achieve style consistency: to align with 2GP Style Guide general formatting and spelling (Section 3).
Changes made in other sections				
B13.28	15. Residential Zones	Rule 15.5.2.2 - Density	Amend wording for clarity: 2. One ancillary residential unit is allowed per site in association with a primary residential unit <u>in all zones, other than the GR2 and ICR zones</u> , where all of the following criteria are met:	Change to add content to clarify meaning: to clarify that this rule does not apply within the GR2 or ICR zones. This is already implied by rules 15.5.2.1.b to 15.5.2.1.e in the table above, which do not limit the number of residential units per site area in these zones, meaning that there is no need to comply with standards for 'ancillary residential units' in the case of an additional residential unit on a site.

Change ID	Plan Section	Provision(s)	Change Made	Reason
B13.29	A1.4 Designations	A1.4.5 Dunedin City Council – D635 Waikouaiti Waste Water Treatment Plant	Amend incorrect designation number: D365 <u>D635</u> Conditions	Fix typographical error.
B13.30	A1.4 Designations	A1.4.8 Kordia Limited - D297 Anzac Avenue Site and Planning Map	Remove Designation D297 from 2GP and Planning Map (as requested by Kordia Limited).	Change to remove content for clarity: Kordia Limited no longer require this designation for telecommunication and radiocommunication purposes.
B13.31	A1.4 Designations and Planning Map	A1.4.13 Minister of Education - D105 St Clair Primary School and Planning Map	Amend Planning Map: Section 1 SO 592437 added to Designation D105 St Clair Primary School Amend 2GP (D105 St Clair Primary School) to include part 146 Victoria Road: Location (address) - 135 Richardson Street <u>and part 146 Victoria Road</u> Dunedin	Change to amend content for clarity: minor alteration to designation D105 St Clair Primary School to include land from part 146 Victoria Road.
B13.32	Planning Map	Planning Map	Amend Planning Map: Move scheduled tree T1054 to correct position (30m to the North East) on the 2GP Planning Map.	Fix mapping error: minor change made to improve accuracy of position of scheduled tree.
B13.33	Planning Map	Planning Map	Amend Planning Map: Land rezoned from Hill Slopes Rural zoning to General Residential 1 zoning and North Road Residential Transition Overlay Zone removed from part of the site at 636 North Road, Dunedin.	Map updated to reflect zoning change.

Change ID	Plan Section	Provision(s)	Change Made	Reason
B13.34	Planning Map	Planning Map	Amend Planning Map: Land rezoned from Rural Residential 2 zoning to General Residential 1 zoning and Wakari Road Residential Transition Overlay Zone removed (225 Wakari Road, and part of 245, 265 and 301 Wakari Road).	Map updated to reflect zoning change.

List of renumbered provisions in Section 9 Public Health and Safety

Please note that the provisions with “deleted” in the new numbering column are those that had content removed during previous Plan updates. In these cases, “NA” was acting as a placeholder until the section was renumbered. Those with (cl.16) in the new numbering column are described in the Clause 16 amendments table above.

Original numbering	New numbering
Policy 9.2.1.1.a	Deleted
Policy 9.2.1.1.b	Policy 9.2.1.1.a
Policy 9.2.1.1.X	Policy 9.2.1.1.b
Policy 9.2.1.2	Deleted
Policy 9.2.1.1A	Policy 9.2.1.2
Policy 9.2.1.BB	Policy 9.2.1.9
Policy 9.2.1.Z	Policy 9.2.1.7
Policy 9.2.1.Y	Policy 9.2.1.10
Policy 9.2.1.X	Policy 9.2.1.11
Policy 9.2.1.AA	Policy 9.2.1.12
Policy 9.2.1.3.X	Policy 9.2.1.3.a
Policy 9.2.1.3.Y	Policy 9.2.1.3.b
Policy 9.2.1.3.AA	Policy 9.2.1.3.c
Policy 9.2.1.3.Z	Deleted (text remains)
Policy 9.2.1.4A	Policy 9.2.1.5
Policy 9.2.1.4B	Policy 9.2.1.6
Policy 9.2.1.5	Policy 9.2.1.8
Policy 9.2.1.6	Deleted
Policy 9.2.2.2.X	Policy 9.2.2.2.n
Policy 9.2.2.2.XX	Policy 9.2.2.2.o
Policy 9.2.2.8	Policy 9.2.2.7
Policy 9.2.2.9	Policy 9.2.2.8
Policy 9.2.2.10	Policy 9.2.2.9
Policy 9.2.2.11	Policy 9.2.2.10
Policy 9.2.2.13	Policy 9.2.2.11
Policy 9.2.2.14	Policy 9.2.2.12
Policy 9.2.2.15	Policy 9.2.2.13
Policy 9.2.2.X	Policy 9.2.2.14
9.3.1.4.X	9.3.1.4.n
9.3.1.4.XX	9.3.1.4.o

Original numbering	New numbering
9.3.4.1.c	Deleted
9.3.4.1.d	9.3.4.1.c
9.3.4.1.e	Deleted
9.3.4.1.f	Deleted
9.3.4.1.g	Deleted
9.3.4.1.h	9.3.4.1.d
9.3.4.3.Y	9.3.4.3.m
No numbering	9.3.6.1
9.3.6.1	9.3.6.1.a
9.3.6.1.a - c	9.3.6.1.a.i - iii
9.3.6.1.c.i & ii	9.3.6.1.a.iii.1 & 2
9.3.6.2	9.3.6.1.b
9.3.6.2.a - c	9.3.6.1.b.i - iii
9.3.6.2.c.i & ii	9.3.6.1.b.iii.1 & 2
9.3.6.3	9.3.6.1.c
9.3.6.3.a - c	9.3.6.1.c.i - iii
9.3.6.3.c.i & ii	9.3.6.1.c.iii.1 & 2
9.3.6.4	9.3.6.1.d
9.3.6.4.a - c	9.3.6.1.d.i - iii
9.3.6.4.c.i & ii	9.3.6.1.d.iii.1 & 2
9.3.6.5	9.3.6.1.e
9.3.6.5.a - c	9.3.6.1.e.i - iii
9.3.6.5.c.i & ii	9.3.6.1.e.iii.1 & 2
9.3.6.6	9.3.6.1.f
9.3.6.6.a - c	9.3.6.1.f.i - iii
9.3.6.6.c.i & ii	9.3.6.1.f.iii.1 & 2
9.3.6.X	9.3.6.2
9.3.6.7	9.3.6.3
9.3.6.7.Z	9.3.6.3.p
9.3.6.7.X	9.3.6.3.q
9.3.6.7.Y	9.3.6.3.r
9.3.6.8	9.3.6.4
9.3.6.9	9.3.6.5
9.3.6.10	9.3.6.6
9.3.7	9.3.2
9.3.7.1	Deleted
9.3.7.2	9.3.2.1

Original numbering	New numbering
9.3.7.3	Deleted
9.3.7.4	9.3.2.2
9.3.7.X	9.3.2.3
9.3.7.Y	9.3.2.4
Note 9.3.7.YA	Note 9.3.2.4A
Note 9.3.7.YA.a	Note 9.3.2.4A.1
Note 9.3.7.YA.b	Note 9.3.2.4A.2
New provision	Note 9.3.2.4A.3 (cl.16)
9.3.7.Z	9.3.2.5
Note 9.3.7.ZA	Note 9.3.2.5A
Note 9.3.7.ZA.a - f	Note 9.3.2.5A.1 - 6
New provision	Note 9.3.2.5A.7 (cl.16)
9.3.7.AA	9.3.2.7
Note 9.3.7.AAA	Note 9.3.2.7A
Note 9.3.7.AAA.a - g	Note 9.3.2.7A.1 - 7
Note 9.3.7.AB	Note 9.3.2.6
Note 9.3.7.ABA	Note 9.3.2.6A
Note 9.3.7.ABA.a	Note 9.3.2.6A.1
New provision	Note 9.3.2.6A.2 (cl.16)
New provision	9.4.1 (cl.16)
New provision	9.4.1.1 (cl.16)
New provision	9.4.1.2 (cl.16)
New provision	9.4.1.2.a (cl.16)
New provision	9.4.1.2.b (cl.16)
New provision	9.4.1.2.b.i (cl.16)
New provision	9.4.1.2.b.ii (cl.16)
9.4.1	9.4.2
9.4.1.1.a.ii	Deleted
9.4.1.1.a.X	9.4.2.1.a.ii
9.4.1.1.a.Y	9.4.2.1.a.iii
9.4.1.1.a.Z	9.4.2.1.a.iv
9.4.1.1.a.AA	9.4.2.1.a.v
New provision	9.5.1.3 (cl.16)
New provision	9.5.1.3.a - c (cl.16)
9.5.3.3	9.5.4.1 (moved; cl.16)
9.5.3.3.a.ii	Deleted
9.5.3.3.a.X	9.5.4.1.a.ii (moved; cl.16)

Original numbering	New numbering
9.5.3.X	9.5.3.2
9.5.3.X.a.ii	Deleted
9.5.3.X.a.X	9.5.3.2.a.ii
9.5.3.X.a.Y	9.5.3.2.a.iii
9.5.3.X.a.iii	9.5.3.2.a.iv
9.5.3.4	9.5.3.3
9.5.3.6	9.5.3.4
9.5.3.7	9.5.3.5
9.5.3.7.a.iii	Deleted (cl.16)
9.5.3.8	9.5.3.6
9.5.3.9	9.5.3.7
9.5.3.9.a.X	9.5.3.7.a.vii
9.5.3.9.a.vii	9.5.3.7.a.viii
9.5.3.9.a.viii	9.5.3.7.a.ix
9.5.3.10	9.5.4.2 (moved; cl.16)
9.5.3.11	9.5.3.8
9.5.3.11.a.ii	Deleted
9.5.3.11.a.X	9.5.3.8.a.ii
9.5.3.11.a.Y	9.5.3.8.a.iii
9.5.3.11.a.Z	9.5.3.8.a.iv
9.5.3.11.a.AA	9.5.3.8.a.v
9.5.3.11.a.AB	9.5.3.8.a.vi
9.5.3.12	9.5.3.9
9.5.3.12.a.ii.X	9.5.3.9.a.ii.1
9.5.3.12.a.ii.Y	9.5.3.9.a.ii.2
9.5.3.12.a.ii.AA	9.5.3.9.a.ii.3
9.5.3.12.a.ii.Z	Deleted (text remains)
9.5.3.Z	9.5.4.3 (moved; cl.16)
9.5.3.AA	9.5.3.10
9.5.3.AB	9.5.4.4 (moved; cl.16)
9.5.3.13	9.5.4.5 (moved; cl.16)
9.5.3.Y	9.5.3.11
New provision (assessment table)	9.5.4 (cl.16)
9.5.3.3	9.5.4.1 (cl.16)
9.5.3.3.a.ii	Deleted (cl.16)
9.5.3.3.a.X	9.5.4.1.a.ii (cl.16)
9.5.3.10	9.5.4.2 (cl.16)

Original numbering	New numbering
9.5.3.Z	9.5.4.3 (cl.16)
9.5.3.AB	9.5.4.4 (cl.16)
9.5.3.13	9.5.4.5 (cl.16)
9.6.2.Z	9.6.2.1
9.6.2.2.a.ii	Deleted
9.6.2.2.a.X	9.6.2.2.a.ii
9.6.2.2.a.Y	9.6.2.2.a.iii
9.6.2.2.a.Z	9.6.2.2.a.iv
9.6.2.X	9.6.2.4
9.6.2.Y	9.6.2.5
9.6.2.AA	9.6.2.6
9.7.3.1.c	Deleted
9.7.3.1.d - g	9.7.3.1.c - f
9.7.4.2.a	Deleted
9.7.4.2.X	9.7.4.2.a
9.7.4.2.Y	9.7.4.2.b
9.7.4.2.b	9.7.4.2.c
9.7.4.3.b	Deleted
9.7.4.3.X	9.7.4.3.b
9.7.4.3.Y	9.7.4.3.c
9.7.4.4.b	Deleted
9.7.4.4.c	Deleted
9.7.4.4.X	9.7.4.4.b
9.7.4.4.Y	9.7.4.4.c
9.8.3.2.x - ae	9.8.3.2.a - h
9.8.3.2.h	9.8.3.2.i
9.9.1.X	9.9.1.1
9.9.1.Y	9.9.1.2
9.9.X	9.9.3
Note 9.9.XA	Note 9.9.3A
9.9.Y	9.9.4

In-text numbering changes due to the renumbering of Section 9 Public Health and Safety

Plan Section(s)	Provision	Change Made
1. Plan Overview and Introduction	Definitions - Stadium Noise Events	Rule 9.3.6.1 <u>9.3.6.1.a</u>
1. Plan Overview and Introduction	Definitions - Stadium Noise Events	Rule 9.3.6.6 <u>9.3.6.1.f</u>
1. Plan Overview and Introduction	Definitions - Stadium Noise Events	Rule 9.3.6.7.e <u>9.3.6.3.e</u>
1. Plan Overview and Introduction	Definitions - Stadium Noise Events	Rule 9.3.6.7.k <u>9.3.6.3.k</u>
9. Public Health and Safety; 15. Residential Zones	9.2.1.X, Note 9.3.7.AAA.a, 9.5.3.Z.a.ii, 9.6.2.X.a.ii.2, 9.9.X.4.a, 15.8.22.3.c.iii.1	Policy 9.2.1.Y <u>9.2.1.10</u>
9. Public Health and Safety; 15. Residential Zones	9.2.1.Y, Note 9.3.7.AAA, 9.5.3.Z, 9.9.X.1.d, 15.6.15	Rule 9.3.7.AA <u>9.3.2.7</u>
9. Public Health and Safety	9.2.1.3.Z	for either {X}(a) , {Y}(b) or {AA}(c) ,
9. Public Health and Safety	9.3.6.3	Rule 9.3.6.X <u>9.3.6.2</u>
9. Public Health and Safety	9.3.7.2, 9.5.3.12	Rule 9.3.7.AB <u>9.3.2.6</u>
9. Public Health and Safety	9.3.7.2, 9.5.3.12	Rule 9.3.7.X <u>9.3.2.3</u>
9. Public Health and Safety	Note 9.3.7.ZA.2, 9.9.Y.1	Rule 9.6.2.Y <u>9.6.2.5</u>
9. Public Health and Safety; 15. Residential Zones	9.3.7.AA.a.i, Note 9.3.7.AAA, 9.4.1.1.a.AA, 9.5.3.11.a.Y, 9.5.3.Z.a.iv, 9.6.2.2.a.Y, 9.6.2.X.a.iv, 15.4.5.3, 15.4.6	Rule 9.9.X <u>9.9.3</u>
9. Public Health and Safety; 15. Residential Zones	9.4.1.1.a.X.3, 9.5.3.3.a.X.2, 9.5.3.X.a.X.2, 9.5.3.X.a.iii, 9.5.3.AA.a.ii.2, 9.6.2.Z.a.iii.3, 9.6.2.AA.a.ii.3, 9.7.4.4.X.ii, 9.8.2.2.a, 9.8.2.5.a, Note 15.5.2A.2	Policy 9.2.1.1A <u>9.2.1.2</u>
9. Public Health and Safety	9.4.1.1.a.Y.2, 9.5.3.11.a.X.2, 9.6.2.2.a.X.2, 9.8.2.5.a, 9.9.X.7	Policy 9.2.1.Z <u>9.2.1.7</u>
9. Public Health and Safety	9.5.3.1.a.ii	Policy 9.2.2.13 <u>9.2.2.11</u>
9. Public Health and Safety	9.5.3.4.a.ii, 9.5.3.Y.a.ii,	Policy 9.2.1.5 <u>9.2.1.8</u>
9. Public Health and Safety	9.5.3.6.a.ii	Policy 9.2.2.8 <u>9.2.2.7</u>
9. Public Health and Safety	9.5.3.7.a.ii	Policy 9.2.2.9 <u>9.2.2.8</u>

Plan Section(s)	Provision	Change Made
9. Public Health and Safety	9.5.3.9.a.ii	Policy 9-2-2-11 <u>9.2.2.10</u>
9. Public Health and Safety	9.5.3.12	Rule 9-3-7-2 <u>9.3.2.1</u>
9. Public Health and Safety	9.5.3.Z.a.ii	Policy 9-2-1-X <u>9.2.1.11</u>
9. Public Health and Safety	9.5.3.Z.a.iii, 9.6.2.X.a.iii	Policy 9-2-1-AA <u>9.2.1.12</u>
9. Public Health and Safety	9.5.3.AA.a.iv.2, 9.6.2.Z.a.v.2, 9.7.4.2.Y.ii, 9.7.4.3.Y.ii, 9.8.2.2.a, 9.8.2.5.a	Policy 9-2-1-4A <u>9.2.1.5</u>
9. Public Health and Safety	9.5.3.AB.a.ii, 9.5.3.AB.a.iii	Policy 9-2-1-4B <u>9.2.1.6</u>
9. Public Health and Safety	9.5.3.13.a.ii	Policy 9-2-2-14 <u>9.2.2.12</u>
9. Public Health and Safety	9.6.2.3.a.ii	Policy 9-2-2-10 <u>9.2.2.9</u>
9. Public Health and Safety	9.6.2.Y.a (heading)	Rule 9-6-2-X <u>9.6.2.4</u>
9. Public Health and Safety	9.6.2.Y.a.ii	Policy 9-2-1-BB <u>9.2.1.9</u>
9. Public Health and Safety	9.6.2.Y.a.iv	Rule 9-9-Y <u>9.9.4</u>
9. Public Health and Safety; 16. Rural Zones; 18. Commercial and Mixed Use Zones; 19. Industrial Zones; 20. Recreation Zone; 32. Stadium	9.8.3.2.y, 16.12.3.X.a, 18.2.3.10.a, 19.12.2.7.a, 20.12.3.6.a, 32.11.2.3.a	Policy 9-2-2-15 <u>9.2.2.13</u>
12. New Urban Land Provisions	12.3.4.1.b.ii	Rule 9-9-X-4 <u>9.9.3.4</u>
12. New Urban Land Provisions; 15. Residential Zones; 17. Rural Residential Zones; 18. Commercial and Mixed Use Zones; 19. Industrial Zones; 20. Recreation Zone; 34. Campus	12.X.2.5.f.iv, 15.7.5, 15.8.18.3.d.vi, 15.8.23.3.b.vi, 17.7.4, 18.7.4, 19.7.4, 20.7.4, 34.7.4	Rule 9-3-7 <u>9.3.2</u>
15. Residential Zones	15.8.26.1.b.i	Rule 9-3-7-Y <u>9.3.2.4</u>
16. Rural Zones	16.9.3.X.e.ii	Policy 9-2-1-1-b <u>9.2.1.1.a</u>
17. Rural Residential Zones	17.Y.YY.8.a, 17.Y.YY.8.c.iv, 17.Y.ZZ.3.a, 17.Y.ZZ.3.c.iv	Rule 9-6-2-Z <u>9.6.2.1</u>
17. Rural Residential Zones	17.Y.YY.9.b.i	Rule 9-9-X-7 <u>9.9.3.7</u>
A6. Hazardous Substances Quantity Limits	A6.3.1	Rule 9-3-4-1-d <u>9.3.4.1.c</u>