



Summary table of minor and inconsequential amendments made following notification of the 2GP

May 2022

This table includes further amendments made in accordance with Schedule 1, clause 16(2) of the Resource Management Act as part of the release of the first decision on Variation 2 to the 2GP on 31 May 2022.

Clause 16(2) of Schedule 1 of the RMA allows a local authority to make an amendment where the alteration “is of minor effect”, and to correct any minor errors, without needing to go through the submission and hearing process.

The changes of minor effect being made are minor wording changes to improve clarity of wording, where this does not change the meaning. This includes changes to ensure consistent terminology and phrasing is used throughout the plan where it is intended to mean the same thing (clarity error/change of minor effect to improve clarity).

Minor technical and formatting errors in the 2GP will be amended, when found, on an ongoing basis and will not be reported in a summary table. This includes, but is not limited to, incorrect spelling, missing macrons, and incorrect use of italics/bold. ePlan data loading errors that result in the 2GP Plan text being incorrect will be amended within 7 days of occurrence. Data loading errors found and amended later than this will be reported in a summary table.

Please note this is not a complete list of all minor and inconsequential amendments necessary to correct any errors in the Plan’s text or in the 2GP Planning Map. The DCC will continue to identify these and make further amendments as required.

Change ID	Plan Section	Provision	Change Made	Reason
B9.1	1. Plan Overview and Introduction	1.4.1 Definition of Social Housing	Amend the wording of the definition of Social Housing as follows: Residential activity where premises are let by or on behalf of the DCC, or by Kāinga Ora-Homes and Communities, or a registered community housing provider, where in accordance with the Public and Community Housing Management Act 1992. <u>Social housing is a sub-activity of standard residential.</u>	Change to correct punctuation in order to appropriately delineate the list element from the dependent clause element which applies to the whole list.
B9.2	2. Strategic Directions	Policy 2.6.2.AA	Change the reference to Policy 2.6.1.3 to Policy 2.6.1.4: Ensure that any plan change that proposes a new residential zoning area (in accordance with Policy 2.6.2.1) or a new rural residential zoning area (in accordance with policies 2.6.1.3, 4 to 2.6.1.5)	Renumbering: fix cross-reference error due to Plan renumbering (Policy 2.6.1.3 has been deleted from the 2GP since notification of Variation 2 as part of the resolution of 2GP appeals).
B9.3	2. Strategic Directions	Policy 2.7.1.2	Amend the list grammar so semi-colons, the use of “and”, and full stops are correctly placed: c. ... ; and Z. policies and assessment rules for new development mapped areas that encourage efficient use of land as a way to maximise the cost effectiveness of public infrastructure delivery ; <u>and</u>	Fix grammatical error: incorrect punctuation.
B9.4	2. Strategic Directions	Policy 2.7.1.2.a	Amend the wording as follows: ...rules for structure planned mapped areas ...	Fix grammatical error: incorrect word used (not the correct name for the mapped area).

Change ID	Plan Section	Provision	Change Made	Reason
B9.5	6. Transportation	Rule 6.11.2.7.a.Y Assessment of restricted discretionary activities (activities located in zones): All subdivision activities (all zones)	Change "fewer than 12 sites" to "12 or fewer sites" as follows: Y. Council will generally require any vehicle accessway that serves more than 12 sites to be vested in the DCC as a road but may also require vehicle accessways that serve fewer than 12 <u>or fewer</u> sites....	Change to achieve style consistency: to align with wording of similar content and to have numbering delineation consistent.
B9.6	9. Public Health and Safety	Multiple: Policy 9.2.1.3.X Rule 9.5.3.12.a.ii.X: Assessment of performance standard contraventions: Service connections (rules 9.3.7.2, 9.3.7.X – 9.3.7.Z and 9.3.7.AB) for subdivision	Remove the reference to "network" after "electricity" and add an "s" to the "network" which is after telecommunications: have access to electricity network and telecommunications <u>networks</u>	Fix grammatical error: adjust wording to plural form as a consequence of other changes made as part of the decision.
B9.7	9. Public Health and Safety	Rule 9.3.7.AA Stormwater for development	Refer to "development activities" instead of just "development" and delete the "s" from the end of "creates" as follows: a. In a new development mapped area , all development <u>activities</u> that creates an impermeable surface and new roads or additions or alterations to existing roads must:	Change to add information to clarify meaning: refer to the defined term of "development activities" to ensure the provision links to the definition to aid interpretation.
B9.8	9. Public Health and Safety	Note 9.3.7.AAA – General advice and other requirements outside of the District Plan	Correct a reference to Rule 9.3.7.AA rather than Rule 9.3.X: ... a resource consent will be required under Rule 9.3.X <u>9.3.7.AA</u> to enable an integrated stormwater management plan to be assessed.	Renumbering: incorrect provision number referenced in error.

Change ID	Plan Section	Provision	Change Made	Reason
B9.9	9. Public Health and Safety	Rule 9.4.1.1.a.X Assessment of controlled activities: Student hostels in the Campus Zone	Amend the paraphrasing of Policy 9.2.1.1A to correctly reflect the policy content in accordance with the 2GP Style Guide: X. Only allow land use activities that may result in land use or development activities in a wastewater serviced area where: 1. it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or 2. for controlled and restricted discretionary land use activities, communal on-site wastewater detention infrastructure can be integrated into the public wastewater network prior to development in a way that meets DCC's requirements; or...	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.10	9. Public Health and Safety	Rule 9.4.1.1.a.Y Assessment of controlled activities: Student hostels in the Campus Zone	Amend the paraphrasing of Policy 9.2.1.Z to correctly reflect the policy content in accordance with the 2GP Style Guide: Y. Only allow supported living facilities where: 1. for stormwater generated by the activity (or future development enabled by a subdivision) that will flow through DCC stormwater public infrastructure at any point: 1. there is adequate capacity in the stormwater public infrastructure; or 2. any adverse effects from an increase in discharge on the stormwater public infrastructure are no more than minor; and 2. for stormwater generated by the activity (or future development enabled by a subdivision) that will flow through a private, natural/informal stormwater system...	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.

Change ID	Plan Section	Provision	Change Made	Reason
B9.11	9. Public Health and Safety	Rule 9.4.1.1.a.Z Assessment of controlled activities: Student hostels in the Campus Zone	Amend the paraphrasing of Policy 9.2.1.4 to correctly reflect the policy content in accordance with the 2GP Style Guide: Z. Only allow land use activities that may result in land use or development activities in an area with public water supply where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.12	9. Public Health and Safety	Rule 9.5.3.3.a.X Assessment of performance standard contraventions: Density – standard residential in General Residential 2 Zone wastewater constraint mapped area (Rule 15.5.2)	Amend the paraphrasing of Policy 9.2.1.1A to correctly reflect the policy content in accordance with the 2GP Style Guide: X. Only allow land use activities that may result in land use or development activities in a wastewater serviced area where: 1. it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or 2. for controlled and restricted discretionary land use activities, communal on-site wastewater detention infrastructure can be integrated into the public wastewater network prior to development in a way that meets DCC's requirements; or	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.

Change ID	Plan Section	Provision	Change Made	Reason
B9.13	9. Public Health and Safety	Rule 9.5.3.X.a.X Assessment of performance standard contraventions: Density – standard residential in ICR Zone (Rule 15.5.2.4.d)	Amend the paraphrasing of Policy 9.2.1.1A to correctly reflect the policy content in accordance with the 2GP Style Guide: X. Only allow land use or subdivision activities that may result in land use or development activities in a wastewater serviced area where: 1. it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or 2. for restricted discretionary land use activities, communal on-site wastewater detention infrastructure can be integrated into the public wastewater network prior to development in a way that meets DCC's requirements; or	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.14	9. Public Health and Safety	Rule 9.5.3.X.a.Y Assessment of performance standard contraventions: Density – standard residential in ICR Zone (Rule 15.5.2.4.d)	Amend the paraphrasing of Policy 9.2.1.4 to correctly reflect the policy content in accordance with the 2GP Style Guide: Y. Only allow land use or subdivision activities that may result in land use or development activities in an area with public water supply where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.

Change ID	Plan Section	Provision	Change Made	Reason
B9.15	9. Public Health and Safety	Rule 9.5.3.11.a.X Assessment of performance standard contraventions: Maximum building site coverage and impermeable surfaces	Amend the paraphrasing of Policy 9.2.1.Z to correctly reflect the policy content in accordance with the 2GP Style Guide: X. Only allow development that contravenes the impermeable surfaces performance standard, where: 1. for stormwater generated by the activity (or future development enabled by a subdivision) that will flow through DCC stormwater public infrastructure at any point: 1. there is adequate capacity in the stormwater public infrastructure; or 2. any adverse effects from an increase in discharge on the stormwater public infrastructure are no more than minor; and 2. for stormwater generated by the activity (or future development enabled by a subdivision) that will flow through a private, natural/informal stormwater system...	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.16	9. Public Health and Safety	Rule 9.5.3.Z.a.ii Assessment of performance standard contraventions: In a new development mapped area : • Service connections – stormwater for development (Rule 9.3.7.AA)	Correct the paraphrasing of Policy 9.2.1.X: ii. Require development in a new development mapped area that creates impermeable surfaces to be is connected to the stormwater management system that meets Policy 9.2.1.Y (Policy 9.2.1.X).	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide.

Change ID	Plan Section	Provision	Change Made	Reason
B9.17	9. Public Health and Safety	Rule 9.5.3.AA.a.ii Assessment of performance standard contraventions: Density Social housing in the GR1 Zone or T&S Zone (except in a no DCC reticulated wastewater mapped area) (Rule 15.5.2.4.Y)	Amend the paraphrasing of Policy 9.2.1.1A to correctly reflect the policy content in accordance with the 2GP Style Guide: ii. Only allow land use activities that may result in land use or development activities in a wastewater serviced area where: - it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or for controlled and restricted discretionary land use activities, communal on-site wastewater detention infrastructure can be integrated into the public wastewater network prior to development in a way that meets DCC's requirements; or	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.18	9. Public Health and Safety	Rule 9.5.3.AA.a.iii Assessment of performance standard contraventions: Density Social housing in the GR1 Zone or T&S Zone (except in a no DCC reticulated wastewater mapped area) (Rule 15.5.2.4.Y)	Amend the paraphrasing of Policy 9.2.1.4 to correctly reflect the policy content in accordance with the 2GP Style Guide: iii. Only allow land use activities that may result in land use or development activities in an area with public water supply where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.

Change ID	Plan Section	Provision	Change Made	Reason
B9.19	9. Public Health and Safety	Rule 9.5.3.AA.a.iv Assessment of performance standard contraventions: Density Social housing in the GR1 Zone or T&S Zone (except in a no DCC reticulated wastewater mapped area) (Rule 15.5.2.4.Y)	Amend the paraphrasing of Policy 9.2.1.4A to correctly reflect the policy content in accordance with the 2GP Style Guide: iv. Only allow land use activities that may result in land use or development activities in an area without public water supply where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.20	9. Public Health and Safety	Rule 9.6.2.Z.a.iii.2 Assessment of restricted discretionary activities: All RD activities that have 'effects on efficiency and affordability of infrastructure' as a matter of discretion	Amend the paraphrasing of Policy 9.2.1.1A to correctly reflect the policy content in accordance with the 2GP Style Guide: 2. for controlled and restricted discretionary land use activities, communal on-site wastewater detention infrastructure can be integrated into the public wastewater network prior to development in a way that meets DCC's requirements; or	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.

Change ID	Plan Section	Provision	Change Made	Reason
B9.21	9. Public Health and Safety	Rule 9.6.2.2.a.X Assessment of restricted discretionary activities: - Supported living facilities (except student hostels in the Campus Zone) <u>New buildings or additions and alterations to buildings that result in a multi-unit development</u> <u>Subdivision activities</u>	Amend the paraphrasing of Policy 9.2.1.Z to correctly reflect the policy content in accordance with the 2GP Style Guide: X. Only allow multi-unit development; supported living facilities; or subdivision; or development that contravenes the impermeable surfaces performance standard, where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.22	9. Public Health and Safety	Rule 9.6.2.Y Assessment of restricted discretionary activities	Correct the description of the activity to which the assessment rule applies so that the wording for multi-unit development is consistent with the related provisions in Section 15 by referring to it as “new buildings or additions and alterations to buildings that result in a multi-unit development”: In the following new development mapped areas, all subdivision activities, <u>new buildings or additions and alterations to buildings that result in a multi-unit development</u>, and supported living facilities:	Change to achieve style consistency: to align with wording of similar content.

Change ID	Plan Section	Provision	Change Made	Reason
B9.23	9. Public Health and Safety	Rule 9.6.2.Y.a.ii Assessment of restricted discretionary activities: In the following new development mapped areas, all subdivision activities, new buildings or additions and alterations to buildings that result in a multi-unit development, and supported living facilities:	Correct the paraphrasing of Policy 9.2.1.BB: ii. Require a Subdivision, multi-unit development or supported living facilities in specified new development mapped areas to provide or connects to a communal wastewater detention system that ensures that all wastewater from the future development of the entire new development mapped area does not exceed the capacity of the wastewater public infrastructure network (Policy 9.2.1.BB).	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide.
B9.24	9. Public Health and Safety	Rule 9.7.4.3.X Assessment of discretionary performance standard contraventions: Density (papakāika) in rural zones	Amend the paraphrasing of Policy 9.2.1.1 to correctly reflect the policy content in accordance with the 2GP Style Guide: X. Only allow land use activities that may result in land use or development activities in an area without public water supply where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.25	9. Public Health and Safety	Rule 9.7.4.3.Y Assessment of discretionary performance standard contraventions: Density (papakāika) in rural zones	Amend the paraphrasing of Policy 9.2.1.4A to correctly reflect the policy content in accordance with the 2GP Style Guide: Y. Only allow land use activities that may result in land use or development activities in an area without public water supply where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.

Change ID	Plan Section	Provision	Change Made	Reason
B9.26	9. Public Health and Safety	Rule 9.7.4.4.X Assessment of discretionary performance standard contraventions: Density (visitor accommodation in residential zones and the Campus Zone)	Amend the paraphrasing of Policy 9.2.1.1A to correctly reflect the policy content in accordance with the 2GP Style Guide: X. Only allow land use activities that may result in land use or development activities in a wastewater serviced area where: i. it will not exceed the current or planned capacity of that infrastructure at the time of development or compromise its ability to service any permitted activities; or ii. for controlled and restricted discretionary land use activities, communal on-site wastewater detention infrastructure can be integrated into the public wastewater network prior to development in a way that meets DCC's requirements; or	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.27	9. Public Health and Safety	Rule 9.7.4.4.Y Assessment of discretionary performance standard contraventions: Density (visitor accommodation in residential zones and the Campus Zone)	Amend the paraphrasing of Policy 9.2.1.4 to correctly reflect the policy content in accordance with the 2GP Style Guide: Y. Only allow land use activities that may result in land use or development activities in an area with public water supply where:	Change to achieve style consistency: to align paraphrasing of policy content with guidance in the 2GP Style Guide by only referring to the activities stated in the policy that are relevant to this assessment rule.
B9.28	9. Public Health and Safety	Rule 9.9.Y.2.b.i Wastewater management plans	Remove a superfluous "to" as follows: i. have the capacity to detain wastewater for a 24-hour period, prior to releasing to the wastewater via a connection to the wastewater public infrastructure network...	Fix grammatical error: remove extra word.

Change ID	Plan Section	Provision	Change Made	Reason
B9.29	15. Residential Zones	Multiple: Rule 15.4.4 and proposed Rule 15.4.X: Notification	Merge proposed Rule 15.4.X into Rule 15.4.4 by adding a colon before “ancillary residential units” and splitting this into a new Rule 15.4.X, deleting the duplicate words at the start of old Rule 15.4.X and renumbering it as clause Y: 4. With respect to sections 95D(b) and 95E(2)(a) of the RMA, Council will not consider: <u>X.</u> ancillary residential units as part of the permitted baseline in considering residential density effects in the residential zones; <u>and</u> X.Y. With respect to sections 95D(b) and 95E(2)(a) of the RMA, Council will not consider potential permitted new buildings and structures or compliance with the maximum building site coverage and impermeable surfaces performance standard (Rule 15.6.10) as part of the permitted baseline in considering the effects of subdivision activities on stormwater management in the residential zones.	Change to achieve style consistency: by addressing all permitted baseline lines in a single clause, and not duplicating content.
B9.30	15. Residential Zones	Rule 15.7.4.2.X Minimum site size	Amend numbering: X. subdivision as described in Rule 15.7.4.1.j.1<u>X.1</u> that does not meet the conditions in Rule 15.7.4.1.j.2<u>X.2</u>; and	Renumbering: incorrect rule number referenced.
B9.31	15. Residential Zones	Rule 15.7.4.2.a.ii Minimum site size	Remove the superfluous “where”: the average of the site sizes (excluding any sites that will be used solely for road, access, utility or reserve) meets the minimum site size in Rule 15.7.4.17<u>;</u>where;	Fix grammatical error: remove extra word.

Change ID	Plan Section	Provision	Change Made	Reason								
B9.32	15. Residential Zones	Rule 15.10.4.Y Assessment of development performance standard contraventions	Move Assessment Rule 15.10.4.Y (assessment rule for service connections – stormwater for development in a new development mapped area) from the assessment table for restricted discretionary development standard contraventions to Rule 15.10.6.AA for restricted discretionary performance standard contraventions in a mapped area, and renumber as 15.10.6.AB. <table><tr><th colspan="2">Performance standard</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr><tr><td>Y.</td><td> In a new development mapped area: • Service connections – stormwater </td><td> a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development </td><td> See Rule 9.5. </td></tr></table>	Performance standard		Matters of discretion	Guidance on the assessment of resource consents	Y.	In a new development mapped area: • Service connections – stormwater	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	See Rule 9.5.	Change to achieve style consistency: assessment rule moved to the correct table for contraventions in a mapped area.
Performance standard		Matters of discretion	Guidance on the assessment of resource consents									
Y.	In a new development mapped area: • Service connections – stormwater	a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development	See Rule 9.5.									
B9.33	15. Residential Zones	Rule 15.10.6.AB Assessment of restricted discretionary performance standard contraventions in an overlay zone, mapped area, heritage precinct or affecting a scheduled heritage item	Move Assessment Rule 15.10.4.Y (assessment rule for service connections – stormwater for development in a new development mapped area) from the assessment table for restricted development standard contraventions to Rule 15.10.6.AA for restricted discretionary performance standard contraventions in a mapped area, and renumber as 15.10.6.AB. <table><tr><th colspan="2">Activity</th><th>Matters of discretion</th><th>Guidance on the assessment of resource consents</th></tr><tr><td>AA AB.</td><td> <u>In a new development mapped area:</u> <u>• Service connections – stormwater for development</u> </td><td> <u>a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development</u> </td><td> <u>See Rule 9.5.</u> </td></tr></table>	Activity		Matters of discretion	Guidance on the assessment of resource consents	AA AB.	<u>In a new development mapped area:</u> <u>• Service connections – stormwater for development</u>	<u>a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development</u>	<u>See Rule 9.5.</u>	Change to achieve style consistency: assessment rule moved to the correct table for contraventions in a mapped area.
Activity		Matters of discretion	Guidance on the assessment of resource consents									
AA AB.	<u>In a new development mapped area:</u> <u>• Service connections – stormwater for development</u>	<u>a. Effectiveness and efficiency of stormwater management and effects of stormwater from future development</u>	<u>See Rule 9.5.</u>									

Change ID	Plan Section	Provision	Change Made	Reason
B9.34	15. Residential Zones	Rule 15.12.3.X Assessment of discretionary performance standard contraventions: Structure plan mapped area performance standards: Areas of Restricted Development (Hazard)	Change the numbering of 15.12.3.X to 15.12.3.Y: 15.12.3.X<u>Y</u>	Renumbering: numbering amended so that there are separate rules for Change IN07 and GF05 as rules for GF05 will be considered separately in the decision after Hearing 4.
B9.35	27. Mercy Hospital	Rule 27.11.3.1 Assessment of discretionary performance standard contraventions: Small scale buildings and structures: - Footprint greater than 40m² (Rule 27.6.3.1.a) - Used for clinical services (Rule 27.6.3.1.c)	Delete the paraphrasing of Policy 9.2.1.Z because the policy does not apply to the activity in that assessment rule and had been included in error: X. Only allow multi-unit development, supported living facilities, subdivision, or development that contravenes the impermeable surfaces performance standard, where: i. for stormwater generated by the activity (or future development enabled by a subdivision) that will flow through DCC stormwater public infrastructure at any point: 1. there is adequate capacity in the stormwater public infrastructure; or 2. any adverse effects from an increase in discharge on the stormwater public infrastructure are no more than minor; and ii. for stormwater generated by the activity (or future development enabled by a subdivision) that will flow through a private, Otago Regional Council, or natural/informal stormwater system at any point, that stormwater system has the capacity to absorb the additional stormwater with no more than minor adverse effects on other sites (public or private), including but not limited to, adverse effects from an increase in overland flow or ponding (Policy 9.2.1.Z).	Change to remove content to clarify meaning: to remove content that was included in error.

List of provision number differences between the Variation 2 (Additional Housing Capacity) First Decision Report and the Dunedin City Second Generation District Plan.

Provision number in V2 report	Provision number in Plan
2.2.2.4.X.X	2.2.2.4.X.i
2.2.2.4.X.Y	2.2.2.4.X.ii
6.11.2.7.a.Y	6.11.2.7.a.AC
6.11.2.7.a.Y.1	6.11.2.7.a.AC.1
6.11.2.7.a.Y.2	6.11.2.7.a.AC.2
6.11.2.7.a.Y.2.i	6.11.2.7.a.AC.2.i
6.11.2.7.a.Y.2.ii	6.11.2.7.a.AC.2.ii
6.11.2.7.a.Y.3	6.11.2.7.a.AC.3
6.11.2.7.a.AC	6.11.2.7.AD
6.11.2.7.a.AC.x	6.11.2.7.a.AD.1
6.11.2.7.a.AC.y	6.11.2.7.a.AD.2
6.11.2.7.a.AC.z	6.11.2.7.a.AD.3
6.11.2.7.a.AC.aa	6.11.2.7.a.AD.4
6.11.2.7.a.YY	6.11.2.7.a.AE
6.11.2.7.a.AA	6.11.2.7.a.AF
6.11.2.7.a.AA.iv	6.11.2.7.a.AF.iv
6.11.2.8.a.iii	6.11.2.8.a.X
6.11.2.8.a.iii.1	6.11.2.8.a.X.1
6.11.2.8.a.iii.2	6.11.2.8.a.X.2

Provision number in V2 report	Provision number in Plan
6.11.2.8.a.iii.2.1	6.11.2.8.a.X.2.1
6.11.2.8.a.iii.2.2	6.11.2.8.a.X.2.2
6.11.2.8.a.iii.3	6.11.2.8.a.X.3
6.11.2.8.a.X	6.11.2.8.a.Y
6.11.2.8.a.Y	6.11.2.8.a.Z
6.11.2.8.a.Z	6.11.2.8.a.AA
6.11.2.8.a.AA	6.11.2.8.a.AB
Note 9.3.7AB	Note 9.3.7.ABA
Note 9.3.7AB.a	Note 9.3.7.ABA.a
9.5.3.3.a.X.3	9.5.3.3.a.X.2
9.5.3.X.a.X.3	9.5.3.X.a.X.2
9.5.3.AA.a.ii.3	9.5.3.AA.a.ii.2
9.5.3.BB	9.5.3.AB
9.5.3.BB.a.i	9.5.3.AB.a.i
9.5.3.BB.a.ii	9.5.3.AB.a.ii
9.5.3.BB.a.iii	9.5.3.AB.a.iii
9.6.2.X.a.X	9.6.2.X.a.v
9.6.2.X.a.X.1	9.6.2.X.a.v.1
9.6.2.X.a.X.2	9.6.2.X.a.v.2
9.6.2.X.a.X.3	9.6.2.X.a.v.3
9.6.2.X.a.X.4	9.6.2.X.a.v.4

Provision number in V2 report	Provision number in Plan
9.6.2.X.a.X.5	9.6.2.X.a.v.5
9.6.2.X.a.v	9.6.2.a.vi
9.6.2.X.a.vi	9.6.2.a.vii
9.6.2.X.a.vii	9.6.2.a.viii
9.7.4.4.X.iii	9.7.4.4.X.ii
9.9.X.3.c	9.9.X.3.b
9.9.X.3.d	9.9.X.3.c
9.9.X.3.e	9.9.X.3.d
12.X.2.5.d.i (second i)	12.X.2.5.d.ii
12.X.2.5.d.X	12.X.2.5.d.iii
12.X.2.5.d.X.1	12.X.2.5.d.iii.1
12.X.2.5.d.X.2	12.X.2.5.d.iii.2
12.X.2.5.d.X.3	12.X.2.5.d.iii.3
12.X.2.5.d.X.4	12.X.2.5.d.iii.4
12.X.2.5.d.X.5	12.X.2.5.d.iii.5
12.X.2.5.d.X.6	12.X.2.5.d.iii.6
12.X.2.5.d.Y	12.X.2.5.d.iv
12.X.2.5.d.Y.1	12.X.2.5.d.iv.1
12.X.2.5.d.Y.2	12.X.2.5.d.iv.2
12.X.2.5.d.Y.3	12.X.2.5.d.iv.3
12.X.2.5.d.iii	12.X.2.5.d.v

Provision number in V2 report	Provision number in Plan
12.X.2.5.d.iv	12.X.2.5.d.vi
15.3.5.1.Y (second Y)	15.3.5.1.X
15.3.5.2.AA	15.3.5.2.Y
15.4.4 (missing number)	15.4.4.X
15.4.4.X	15.4.4.Y
15.4.Y	15.4.Z
15.5.2.1.k.1	15.5.2.1.k.i
15.5.2.1.k.2	15.5.2.1.k.ii
15.5.2.1.k.2.1	15.5.2.1.k.ii.1
15.5.2.1.k.2.1.X	15.5.2.1.k.ii.1.X
15.5.2.1.k.2.1.Y	15.5.2.1.k.ii.1.Y
15.6.10.Y	15.6.10.X
15.6.10.Y.a	15.6.10.X.a
15.6.10.Y.a.i	15.6.10.X.a.i
15.6.10.Y.a.ii	15.6.10.X.a.ii
15.6.10.Y.b	15.6.10.X.b
15.6.10.Y.c	15.6.10.X.c
15.6.10.Y.d	15.6.10.X.d
15.6.10.Y.d.i	15.6.10.X.d.i
15.6.10.Y.d.ii	15.6.10.X.d.ii
15.10.6.Y	15.10.6.Z

Provision number in V2 report	Provision number in Plan
15.10.6.Y.a	15.10.6.Z.a
15.10.6.Y.a.i	15.10.6.Z.a.i
15.10.6.Y.a.ii	15.10.6.Z.a.ii
15.10.6.Y.a.iii	15.10.6.Z.a.iii
15.10.6.Y.a.iv	15.10.6.Z.a.iv
15.10.6.Z	15.10.6.AA
15.10.6.Z.a	15.10.6.AA.a
15.10.6.AA	15.10.6.AB
15.10.6.AA.a	15.10.6.AB.a
15.11.5.AA	15.11.5.AB
15.11.5.AA.a	15.11.5.AB.a
27.11.3.1.d.1	27.11.3.1.d.i
27.11.3.1.d.2	27.11.3.1.d.ii
27.11.3.1.d.3	27.11.3.1.d.iii
27.11.3.1.d.4	27.11.3.1.d.iv