From:

To: southernsteel.bldgs@xtra.co.nz Response to official information request Subject: Tuesday, 14 February 2017 11:25:49 a.m. Date:

Attachments: image001.png

> Aramoana attachments to emails Redacted.pdf Aramoana emails in date order Redacted.pdf

Trace Densem **APWRCT** 18 Clyde St Roseneath Otago Harbour 9023 southernsteel.bldgs@xtra.co.nz

Dear Sir/Madam,

Official information request for ARAMOANA WHARF information

I refer to your official information request dated 13-December-2016 for "all emails and correspondence pertaining to the above issue which relates to the DCC 12 December 2016 report including a copy of the estimate for removal."

The information you have requested is attached. A small amount of information has been redacted under the Local Government Official Information and Meetings Act to protect privacy, or the commercial position of contractors. There are notes on the attachments where this is the case.

You have specifically asked for a copy of the estimate for the removal of the wharf. This document has been withheld under Section 7(2)(b)(ii) of the Act because releasing it would be likely unreasonably to prejudice the

commercial position of the person who supplied or who is the subject of the information. However, I can inform you that it has been reported in the media that the total cost of the demolition was \$46,080.

You have the right to seek an investigation and review by the Ombudsman of this decision. Information about how to make a complaint is available at www.ombudsman.parliament.nz or freephone 0800 802 602.

If you wish to discuss this information with us, please feel free to contact Jendi Paterson, Recreation Planning and Facilities Manager, Jendi.Paterson@dcc.govt.nz.

Yours sincerely Arlene Goss

Arlene Goss **Governance Support Officer Dunedin City Council**

50 The Octagon, Dunedin; P O Box 5045, Moray Place, Dunedin 9058, New Zealand

Telephone: 03 477 4000 Email: Arlene.Goss@dcc.govt.nz











📤 Please consider the environment before printing this e-mail